

Rev 1.0.0

- 65mm/34mm Edge Cut Size
- 3V0 VDD Capacitor(bypass) & Beads
- Sensor & Battery Bug Fix

Rev 1.0.1

- Oxygen Sensor
 - Voltage Amplification Ratio Adjustment R11(100 -> 10.7), R12(5.1k -> 2.0k)
 - Addition of Capacitor for Noise Reduction (C22)
- Gas Sensor
 - Addition of Capacitor for Noise Reduction (R19, C23)
- Battery Connector pitch fix (2.5mm -> 1.25mm)

Rev 1.0.2

- Oxygen Sensor
 - Voltage Amplification Ratio Adjustment R18(10.7 -> 10k), R12(2.0k -> 2M)
 - > Reduce Current Consumption
 - Addition of lowpass filter for Noise Reduction
- Gas Sensor
 - Addition of lowpass filter for Noise Reduction
- 2 Layer -> 4 Layer
- hansam digitec requirement
 - If USB and RC are very close, errors may occur
so increase the distance (R1, R23, R24, C22)
- BME680 Sensor Enable ctrl remove
- 32k Crystal Layout fix

Rev 1.0.3

- USB Edge cut fix

Rev 1.0.4

- Bias Circuit(Gas Detecting)

Sheet: /Rev 1.0.X/
File: untitled.kicad_sch


Title:




Size: A4
KiCad E.D.A. 8.0.2-1

Date:

Rev:
Id: 5/5

1	2	3	4	5	6
A	<div>Rev 2.0.1 – Design Change</div> <div>Rev 1.0.X</div> <div>: untitled.kicad_sch</div>				
B					
C					
D	<div></div> <div>Sheet: / File: gas_nrf52832.kicad_sch</div> <div>Title: Revision History</div> <div><div>Size: A4</div><div>Date: 2025-01-13</div><div>Rev:</div></div> <div><div>KiCad E.D.A. 8.0.2-1</div><div>Id: 1/5</div></div>				
1	2	3	4	5	6





Sheet: /Power Sheet/
File: power.kicad_sch

Title: Power Circuit

Size: A4 Date:

KiCad E.D.A. 8.0.2-1

Rev:

Id: 3/5

