

Rev 1.0.0

- 65mm/34mm Edge Cut Size
- 3V0 VDD Capacitor(bypass) & Beads
- Sensor & Battery Bug Fix

Rev 1.0.1

- Oxygen Sensor
 - Voltage Amplification Ratio Adjustment R11(100 -> 10.7), R12(5.1k -> 2.0k)
 - Addition of Capacitor for Noise Reduction (C22)
- Gas Sensor
 - Addition of Capacitor for Noise Reduction (R19, C23)
- Battery Connector pitch fix (2.5mm -> 1.25mm)

TODO





- hansam digitec requirement
 - If USB and RC are very close, errors may occur so increase the distance (R8, R20, R21, C8)

Sheet: /
File: gas_nrf52832.kicad_sch

Title: Revision History

Size: A4 Date:
KiCad E.D.A. kicad 7.0.10

Rev:
Id: 1/4






Sheet: /Power Sheet/
File: power.kicad_sch

Title: Power Circuit

Size: A4
KiCad E.D.A. kicad 7.0.10

Date:

Rev:
Id: 3/4



Sheet: /Sensor Sheet/	
File: sensor.kicad_sch	
Title: Sensor Circuit	
Size: A4	Date:
KiCad E.D.A. kicad 7.0.10	Rev: Id: 4/4