

<b>Object:</b> res.partner <b>Name:</b> LRA principal contact	Type: Base C  Transient: F  Apps: accou base, base_a bus, calenda im_livechat, membership phone_valid: purchase_st survey
--	--

Security					
Group	R	W	C	U	Name
Sales / Administrator	X				res.partner.crm.manager
Purchase / Administrator	X	X	X		res.partner.purchase.manager
Sales / Administrator	X	X	X		res.partner.sale.manager
Inventory / Administrator	X	X	X		res_partner group_stock_manager
Invoicing / Chief Accountant	X				res_partner group_account_manager
Extra Rights / Contact Creation	X	X	X	X	res_partner group_partner_manager
User types / Internal User	X				res_partner group_user
Recruitment / Officer	X	X	X	X	res.partner.user
User types / Portal	X				res_partner group_portal
User types / Public	X				res_partner group_public
Project / User	X				base.res.partner user
Purchase / User	X				res.partner purchase
Sales / User: Own Documents Only	X	X	X		res.partner.crm.user
Sales / User: Own Documents Only	X				res.partner.sale.user

Fields					
Name	Label	Type	Attribute	Rq	Ro
Email	Email	char			
Fax	Fax	char			
Notes	Notes	text			
Switchboard	Switchboard	char			
URL	Url	char			
VATexempt_num	Vatexempt Num	char			
VATnum	Vatnum	char			
__last_update	Last Modified on	datetime			X

abc_category_id	Entity companies	many2one	- relation = res.users - ondelete = Set NULL		
accepts_back_orders	Accepts Back Orders	boolean			
account_customer_id	Entity companies	many2one	- relation = res.users - ondelete = Set NULL		
account_supplier_id	Entity companies	many2one	- relation = res.users - ondelete = Set NULL		
account_type_id	Entity companies	many2one	- relation = res.users - ondelete = Set NULL		
accountnum	Accountnum	char			
active	Active	boolean			
active_lang_count	Active Lang Count	integer			X
active_limit	Active Credit Limit	boolean			
activity_calendar_event_id	Next Activity Calendar Event	many2one	- relation = calendar.event - ondelete = Set NULL		X
activity_date_deadline	Next Activity Deadline	date			X
activity_exception_decoration	Activity Exception Decoration	selection	- selection = [ (warning, Alert), (danger, Error), ]		X
activity_exception_icon	Icon	char			X
activity_ids	Activities	one2many	- relation = mail.activity - field = res_id		
activity_state	Activity State	selection	- selection = [ (overdue, Overdue), (today, Today), (planned, Planned), ]		X
activity_summary	Next Activity Summary	char			
activity_type_icon	Activity Type Icon	char			X
activity_type_id	Next Activity Type	many2one	- relation = mail.activity.type		
activity_user_id	Responsible User	many2one	- relation = res.users		
additional_info	Additional info	char			
associate_member	Associate Member	many2one	- relation = res.partner - ondelete = Set NULL		
avatar_1024	Avatar 1024	binary			X
avatar_128	Avatar 128	binary			X
avatar_1920	Avatar	binary			X
avatar_256	Avatar 256	binary			X

avatar_512	Avatar 512	binary			X
bank_account_count	Bank	integer			X
bank_ids	Banks	one2many	- relation = res.partner.bank - field = partner_id		
barcode	Barcode	char			
blocking_stage	Blocking Amount	float			
bus_category_id	Entity companies	many2one	- relation = res.users - ondelete = Set NULL		
calendar_last_notif_ack	Last notification marked as read from base Calendar	datetime			
catdesc	Catdesc	char			
category_id	Tags	many2many	- relation = res.partner.category		
certifications_company_count	Company Certifications Count	integer			X
certifications_count	Certifications Count	integer			X
channel_ids	Channels	many2many	- relation = mail.channel		
child_ids	Contact	one2many	- relation = res.partner - field = parent_id		
city	City	char			
color	Color Index	integer			
comment	Notes	html			
commercial_company_name	Company Name Entity	char			X
commercial_partner_id	Commercial Entity	many2one	- relation = res.partner - ondelete = Set NULL		X
company_id	Company	many2one	- relation = res.company - ondelete = Set NULL		
company_ids	Entity companies	many2many	- relation = res.users		
company_name	Company Name	char			
company_type	Company Type	selection	- selection = [ (person, Individual), (company, Company), ]		
compregnum	Compregnum	char			
comptel	Comptel	char			
contact_address	Complete Address	char			X

contract_ids	Partner Contracts	one2many	- relation = account.analytic.account - field = partner_id		X
country_code	Country Code	char	- size = 2		X
country_id	Country	many2one	- relation = res.country - ondelete = Restrict		
create_date	Created on	datetime			X
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X
credit	Total Receivable	monetary			X
credit_limit	Credit Limit	float			
currency_id	Currency	many2one	- relation = res.currency - ondelete = Set NULL		X
customer_rank	Customer Rank	integer			
date	Date	date			
date_localization	Geolocation Date	date			
dealer_id	Entity dealer	many2one	- relation = res.users - ondelete = Set NULL		
debit	Total Payable	monetary			X
debit_limit	Payable Limit	monetary			
display_name	Display Name	char			X
due_amount	Total Sale	float			X
email	Email	char			
email_formatted	Formatted Email	char			X
email_normalized	Normalized Email	char			X
employee	Employee	boolean			
employee_ids	Employees	one2many	- relation = hr.employee - field = address_home_id		
employees_count	Employees Count	integer			X
enable_credit_limit	Credit Limit Enabled	boolean			X
entity_category_id	Entity companies	many2one	- relation = res.users - ondelete = Set NULL		
entity_creator_id	Entity creator	many2one	- relation = res.users - ondelete = Set NULL		

entity_manager_id	Entity manager	many2one	- relation = res.users - ondelete = Set NULL		
entity_type_id	Entity companies	many2one	- relation = res.users - ondelete = Set NULL		
entity_updater_id	Entity updater	many2one	- relation = res.users - ondelete = Set NULL		
event_count	# Events	integer			X
followup_status	Followup status	selection	- selection = [ (in_need_of_action, In need of action), (with_overdue_invoices, With overdue invoices), (no_action_needed, No action needed), ]		
free_member	Free Member	boolean			
function	Job Position	char			
has_message	Has Message	boolean			X
has_unreconciled_entries	Has Unreconciled Entries	boolean			X
iap_enrich_info	IAP Enrich Info	text			X
iap_search_domain	Search Domain / Email	char			X
id	ID	integer			X
im_status	IM Status	char			X
image_1024	Image 1024	binary			X
image_128	Image 128	binary			X
image_1920	Image	binary			
image_256	Image 256	binary			X
image_512	Image 512	binary			X
industry_id	Industry	many2one	- relation = res.partner.industry - ondelete = Set NULL		
invoice_ids	Invoices	one2many	- relation = account.move - field = partner_id		X
invoice_list	Invoice Details	one2many	- relation = account.move - field = partner_id		X
invoice_warn	Invoice	selection	- selection = [ (no-message, No Message), (warning, Warning), (block, Blocking Message), ]		
invoice_warn_msg	Message for Invoice	text			
is_account_customer	Is Account Customer	boolean			
is_account_supplier	Is Account Supplier	boolean			

is_anniversary_courier	Is Anniversary Courier	boolean		
is_anniversary_supplier	Is Anniversary Supplier	boolean		
is_birth_day_courier	Is Birth Day Courier	boolean		
is_birth_day_supplier	Is Birth Day Supplier	boolean		
is_blacklisted	Blacklist	boolean		X
is_company	Is a Company	boolean		
is_supplier	Is Supplier	boolean		
journal_item_count	Journal Items	integer		X
lang	Language	selection		
last_time_entries_checked	Latest Invoices & Payments Matching Date	datetime		X
legal_name	Legal Name	char		
meeting_count	# Meetings	integer		X
meeting_ids	Meetings	many2many	- relation = calendar.event	
member_lines	Membership	one2many	- relation = membership.membership_line - field = partner	
membership_amount	Membership Amount	float		
membership_cancel	Cancel Membership Date	date		X
membership_start	Membership Start Date	date		X
membership_state	Current Membership Status	selection	- selection = [ (none, Non Member), (canceled, Cancelled Member), (old, Old Member), (waiting, Waiting Member), (invoiced, Invoiced Member), (free, Free Member), (paid, Paid Member), ]	X
membership_stop	Membership End Date	date		X
menthod_of_contact	Menthod Of Contact	char		
message_attachment_count	Attachment Count	integer		X
message_bounce	Bounce	integer		
message_follower_ids	Followers	one2many	- relation = mail.followers - field = res_id	
message_has_error	Message Delivery error	boolean		X
message_has_error_counter	Number of errors	integer		X
message_has_sms_error	SMS Delivery error	boolean		X
message_ids	Messages	one2many	- relation = mail.message - field = res_id	

message_is_follower	Is Follower	boolean			X
message_main_attachment_id	Main Attachment	many2one	- relation = ir.attachment - ondelete = Set NULL		
message_needaction	Action Needed	boolean			X
message_needaction_counter	Number of Actions	integer			X
message_partner_ids	Followers (Partners)	many2many	- relation = res.partner		X
message_unread	Unread Messages	boolean			X
message_unread_counter	Unread Messages Counter	integer			X
mobile	Mobile	char			
mobile_blacklisted	Blacklisted Phone Is Mobile	boolean			X
my_activity_date_deadline	My Activity Deadline	date			X
name	Name	char			
next_call_date	Next Call Date	date			
next_reminder_date	Next Reminder Date	date			X
on_time_rate	On-Time Delivery Rate	float			X
opportunity_count	Opportunity	integer			X
opportunity_ids	Opportunities	one2many	- relation = crm.lead - field = partner_id		
parent_id	Related Company	many2one	- relation = res.partner - ondelete = Set NULL		
parent_name	Parent name	char			X
partner_gid	Company database ID	integer			
partner_latitude	Geo Latitude	float			
partner_longitude	Geo Longitude	float			
partner_share	Share Partner	boolean			X
payment_token_count	Payment Token Count	integer			X
payment_token_ids	Payment Tokens	one2many	- relation = payment.token - field = partner_id		
phone	Phone	char			
phone_blacklisted	Blacklisted Phone is Phone	boolean			X
phone_mobile_search	Phone/Mobile	char			
phone_sanitized	Sanitized Number	char			X

phone_sanitized_blacklisted	Phone Blacklisted	boolean			X
picking_warn	Stock Picking	selection	- selection = [ (no-message, No Message), (warning, Warning), (block, Blocking Message), ]		
picking_warn_msg	Message for Stock Picking	text			
plan_to_change_bike	Plan To Change Bike	boolean			
plan_to_change_car	Plan To Change Car	boolean			
property_account_payable_id	Account Payable	many2one	- relation = account.account - ondelete = Restrict	X	
property_account_position_id	Fiscal Position	many2one	- relation = account.fiscal.position - ondelete = Set NULL		
property_account_receivable_id	Account Receivable	many2one	- relation = account.account - ondelete = Restrict	X	
property_payment_method_id	Payment Method	many2one	- relation = account.payment.method - ondelete = Set NULL		
property_payment_term_id	Customer Payment Terms	many2one	- relation = account.payment.term - ondelete = Set NULL		
property_product_pricelist	Pricelist	many2one	- relation = product.pricelist - ondelete = Set NULL		
property_purchase_currency_id	Supplier Currency	many2one	- relation = res.currency - ondelete = Set NULL		
property_stock_customer	Customer Location	many2one	- relation = stock.location - ondelete = Set NULL		
property_stock_supplier	Vendor Location	many2one	- relation = stock.location - ondelete = Set NULL		
property_supplier_payment_term_id	Vendor Payment Terms	many2one	- relation = account.payment.term - ondelete = Set NULL		
purchase_line_ids	Purchase Lines	one2many	- relation = purchase.order.line - field = partner_id		
purchase_order_count	Purchase Order Count	integer			X
purchase_warn	Purchase Order	selection	- selection = [ (no-message, No Message), (warning, Warning), (block, Blocking Message), ]		
purchase_warn_msg	Message for Purchase Order	text			
receipt_reminder_email	Receipt Reminder	boolean			
ref	Reference	char			



ref_company_ids	Companies that refers to partner	one2many	- relation = res.company - field = partner_id		
reminder_date_before_receipt	Days Before Receipt	integer			
sale_order_count	Sale Order Count	integer			X
sale_order_ids	Sales Order	one2many	- relation = sale.order - field = partner_id		
sale_warn	Sales Warnings	selection	- selection = [ (no-message, No Message), (warning, Warning), (block, Blocking Message), ]		
sale_warn_msg	Message for Sales Order	text			
same_vat_partner_id	Partner with same Tax ID	many2one	- relation = res.partner - ondelete = Set NULL		X
self	Self	many2one	- relation = res.partner - ondelete = Set NULL		X
signup_expiration	Signup Expiration	datetime			
signup_token	Signup Token	char			
signup_type	Signup Token Type	char			
signup_url	Signup URL	char			X
signup_valid	Signup Token is Valid	boolean			X
state_id	State	many2one	- relation = res.country.state - ondelete = Restrict		
street	Street	char			
street2	Street2	char			
supplier_invoice_count	# Vendor Bills	integer			X
supplier_rank	Supplier Rank	integer			
task_count	# Tasks	integer			X
task_ids	Tasks	one2many	- relation = project.task - field = partner_id		
team_id	Sales Team	many2one	- relation = crm.team - ondelete = Set NULL		
title	Title	many2one	- relation = res.partner.title - ondelete = Set NULL		
total_due	Total Due	monetary			X
total_invoiced	Total Invoiced	monetary			X

total_overdue	Total Overdue	monetary			X
trust	Degree of trust you have in this debtor	selection	- selection = [ (good, Good Debtor), (normal, Normal Debtor), (bad, Bad Debtor), ]		
type	Address Type	selection	- selection = [ (contact, Contact), (invoice, Invoice Address), (delivery, Delivery Address), (other, Other Address), (private, Private Address), ]		
tz	Timezone	selection			
tz_offset	Timezone offset	char			X
user_id	Salesperson	many2one	- relation = res.users - ondelete = Set NULL		
user_ids	Users	one2many	- relation = res.users - field = partner_id		
user_livechat_username	User Livechat Username	char			X
vat	VAT/Tax ID	char			
warning_stage	Warning Amount	float			
website	Website Link	char			
website_message_ids	Website Messages	one2many	- relation = mail.message - field = res_id		
write_date	Last Updated on	datetime			X
write_uid	Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X
zip	Zip	char			

#### Views

Seq	Type	Name	XML ID	Inherited
1	Form	res.partner.form	base.view_partner_form	
1	Form	res.partner.view.form.calendar	calendar.view_partners_form	base.view_p
1	Form	view.res.partner.form.crm.inherited1	crm.view_partners_form_crm1	base.view_p
2	Form	res.partner.property.form.inherit	account.view_partner_property_form	base.view_p
3	Form	res.partner.view.buttons	sale.res_partner_view_buttons	base.view_p
6	Form	view.res.partner.form.event.inherited	event.res_partner_view_tree	base.view_p
7	Form	res.partner.task.buttons	project.view_task_partner_info_form	base.view_p
8	Tree	res.partner.tree	base.view_partner_tree	
9	Form	res.partner.view.purchase.buttons	purchase.res_partner_view_purchase_buttons	base.view_p
10	Kanban	res.partner.kanban.inherit	crm.crm_lead_partner_kanban_view	base.res_par

10	Form	res.partner.view.form.inherit.sms	sms.res_partner_view_form	base.view_p
10	Kanban	res.partner.view.kanban.calendar	calendar.res_partner_kanban_view	base.res_par
11	Form	partner.view.buttons	account.partner_view_buttons	base.view_p
12	Form	res.partner.view.purchase.account.buttons	purchase.res_partner_view_purchase_account_buttons	base.view_p
15	Form	view.res.partner.form.payment.defaultcreditcard	payment.view_partners_form_payment_defaultcreditcard	base.view_p
16	Form	Credit Limit	base_accounting_kit.view_customer_form	base.view_p
16	Tree	Members	membership.membership_members_tree	
16	Form	customer.statements.followup	base_accounting_kit.customer_statements_form_view	
16	Search	customer.statements.search	base_accounting_kit.customer_statements_search_view	base.view_r
16	Tree	customer.statements.tree	base_accounting_kit.customer_statements_tree_view	
16	Activity	res.partner.activity	mail.res_partner_view_activity	
16	Form	res.partner.form.inherit	membership.view_partner_form	base.view_p
16	Form	res.partner.form.inherit.base	sale_crm.res_partner_address_type	base.view_p
16	Form	res.partner.form.inherit.partner.autocomplete	partner_autocomplete.view_res_partner_form_inherit_partner_autocomplete	base.view_p
16	Form	res.partner.geolocation.inherit	base_geolocalize.view_crm_partner_geo_form	base.view_p
16	Kanban	res.partner.kanban	base.res_partner_kanban_view	
16	Kanban	res.partner.kanban.inherit	base_setup.res_partner_kanban_view	base.res_par
16	Kanban	res.partner.kanban.purchaseorder.inherit	purchase.purchase_partner_kanban_view	base.res_par
16	Form	res.partner.product.property.form.inherit	product.view_partner_property_form	base.view_p
16	Form	res.partner.property.form.inherit	account_check_printing.view_partner_property_form	account.view
16	Form	res.partner.purchase.stock.form.inherit	purchase_stock.res_partner_view_purchase_buttons_inherit	purchase.res
16	Search	res.partner.search.inherit	account.res_partner_view_search	base.view_r
16	Search	res.partner.select	base.view_res_partner_filter	
16	Form	res.partner.simplified.form	base.view_partner_simple_form	
16	Form	res.partner.simplified.form.inherit.partner.autocomplete	partner_autocomplete.view_partner_simple_form_inherit_partner_autocomplete	base.view_p
16	Form	res.partner.stock.property.form.inherit	stock.view_partner_stock_form	mail.res_par
16	Form	res.partner.stock.warning	stock.view_partner_stock_warnings_form	base.view_p
16	Tree	res.partner.tree.form.inherit	membership.view_partner_tree	base.view_p
16	Form	res.partner.vat.inherit	base_vat.view_partner_form	base.view_p
16	Form	res.partner.view.form.inherit.hr	hr.res_partner_view_form	base.view_p
16	Form	res.partner.view.form.inherit.mail	mail.res_partner_view_form_inherit_mail	base.view_p
16	Form	res.partner.view.form.inherit.survey	survey.res_partner_view_form	base.view_p

16	Form	res.partner.view.form.payment.defaultcreditcard	sale.res_partner_view_form_payment_defaultcreditcard	payment.vie
16	Form	res.partner.view.form.property.inherit	sale.res_partner_view_form_property_inherit	account.view
16	Kanban	res.partner.view.kanban.inherit.mail	mail.res_partner_view_kanban_inherit_mail	base.res_par
16	Search	res.partner.view.search.inherit.mail	mail.res_partner_view_search_inherit_mail	base.view_re
16	Search	res.partner.view.search.inherit.sms	sms.res_partner_view_search	base.view_re
16	Form	res.partner.view.team	sales_team.res_partner_view_team	base.view_p
16	Tree	res.partner.view.tree.inherit.mail	mail.res_partner_view_tree_inherit_mail	base.view_p
20	Form	res.partner.form.address	base.view_partner_address_form	
20	Kanban	res.partner.kanban.saleorder.inherit	sale.crm_lead_partner_kanban_view	base.res_par
36	Form	res.partner.purchase.property.form.inherit	purchase.view_partner_property_form	base.view_p
50	Search	res.partner.select	membership.view_res_partner_member_filter	
300	Form	res.partner.view.form.private	base.res_partner_view_form_private	