React and Databasing: Basics of IBM Cloudant NoSQL DB

Bradston Henry

Senior Developer, Developer Advocate | IBM North America Team

Workshop Materials Repo Link:

ibm.biz/react-cloudant-workshop-bradston



About Me: Bradston Henry

7+ Years of Development and Industry Experience

• Mobile: iOS, React Native

• Web: React, JS/HTML/CSS

• Cloud: IBM Cloud, OpenShift, AWS

Game Dev: Unity3D, Unreal(just a little)

Hobbies

- Game Development
 - Itch.io, GMTK 2021, Android
- Gaming
 - Apex, Valheim, Super Marios Bros 3D Allstars
- Breakdancing/Bboying (Retired)
- MMA (Mixed Martial Arts)

















Agenda

- <u>Jellybean World App Overview/Demo</u>
- IBM Cloudant Overview
- <u>Jellybean App Architecture Overview</u>
- Workshop/Code-a-long

Jellybean World App Overview

Jellybean World App Overview

A simple application that allows you to create a small "jellybean based" world using a browser-based 2D-Physics engine.



Tech Stack

Frontend: ReactJS

Database/Backend: <u>IBM Cloudant</u> (Cloudant NoSQL DB)

Middleware Server: <u>Node</u>

Navigation: React Router

Physics Engine: <u>Matter.js</u>

Networking: <u>Axios</u> (HTTP Client)


UI/Design Framework: <u>Material-UI/React Bootstrap</u>



Jellybean World Demo

Jellybean World Website

*link may not work after workshop



IBM Cloudant Overview

IBM Cloudant Overview

0

Features



Serverless: Deploy an instance, create databases and independently scale throughput capacity and data storage to meet your application requirements.



 Secure: Encrypt all data, with optional userdefined encryption key management through IBM® Key Protect and integrate with IBM Identity and Access Management.



 Global availability: Get continuous availability as Cloudant distributes data across availability zones and 6 regions for app performance and disaster recovery requirements.



 Powerful API: Store JSON documents with an HTTP API. Enhance your applications with built-in key value, MapReduce, full-text search and geospatial querying.



 Zero vendor lock-in: Employ an open-source drop-in replacement — Apache CouchDB. You can deploy for hybrid or multicloud architectures.



 Complaint: Ensure compliance as Cloudant is ISO 27001 compatible and SOC 2 Type 2, PCI, GDPR and HIPAA compliant.




 Durable replication: Move app data closer to where it's needed for continuous data access.
 Build web apps, develop with an offline-first architecture or manipulate data at the edge.




Cloudant Language Libraries: Supported languages include Android, iOS, Java, Node.js, Python and Swift.

Learn More about IBM Cloudant Here

Cloudant Simplified Architecture



Cloudant API



IBM Cloudant Request Types

• GET

Returns document with the specified 'doc_id' from the specified database.

POST

Creates or modifies a document in the specified database by using the supplied JSON

PUT


Creates a new named document, or creates a new revision of the existing document

DELETE


Marks the specified document as deleted by adding a _deleted field with the value true. Documents with this field are not returned within requests anymore but stay in the database

Jellybean World App Architecture

Jellybean World App Architecture



Jellybean World App Architecture (Client-Server-DB Model)




Let's Do This!

Before We Start

- Sign up for IBM Cloud
- Download React Starter Code
- Download Node Starter Code

*Visit Workshop Github page for all necessary links



NOW...Let's Do This!

Code-along

Thank you for attending.

Bradston Henry

Senior Developer, Developer Advocate

_

Twitter: <a>@bradstondev

Youtube: <u>Bradston Henry</u>
Dev.to Blog: <u>@bradstondev</u>

