

HAB Payload Dashboard

Upload a **flight.csv** file or connect to the ESP8266 LoRa ground station over USB Serial.

Choose File

sample_flight_kansas.csv

Connect to Ground Station

Mode: CSV Upload

BME280

GPS

CSV / Data Stream

Live LoRa Link

Estimated Recovery Radius

Assumed Wind Speed (m/s)

5

Assumed Descent Rate (m/s)

5

Estimated Descent Time


83 s

Estimated Landing Radius

413 m

This is a rough radius around the latest GPS point, not an exact landing prediction. Real HAB prediction needs wind data by altitude, ascent rate, burst altitude, and parachute behavior.

Estimated Landing Area



The circle is centered on the latest GPS point. Radius is based on assumed wind speed and descent rate. The map tiles require internet unless already cached, but the radius math still works offline.

Flight Time 60 s	Temperature 16.70 °C	Pressure 970.25 hPa	Humidity 34.20 %
BME Altitude 413.15 m	GPS Valid	Latitude 38.883850	Longitude -98.331670

GPS Altitude

412.20 m

GPS Speed

8.10 km/h

Satellites


10

LoRa RSSI


-- dBm



[Open latest GPS point in Google Maps](#)



BME Altitude vs Time



Temperature vs Time







time_s	temp_C	pressure_hPa	humidity_percent	bme_alt_m	gps_valid	gps_age_ms	lat	lon	gps_alt_m	speed_kmh	sats
60	16.70	970.25	34.20	413.15	Y	117	38.883850	-98.331670	412.20	8.10	10
58	16.95	972.55	34.55	389.40	Y	120	38.883120	-98.332390	388.50	8.00	10
56	17.22	974.80	34.82	366.25	Y	124	38.882410	-98.333090	365.10	7.85	10
54	17.55	976.95	35.10	344.10	Y	118	38.881720	-98.333770	343.20	7.70	10
52	17.85	979.00	35.42	323.35	Y	115	38.881050	-98.334430	322.00	7.60	10

time_s	temp_C	pressure_hPa	humidity_percent	bme_alt_m	gps_valid	gps_age_ms	lat	lon	gps_alt_m	speed_kmh	sats
50	18.10	981.00	35.70	303.10	Y	121	38.880410	-98.335060	301.80	7.45	10
48	18.42	982.90	36.05	283.80	Y	119	38.879790	-98.335670	282.30	7.30	11
46	18.70	984.70	36.35	265.50	Y	118	38.879200	-98.336250	263.80	7.15	11
44	18.95	986.45	36.70	247.90	Y	116	38.878630	-98.336800	246.10	7.00	11
42	19.22	988.05	36.98	231.80	Y	120	38.878090	-98.337330	230.00	6.80	11
40	19.50	989.50	37.25	217.25	Y	117	38.877580	-98.337830	215.70	6.60	12
38	19.75	990.85	37.55	204.10	Y	122	38.877100	-98.338300	202.40	6.35	12
36	19.98	992.10	37.85	192.10	Y	119	38.876650	-98.338740	190.20	6.10	12
34	20.20	993.25	38.10	181.35	Y	121	38.876220	-98.339160	179.60	5.90	12
32	20.42	994.35	38.35	171.10	Y	125	38.875820	-98.339550	169.20	5.60	12
30	20.65	995.30	38.60	162.20	Y	118	38.875450	-98.339910	160.40	5.30	12
28	20.85	996.20	38.90	154.15	Y	115	38.875100	-98.340250	152.30	5.00	12
26	21.02	997.05	39.15	146.55	Y	128	38.874780	-98.340560	144.80	4.60	12
24	21.20	997.80	39.45	139.95	Y	130	38.874500	-98.340830	138.10	4.05	11
22	21.37	998.45	39.70	134.20	Y	124	38.874250	-98.341070	132.50	3.60	11
20	21.55	999.05	39.98	128.85	Y	113	38.874030	-98.341290	127.20	3.10	11
18	21.70	999.52	40.25	124.70	Y	110	38.873850	-98.341470	123.10	2.70	11
16	21.85	999.95	40.50	120.95	Y	125	38.873680	-98.341640	119.40	2.20	10
14	21.98	1000.30	40.72	117.90	Y	116	38.873540	-98.341780	116.20	1.80	10
12	22.10	1000.62	40.90	115.10	Y	121	38.873420	-98.341890	113.40	1.45	10