



PENGAJUAN BARANG UMUM / ALKES RUMAH SAKIT PRIMA HUSADA
NO : 675/I-PNJ/NEON/2024

Tanggal		20 Mei 2024	
Pengajuan Dari Unit*		NICU	
Alasan Pengajuan		Kebutuhan Penambahan Peralatan Medis Ruang NICU	
I.DATA BARANG DAN SUPLIER			
1.	No	Nama Alat	Jumlah
	1.	Syringe Pump [✓]	5
	2.	Infusion Pump	5
2.	Fungsi alat** (fungsi di isi sesuai nomor alat)	1. Fungsi syringe pump yaitu untuk mengatur jumlah cairan yang masuk ke dalam sirkulasi darah melalui vena. 2. Infus pump merupakan peralatan medis yang digunakan untuk memberikan tambahan zat-zat elektrolit yang berbentuk zat cair diinjeksikan ke dalam tubuh pasien dalam jumlah tertentu melalui vena.	
3.	Penempatan alat**	Ruang NICU	
4.	Merk/Tipe**	1. Merk Fresenius Kabi, Type Ijectomat Agilia 2. Merk Fresenius Kabi, Type Volumat MC Agilia	
5.	Spesifikasi**	1. Merk Fresenius Kabi, Type Ijectomat Agilia a) manual pusher Protection for the ongoing infusion thanks to "Push-Guard". b) Display Blue graphic LCD monochrome, size 66 mm x 33 mm (128 x 64 pixels). c) Swinglock clamp Versatile clamp that allows the fixation on a rail or on a pole (Pole: 20-40 mm max. / Rail: 25-35 x 10 mm). d) Stackability Up to 3 devices self-stackable on a pole with a safe handle. e) Dimensions (h/w/d) / weight 135 x 345 x 170 mm / 2150 g. f) Battery LIFE NI/MH. Battery capacity minimum: 10 hours at 5 ml/h. g) Battery replacement: separate compartment – no need for electrical security testing. h) Compliance standard EN/IEC 60601-1 and EN/IEC 60601-2-24 / CE 0459 marking in compliance with the EEC 93/42 European i) Medical Device Directive / EMC. j) Waterproofness IP22. k) Electrical compliance Protection against leakage current: Defibrillation-proof type CF. Protection against electric shocks: class II. l) Power supply 100 - 240 Vac / 15 VA, external power 9 Vdc by a converter 2. Merk Fresenius Kabi, Type Volumat MC Agilia a) Manual pusher Protection for the ongoing infusion thanks to "Push-Guard". b) Display Blue graphic LCD monochrome, size 66 mm x 33 mm (256 x 128 pixels). c) Swinglock clamp Versatile clamp that allows the fixation on a rail or on a pole (Pole: 20-40 mm max. / Rail: 25-35 x 10 mm). d) Stackability Up to 3 devices self-stackable on a pole. Dimensions (h/w/d) / weight 135 X 345 X 170 mm / ~ 2.1 kg. e) Battery Characteristics: 7.2 V 2.2 Ah - Li-ion Smart battery, remaining battery life and battery charge level available on the display.	



f) Battery Life (when fully charged) : 1) Agilia SP MC and Agilia SP MC WiFi (WiFi disabled / not used): 2) 13 h at 5 mL/h. 3) Agilia SP MC WiFi (WiFi enabled): 4) 9 h at 5 mL/h. g) Battery recharge: 1) Pump OFF: < 6 h. 2) Pump ON: < 20 h. h) Waterproofness IP22. i) Power supply j) 100 V - 240 V ~ / 50 / 60 Hz with functional earth				
Kepala Ruang NICU  a/n Ns. Dhora Putri, S.Kep	PLT Kabid Yanmed  dr. Wiryantari Akhdani Pratiwi	PLT Kabid Jangmed  Putri Indah Purnama Sari, AMd, Keb	Kabid Umum dan Keuangan  drg. Endy Wira Pradana, M.MRS	PLT Direktur RS  dr. Nur Mazidah
TANGGAPAN DARI KABID RUMAH SAKIT PRIMA HUSADA				
TANGGAPAN DARI DIREKTUR RUMAH SAKIT PRIMA HUSADA				

*Alasan pengajuan: belum pernah tersedia/ ada tetapi rusak/ perlu penambahan/ ada tetapi hilang/ untuk back up

** Spesifikasi : Tidak di approve jika tidak di isi secara lengkap



LAMPIRAN FOTO

1. **Syringe Pump** Merk Fresenius Kabi, Type Ijectomat Agilia



2. **Infusion Pump** Merk Fresenius Kabi, Type Volumat MC Agilia

