

# Cucumber Report

24 oct. 2022, 15:12:52

**Start : oct. 24, 3:12:29.769 PM**

**End : oct. 24, 3:12:51.376 PM**

**Duration : 21.607 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 5**

**SKIPPED - 0**

**PASSED - 0**




**FAILED - 7**

**SKIPPED - 0**

**PASSED - 4**


**FAILED - 7**

**SKIPPED - 14**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Absence</u>	1.734 s	1	0	1	0	2	0	1	1
<u>CreationCollaborateur</u>	1.302 s	1	0	1	0	8	0	1	7
<u>MAJmanagerCollab</u>	5.410 s	1	0	1	0	5	0	1	4
<u>Verification de collab sur Kimble</u>	10.513 s	2	0	2	0	2	0	2	0
<u>login</u>	2.604 s	2	0	2	0	8	4	2	2

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@creation_absence	1	0	1	0	1	0	1	0
@CreationCollaborateur	1	0	1	0	1	0	1	0
@MAJmanager	1	0	1	0	1	0	1	0
@VerifEmp	2	0	2	0	1	0	1	0
@LoginSF	1	0	1	0	1	0	1	0
@LoginKimble	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Absence</u>	1	0	1	0	1.734 s
2	<u>CreationCollaborateur</u>	1	0	1	0	1.302 s
3	<u>MAJmanagerCollab</u>	1	0	1	0	5.410 s
4	<u>Verification de collab sur Kimble</u>	2	0	2	0	10.513 s
5	<u>login</u>	2	0	2	0	2.604 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Absence</u>	<u>creationAbsence</u>	2	0	1	1	1.732 s
2	<u>CreationCollaborateur</u>	<u>Creation Collab</u>	8	0	1	7	1.302 s
3	<u>MAJmanagerCollab</u>	<u>MAJmanagerCollab</u>	5	0	1	4	5.410 s
4	<u>Verification de collab sur Kimble</u>	<u>verification des données de l'employée</u>	1	0	1	0	5.274 s
5	<u>Verification de collab sur Kimble</u>	<u>verification de l'ajout de l'employée</u>	1	0	1	0	5.232 s
6	<u>login</u>	<u>login SF</u>	4	2	1	1	1.274 s
7	<u>login</u>	<u>login Kimble</u>	4	2	1	1	1.324 s

## Absence

FAILED	DURATION - 1.734 s	Scenarios		Steps	
/ 3:12:29.769 PM // 3:12:31.503 PM /		Total - 1		Total - 2	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## creationAbsence



FAILED		DURATION - 1.732 s			Steps	
/ 3:12:29.771 PM // 3:12:31.503 PM /					Total - 2	
Absence					Pass - 0	
@creation_absence					Fail - 1	
					Skip - 1	

#	Step / Hook Details	Status	Duration
1	<p>Given Créer une nouvelle absence</p> <p>org.openqa.selenium.WebDriverException: Returned value cannot be converted to WebElement: {stacktrace=Backtrace: Ordinal0 [0x011BA8E3+2402531] Ordinal0 [0x0114B011+1945617] Ordinal0 [0x0103C610+837136] Ordinal0 [0x0105E0F0+975088] Ordinal0 [0x010841A0+1130912] Ordinal0 [0x01081FE8+1122280] Ordinal0 [0x01081B89+1121161] Ordinal0 [0x0101D077+708727] Ordinal0 [0x0101D5F3+710131] Ordinal0 [0x0101DA2A+711210] GetHandleVerifier [0x0142BC42+2511938] GetHandleVerifier [0x0141ED6F+2458991] GetHandleVerifier [0x012531AA+575914] GetHandleVerifier [0x01251FA6+571302] Ordinal0 [0x01151DEB+1973739] Ordinal0 [0x0101CE07+708103] Ordinal0 [0x0101C8B8+706744] GetHandleVerifier [0x0144768C+2625164] BaseThreadInitThunk [0x76AE6739+25] RtlGetFullPathName_UEx [0x777D8FD2+1218] RtlGetFullPathName_UEx [0x777D8F9D+1165] , error=invalid session id, message=invalid session id} Build info: version: '3.0.1', revision: '1969d75', time: '2016-10-18 09:49:13 -0700' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:417)</p> <p>at org.openqa.selenium.By\$ById.findElement(By.java:218)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy19.clear(Unknown Source)</p> <p>at Objects.LoginPage.setUserName(LoginPage.java:27)</p>	FAILED	1.721 s

#	Step / Hook Details	Status	Duration
	<p>at Objects.LoginPage.se_connecter_en_tant_que_responsable_rh_sur_sf_avec_email_et_le_mot_de_passe(LoginPage.java:79)  at StepsDefinitions.Absence.cr��er_une_nouvelle_absence(Absence.java:12)  at ?.Cr��er une nouvelle absence(file:///C:/Users/bbounguicha/Desktop/essai/Project-main/Project-main/src/test/resources/Features/Absence.feature:4)  Caused by: java.lang.ClassCastException: class com.google.common.collect.Maps\$TransformedEntriesMap cannot be cast to class org.openqa.selenium.WebElement (com.google.common.collect.Maps\$TransformedEntriesMap and org.openqa.selenium.WebElement are in unnamed module of loader 'app')  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)  at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:417)  at org.openqa.selenium.By\$ById.findElement(By.java:218)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  atjdk.proxy2/jdk.proxy2.\$Proxy19.clear(Unknown Source)  at Objects.LoginPage.setUseName(LoginPage.java:27)  at Objects.LoginPage.se_connecter_en_tant_que_responsable_rh_sur_sf_avec_email_et_le_mot_de_passe(LoginPage.java:79)  at StepsDefinitions.Absence.cr��er_une_nouvelle_absence(Absence.java:12)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)  at java.base/java.lang.reflect.Method.invoke(Method.java:577)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)  at io.cucumber.core.runner.TestStep.run(TestStep.java:57)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)  at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p>		



#	Step / Hook Details	Status	Duration
	<div>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)  * Not displayable characters are replaced by '?'. </div>		
2	Then Approuver la demande le manager du collaborateur	SKIPPED	0.001 s

CreationCollaborateur

FAILED	DURATION - 1.302 s	Scenarios		Steps	
/ 3:12:31.523 PM // 3:12:32.825 PM /		Total - 1		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

Creation Collab





<div>FAILED</div> <div>DURATION - 1.302 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
<div>/ 3:12:31.523 PM // 3:12:32.825 PM /</div>				
<div>CreationCollaborateur</div>				
<div>@CreationCollaborateur</div>				

#	Step / Hook Details	Status	Duration
1	<b>When User click on Organigramme Menu</b> <pre>org.openqa.selenium.WebDriverException: Returned value cannot be converted to WebElement: {stacktrace=Backtrace: Ordinal0 [0x011BA8E3+2402531] Ordinal0 [0x0114B011+1945617] Ordinal0 [0x0103C610+837136] Ordinal0 [0x0105E0F0+975088] Ordinal0 [0x010841A0+1130912] Ordinal0 [0x01081FE8+1122280] Ordinal0 [0x01081B89+1121161] Ordinal0 [0x0101D077+708727] Ordinal0 [0x0101D5F3+710131] Ordinal0 [0x0101DA2A+711210] GetHandleVerifier [0x0142BC42+2511938] GetHandleVerifier [0x0141ED6F+2458991] GetHandleVerifier [0x012531AA+575914] GetHandleVerifier [0x01251FA6+571302] Ordinal0 [0x01151DEB+1973739] Ordinal0 [0x0101CE07+708103] Ordinal0 [0x0101C8B8+706744] GetHandleVerifier [0x0144768C+2625164] BaseThreadInitThunk [0x76AE6739+25] RtlGetFullPathName_UEx [0x777D8FD2+1218] RtlGetFullPathName_UEx [0x777D8F9D+1165] , error=invalid session id, message=invalid session id} Build info: version: '3.0.1', revision: '1969d75', time: '2016-10-18 09:49:13 -0700' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: driver.version: RemoteWebDriver     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375)     at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:417)     at org.openqa.selenium.By\$ById.findElement(By.java:218)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy19.clear(Unknown Source)     at Objects.LoginPage.setUserName(LoginPage.java:27)     at Objects.LoginPage.se_connecter_en_tant_que_responsable_rh_sur_sf_avec_email_et_le_mot_de_passe(LoginPage.java:79)     at StepsDefinitions.CreationCollaborateurSteps.user_click_on_organigramme_menu(CreationCollaborateurSteps.java:11)     at ?.User click on Organigramme Menu(file:///C:/Users/bbounguicha/Desktop/essai/Project-main/Project-main/src/test/resources/Features/CreationCollaborateur.feature:4)     Caused by: java.lang.ClassCastException: class com.google.common.collect.Maps\$TransformedEntriesMap cannot be cast to class org.openqa.selenium.WebElement (com.google.common.collect.Maps\$TransformedEntriesMap and org.openqa.selenium.WebElement are in unnamed module of loader 'app')     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)     at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:417)     at org.openqa.selenium.By\$ById.findElement(By.java:218)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)</pre>	<b>FAILED</b>	1.298 s



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy19.clear(Unknown Source) at Objects.LoginPage.setUserName(LoginPage.java:27) at Objects.LoginPage.se_connecter_en_tant_que_responsable_rh_sur_sf_avec_email_et_le_mot_de_passe(LoginPage.java:79) at StepsDefinitions.CreationCollaborateurSteps.user_click_on_organigramme_menu(CreationCollaborateurSteps.java:11) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) * Not displayable characters are replaced by '?'.		
2	And click on ajouter un nouvel employé	SKIPPED	0.000 s
3	Then user can view Ajouter un nouvel employé page	SKIPPED	0.000 s
4	When User enter employé info	SKIPPED	0.001 s
5	And click on Continuer	SKIPPED	0.000 s
6	When user enter les données du collab	SKIPPED	0.000 s
7	When user enter Informations organisationnelles	SKIPPED	0.000 s
8	And user enter Informations sur la rémunération	SKIPPED	0.000 s

## MAJmanagerCollab

<b>FAILED</b>	DURATION - 5.410 s	Scenarios		Steps	
/ 3:12:32.833 PM // 3:12:38.243 PM /		Total - 1		Total - 5	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

## MAJmanagerCollab



<div>FAILED</div> <div>DURATION - 5.410 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 3:12:32.833 PM // 3:12:38.243 PM /</div>				
<div>MAJmanagerCollab</div>				
<div>@MAJmanager</div>				

#	Step / Hook Details	Status	Duration
1	<p>Then Chercher un collaborateur déjà créé</p> <p>org.openqa.selenium.WebDriverException: Returned value cannot be converted to WebElement: {stacktrace=Backtrace: Ordinal0 [0x011BA8E3+2402531] Ordinal0 [0x0114B011+1945617] Ordinal0 [0x0103C610+837136] Ordinal0 [0x0105E0F0+975088] Ordinal0 [0x010841A0+1130912] Ordinal0 [0x01081FE8+1122280] Ordinal0 [0x01081B89+1121161] Ordinal0 [0x0101D077+708727] Ordinal0 [0x0101D5F3+710131] Ordinal0 [0x0101DA2A+711210] GetHandleVerifier [0x0142BC42+2511938] GetHandleVerifier [0x0141ED6F+2458991] GetHandleVerifier [0x012531AA+575914] GetHandleVerifier [0x01251FA6+571302] Ordinal0 [0x01151DEB+1973739] Ordinal0 [0x0101CE07+708103] Ordinal0 [0x0101C8B8+706744] GetHandleVerifier [0x0144768C+2625164] BaseThreadInitThunk [0x76AE6739+25] RtlGetFullPathName_UEx [0x777D8FD2+1218] RtlGetFullPathName_UEx [0x777D8F9D+1165] , error=invalid session id, message=invalid session id} Build info: version: '3.0.1', revision: '1969d75', time: '2016-10-18 09:49:13 -0700' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375)  at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:417)  at org.openqa.selenium.By\$ById.findElement(By.java:218)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy19.clear(Unknown Source)  at Objects.LoginPage.setUserName(LoginPage.java:27)  at Objects.LoginPage.se_connecter_en_tant_que_responsable_rh_sur_sf_avec_email_et_le_mot_de_passe(LoginPage.java:79)  at StepsDefinitions.MAJmanagerCollab.chercher_un_collaborateur_déjà_créé(MAJmanagerCollab.java:16)  at ?.Chercher un collaborateur déjà créé(file:///C:/Users/bbounguicha/Desktop/essai/Project-main/Project-main/src/test/resources/Features/MAJmanagerCollab.feature:4)</p> <p>Caused by: java.lang.ClassCastException: class com.google.common.collect.Maps\$TransformedEntriesMap cannot be cast to class org.openqa.selenium.WebElement (com.google.common.collect.Maps\$TransformedEntriesMap and org.openqa.selenium.WebElement are in unnamed module of loader 'app')</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)  at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:417)  at org.openqa.selenium.By\$ById.findElement(By.java:218)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)</p>	FAILED	5.409 s



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy19.clear(Unknown Source) at Objects.LoginPage.setUserName(LoginPage.java:27) at Objects.LoginPage.se_connecter_en_tant_que_responsable_rh_sur_sf_avec_email_et_le_mot_de_passe(LoginPage.java:79) at StepsDefinitions.MAJmanagerCollab.chercher_un_collaborateur_déjà_créé(MAJmanagerCollab.java:16) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) * Not displayable characters are replaced by '?'.		
2	When Modifier son manager au niveau des données emploi	SKIPPED	0.001 s
3	Then Lancer le job de update du collaborateur	SKIPPED	0.000 s
4	Then Se connecter ayant droit de gestion des collaborateur dans Kimble	SKIPPED	0.000 s
5	And Vérifier que la fiche collaborateur s'est mise à jour au niveau de Kimble	SKIPPED	0.000 s

## Verification de collab sur Kimble

<b>FAILED</b>	DURATION - 10.513 s	Scenarios		Steps	
/ 3:12:38.250 PM // 3:12:48.763 PM /		Total - 2		Total - 2	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

## verification des données de l'employée

<b>FAILED</b>	DURATION - 5.274 s			Steps	
/ 3:12:38.250 PM // 3:12:43.524 PM /				Total - 1	
				Pass - 0	
				Fail - 1	
				Skip - 0	
Verification de collab sur Kimble					
@VerifEmp					



#	Step / Hook Details	Status	Duration
1	<p>Then extraction des données de l'employée de SF</p> <pre> org.openqa.selenium.WebDriverException: Returned value cannot be converted to WebElement: {stacktrace=Backtrace: Ordinal0 [0x011BA8E3+2402531] Ordinal0 [0x0114B011+1945617] Ordinal0 [0x0103C610+837136] Ordinal0 [0x0105E0F0+975088] Ordinal0 [0x010841A0+1130912] Ordinal0 [0x01081FE8+1122280] Ordinal0 [0x01081B89+1121161] Ordinal0 [0x0101D077+708727] Ordinal0 [0x0101D5F3+710131] Ordinal0 [0x0101DA2A+711210] GetHandleVerifier [0x0142BC42+2511938] GetHandleVerifier [0x0141ED6F+2458991] GetHandleVerifier [0x012531AA+575914] GetHandleVerifier [0x01251FA6+571302] Ordinal0 [0x01151DEB+1973739] Ordinal0 [0x0101CE07+708103] Ordinal0 [0x0101C8B8+706744] GetHandleVerifier [0x0144768C+2625164] BaseThreadInitThunk [0x76AE6739+25] RtlGetFullPathName_UEx [0x777D8FD2+1218] RtlGetFullPathName_UEx [0x777D8F9D+1165] , error=invalid session id, message=invalid session id} Build info: version: '3.0.1', revision: '1969d75', time: '2016-10-18 09:49:13 -0700' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: driver.version: RemoteWebDriver     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375)     at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:417)     at org.openqa.selenium.By\$ById.findElement(By.java:218)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy19.clear(Unknown Source)     at Objects.LoginPage.setUserName(LoginPage.java:27)     at Objects.LoginPage.se_connecter_en_tant_que_responsable_rh_sur_sf_avec_email_et_le_mot_de_passe(LoginPage.java:79)     at StepsDefinitions.VerfiEmpKimbleSteps.extraction_des_données_de_l_employée_de_sf(VerfiEmpKimbleSteps.java:28)     at ?.extraction des données de l'employée de SF(file:///C:/Users/bbounguicha/Desktop/essai/Project-main/Project-main/src/test/resources/ Features/VerfiEmpKimble.feature:4) Caused by: java.lang.ClassCastException: class com.google.common.collect.Maps\$TransformedEntriesMap cannot be cast to class org. openqa.selenium.WebElement (com.google.common.collect.Maps\$TransformedEntriesMap and org.openqa.selenium.WebElement are in unnamed module of loader 'app')     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)     at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:417)     at org.openqa.selenium.By\$ById.findElement(By.java:218)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy19.clear(Unknown Source)     at Objects.LoginPage.setUserName(LoginPage.java:27)     at Objects.LoginPage.se_connecter_en_tant_que_responsable_rh_sur_sf_avec_email_et_le_mot_de_passe(LoginPage.java:79)     at StepsDefinitions.VerfiEmpKimbleSteps.extraction_des_données_de_l_employée_de_sf(VerfiEmpKimbleSteps.java:28)     at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)     at java.base/java.lang.reflect.Method.invoke(Method.java:577)     at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)     at io.cucumber.java.Invoker.invoke(Invoker.java:24)     at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)     at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) </pre>	FAILED	5.274 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		



#	Step / Hook Details	Status	Duration
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) * Not displayable characters are replaced by '?'.		

### verification de l'ajout de l'employée



<div>FAILED</div> <div>DURATION - 5.232 s</div>			<div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 3:12:43.531 PM // 3:12:48.763 PM /				
Verification de collab sur Kimble				
@VerifEmp				

#	Step / Hook Details	Status	Duration
1	<b>Then Vérifier que l'employé n'est pas ajouter</b>  org.openqa.selenium.WebDriverException: Returned value cannot be converted to WebElement: {stacktrace=Backtrace: Ordinal0 [0x011BA8E3+2402531] Ordinal0 [0x0114B011+1945617] Ordinal0 [0x0103C610+837136] Ordinal0 [0x0105E0F0+975088] Ordinal0 [0x010841A0+1130912] Ordinal0 [0x01081FE8+1122280] Ordinal0 [0x01081B89+1121161] Ordinal0 [0x0101D077+708727] Ordinal0 [0x0101D5F3+710131] Ordinal0 [0x0101DA2A+711210] GetHandleVerifier [0x0142BC42+2511938] GetHandleVerifier [0x0141ED6F+2458991] GetHandleVerifier [0x012531AA+575914] GetHandleVerifier [0x01251FA6+571302] Ordinal0 [0x01151DEB+1973739] Ordinal0 [0x0101CE07+708103] Ordinal0 [0x0101C8B8+706744] GetHandleVerifier [0x0144768C+2625164] BaseThreadInitThunk [0x76AE6739+25] RtlGetFullPathName_UEx [0x777D8FD2+1218] RtlGetFullPathName_UEx [0x777D8F9D+1165] , error=invalid session id, message=invalid session id} Build info: version: '3.0.1', revision: '1969d75', time: '2016-10-18 09:49:13 -0700' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:417) at org.openqa.selenium.By\$ById.findElement(By.java:218) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy19.clear(Unknown Source) at Objects.LoginPage.setNomutilisateur(LoginPage.java:54) at Objects.LoginPage.se_connecter_en_tant_que_responsable_rh_sur_kimbe_avec_email_et_le_mot_de_passe(LoginPage.java:101) at StepsDefinitions.VerfiEmpKimbleSteps.vérifier_que_l_employé_n_est_pas_ajouter(VerfiEmpKimbleSteps.java:13) at ?.Vérifier que l'employé n'est pas ajouter(file:///C:/Users/bbounguicha/Desktop/essai/Project-main/Project-main/src/test/resources/Features/VerifEmpKimble.feature:7) Caused by: java.lang.ClassCastException: class com.google.common.collect.Maps\$TransformedEntriesMap cannot be cast to class org.	<b>FAILED</b>	5.231 s



#	Step / Hook Details	Status	Duration
	<p>openqa.selenium.WebElement (com.google.common.collect.Maps\$TransformedEntriesMap and org.openqa.selenium.WebElement are in unnamed module of loader 'app')</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:417)</p> <p>at org.openqa.selenium.By\$ById.findElement(By.java:218)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy19.clear(Unknown Source)</p> <p>at Objects.LoginPage.setNomutilisateur(LoginPage.java:54)</p> <p>at Objects.LoginPage.se_connecter_en_tant_que_responsable_rh_sur_kimbe_avec_email_et_le_mot_de_passe(LoginPage.java:101)</p> <p>at StepsDefinitions.VerfiEmpKimbleSteps.vérifier_que_l_employé_n_est_pas_ajouter(VerfiEmpKimbleSteps.java:13)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:577)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:57)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)</p> <p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) </pre> <p>* Not displayable characters are replaced by '?'. </p>		

## login

<b>FAILED</b>	<b>DURATION - 2.604 s</b>	Scenarios		Steps	
/ 3:12:48.772 PM // 3:12:51.376 PM /		Total - 2		Total - 8	
		Pass - 0		Pass - 4	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 2	

## login SF



<div>FAILED</div> <div>DURATION - 1.274 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 3:12:48.772 PM // 3:12:50.046 PM /</div>				
<div>login</div>				
<div>@LoginSF</div>				

#	Step / Hook Details	Status	Duration
1	Given user launch chrome browser	PASSED	1.258 s
2	When User opens URL "https://anbdrsquk.accounts.ondemand.com/saml2/idp/sso?sp=https://www.successfactors.com/talancorpoD&idp=https://anbdrsquk.accounts.ondemand.com"	PASSED	0.008 s
3	<p>Given Se connecter en tant que responsable RH sur SF avec email "testDEV@talan.com" et le mot de passe "Talan1234!"</p> <p>org.openqa.selenium.WebDriverException: Returned value cannot be converted to WebElement: {stacktrace=Backtrace: Ordinal0 [0x011BA8E3+2402531] Ordinal0 [0x0114B011+1945617] Ordinal0 [0x0103C610+837136] Ordinal0 [0x0105E0F0+975088] Ordinal0 [0x010841A0+1130912] Ordinal0 [0x01081FE8+1122280] Ordinal0 [0x01081B89+1121161] Ordinal0 [0x0101D077+708727] Ordinal0 [0x0101D5F3+710131] Ordinal0 [0x0101DA2A+711210] GetHandleVerifier [0x0142BC42+2511938] GetHandleVerifier [0x0141ED6F+2458991] GetHandleVerifier [0x012531AA+575914] GetHandleVerifier [0x01251FA6+571302] Ordinal0 [0x01151DEB+1973739] Ordinal0 [0x0101CE07+708103] Ordinal0 [0x0101C8B8+706744] GetHandleVerifier [0x0144768C+2625164] BaseThreadInitThunk [0x76AE6739+25] RtlGetFullPathName_UEx [0x777D8FD2+1218] RtlGetFullPathName_UEx [0x777D8F9D+1165] , error=invalid session id, message=invalid session id} Build info: version: '3.0.1', revision: '1969d75', time: '2016-10-18 09:49:13 -0700' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375)  at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:417)  at org.openqa.selenium.By\$ById.findElement(By.java:218)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy19.clear(Unknown Source)  at Objects.LoginPage.setUseName(LoginPage.java:27)  at StepsDefinitions.loginSFSteps.se_connecter_en_tant_que_responsable_rh_sur_sf_avec_email_et_le_mot_de_passe(loginSFSteps.java:29)  at ?.Se connecter en tant que responsable RH sur SF avec email "testDEV@talan.com" et le mot de passe "Talan1234!"(file:///C:/Users/bbounguicha/Desktop/essai/Project-main/Project-main/src/test/resources/Features/login.feature:6)  Caused by: java.lang.ClassCastException: class com.google.common.collect.Maps\$TransformedEntriesMap cannot be cast to class org.openqa.selenium.WebElement (com.google.common.collect.Maps\$TransformedEntriesMap and org.openqa.selenium.WebElement are in unnamed module of loader 'app')  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)  at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:417)</p>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.By\$ById.findElement(By.java:218) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy19.clear(Unknown Source) at Objects.LoginPage.setUserName(LoginPage.java:27) at StepsDefinitions.loginSFSteps.se_connecter_en_tant_que_responsable_rh_sur_sf_avec_email_et_le_mot_de_passe(loginSFSteps.java:29) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
4	And Click on login	SKIPPED	0.000 s

## login Kimble

FAILED		DURATION - 1.324 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:12:50.052 PM // 3:12:51.376 PM /						
login						
@LoginKimble						

#	Step / Hook Details	Status	Duration
1	Given user launch chrome browser kimble	PASSED	1.311 s
2	When User opens URL kimble "https://talan--fulluat.lightning.force.com/lightning/page/home"	PASSED	0.006 s
3	Given Se connecter en tant que responsable RH sur kimble avec email "malek.hammami@talan.com.fulluat" et le mot de passe "Recette-2022" <pre> org.openqa.selenium.WebDriverException: Returned value cannot be converted to WebElement: {stacktrace=Backtrace:   Ordinal0 [0x011BA8E3+2402531]   Ordinal0 [0x0114B011+1945617]   Ordinal0 [0x0103C610+837136]   Ordinal0 [0x0105E0F0+975088]   Ordinal0 [0x010841A0+1130912]   Ordinal0 [0x01081FE8+1122280]   Ordinal0 [0x01081B89+1121161]   Ordinal0 [0x0101D077+708727] </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<p>Ordinal0 [0x0101D5F3+710131] Ordinal0 [0x0101DA2A+711210] GetHandleVerifier [0x0142BC42+2511938] GetHandleVerifier [0x0141ED6F+2458991] GetHandleVerifier [0x012531AA+575914] GetHandleVerifier [0x01251FA6+571302] Ordinal0 [0x01151DEB+1973739] Ordinal0 [0x0101CE07+708103] Ordinal0 [0x0101C8B8+706744] GetHandleVerifier [0x0144768C+2625164] BaseThreadInitThunk [0x76AE6739+25] RtlGetFullPathName_UEx [0x777D8FD2+1218] RtlGetFullPathName_UEx [0x777D8F9D+1165] , error=invalid session id, message=invalid session id} Build info: version: '3.0.1', revision: '1969d75', time: '2016-10-18 09:49:13 -0700' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375)  at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:417)  at org.openqa.selenium.By\$ById.findElement(By.java:218)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy19.clear(Unknown Source)  at Objects.LoginPage.setNomutilisateur(LoginPage.java:54)  at StepsDefinitions.loginKimbleSteps.  se_connecter_en_tant_que_responsable_rh_sur_kimbe_avec_email_et_le_mot_de_passe(loginKimbleSteps.java:23)  at ?.Se connecter en tant que responsable RH sur kimble avec email "malek.ammami@talan.com.fulluat" et le mot de passe "Recette-2022"(file:///C:/Users/bbounguicha/Desktop/essai/Project-main/Project-main/src/test/resources/Features/login.feature:12)  Caused by: java.lang.ClassCastException: class com.google.common.collect.Maps\$TransformedEntriesMap cannot be cast to class org.openqa.selenium.WebElement (com.google.common.collect.Maps\$TransformedEntriesMap and org.openqa.selenium.WebElement are in unnamed module of loader 'app')  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)  at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:417)  at org.openqa.selenium.By\$ById.findElement(By.java:218)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy19.clear(Unknown Source)  at Objects.LoginPage.setNomutilisateur(LoginPage.java:54)  at StepsDefinitions.loginKimbleSteps.  se_connecter_en_tant_que_responsable_rh_sur_kimbe_avec_email_et_le_mot_de_passe(loginKimbleSteps.java:23)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)  at java.base/java.lang.reflect.Method.invoke(Method.java:577)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
4	Then Click on login kimble	SKIPPED	0.000 s