

# Cucumber Report

25 oct. 2022, 12:44:03

**Start : oct. 25, 12:43:57.163 PM**

**End : oct. 25, 12:44:02.791 PM**

**Duration : 5.628 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 2**

**SKIPPED - 0**

**PASSED - 0**



**FAILED - 5**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 5**

**SKIPPED - 14**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login page feature</u>	5.628 s	3	0	3	0	11	0	3	8
<u>Account Page Feature</u>	4.897 s	2	0	2	0	8	0	2	6

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@accounts	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login page feature	3	0	3	0	5.628 s
2	Account Page Feature	2	0	2	0	4.897 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login page feature</u>	<u>Forgot Password link</u>	2	0	1	1	5.318 s
2	<u>Login page feature</u>	<u>Login with correct credentials</u>	6	0	1	5	5.605 s
3	<u>Login page feature</u>	<u>Login page title</u>	3	0	1	2	5.145 s
4	<u>Account Page Feature</u>	<u>Accounts page title</u>	4	0	1	3	4.529 s
5	<u>Account Page Feature</u>	<u>Accounts section count</u>	4	0	1	3	4.888 s

## Login page feature

<b>FAILED</b>	<b>DURATION - 5.628 s</b>	Scenarios		Steps	
/ 12:43:57.163 PM // 12:44:02.791 PM /		Total - 3		Total - 11	
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 8	

## Forgot Password link

<div>FAILED</div> <div>DURATION - 5.318 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 12:43:57.166 PM // 12:44:02.484 PM /</div>				
<div>Login page feature</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given user is on login page</p> <p>org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:65360 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:92)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277)</p> <p>at parallel.loginStep.user_is_on_login_page(loginStep.java:19)</p> <p>at ?.user is on login page(file:///C:/Users/bbounguicha/Downloads/pp/Cucumverpom/src/test/ressources/parallel/LoginPage.feature:9)</p> <p>Caused by: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:65360</p> <p>at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247)</p> <p>at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)</p> <p>at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257)</p> <p>at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135)</p> <p>at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114)</p> <p>at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)</p>	<b>FAILED</b>	2.865 s

#	Step / Hook Details	Status	Duration
	<pre> at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at parallel.loginStep.user_is_on_login_page(loginStep.java:19) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.net.ConnectException: Connection refused: no further information at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:672) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:597) at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) at java.base/java.net.Socket.connect(Socket.java:633) at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) * Not displayable characters are replaced by '?'. </pre>		
2	Then forgot your password link should be displayed	SKIPPED	0.000 s
	<p>AFTER - parallel.ApplicationHook.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:65360 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295) at parallel.ApplicationHook.tearDown(ApplicationHook.java:48) Caused by: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:65360 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) </pre>	FAILED	0.041 s





#	Step / Hook Details	Status	Duration
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295) at parallel.ApplicationHook.tearDown(ApplicationHook.java:48) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.net.ConnectException: Connection refused: no further information at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:672) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:597) at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) at java.base/java.net.Socket.connect(Socket.java:633) at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) </pre>		
	<p><b>AFTER - parallel.ApplicationHook.quitBrowser()</b></p> <pre> org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:65360 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:452) at parallel.ApplicationHook.quitBrowser(ApplicationHook.java:40) Caused by: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:65360 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) </pre>	FAILED	0.014 s

#	Step / Hook Details	Status	Duration
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:452) at parallel.ApplicationHook.quitBrowser(ApplicationHook.java:40) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.net.ConnectException: Connection refused: no further information at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:672) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:597) at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) at java.base/java.net.Socket.connect(Socket.java:633) at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) </pre>		

### Login with correct credentials

<b>FAILED</b>	<b>DURATION - 5.605 s</b>		<b>Steps</b> Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 12:43:57.186 PM // 12:44:02.791 PM /				
Login page feature				

#	Step / Hook Details	Status	Duration
1	<p>Given user is on login page</p> <pre> org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:64831 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at parallel.loginStep.user_is_on_login_page(loginStep.java:19) at ?.user is on login page(file:///C:/Users/bbounguicha/Downloads/pp/Cucumverpom/src/test/ressources/parallel/LoginPage.feature:13) Caused by: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:64831 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247) </pre>	<b>FAILED</b>	3.139 s

#	Step / Hook Details	Status	Duration
	at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at parallel.loginStep.user_is_on_login_page(loginStep.java:19) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.net.ConnectException: Connection refused: no further information at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:672) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:597) at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) at java.base/java.net.Socket.connect(Socket.java:633) at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) * Not displayable characters are replaced by '?'. </pre>		
2	When user enters username "dec2020secondbatch@gmail.com"	SKIPPED	0.001 s
3	And user enters password "Selenium@12345"	SKIPPED	0.000 s
4	And user clicks on Login button	SKIPPED	0.000 s
5	Then user gets the title of the home page	SKIPPED	0.000 s
6	And page of the title should be "My account - My Store"	SKIPPED	0.001 s
	<p>AFTER - parallel.ApplicationHook.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:64831 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) </pre>	FAILED	0.031 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295) at parallel.ApplicationHook.tearDown(ApplicationHook.java:48) Caused by: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:64831 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295) at parallel.ApplicationHook.tearDown(ApplicationHook.java:48) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.net.ConnectException: Connection refused: no further information at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:672) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:597) at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) at java.base/java.net.Socket.connect(Socket.java:633) at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) </pre>		
	<p><b>AFTER - parallel.ApplicationHook.quitBrowser()</b></p> <pre> org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:64831 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:452) at parallel.ApplicationHook.quitBrowser(ApplicationHook.java:40) Caused by: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:64831 </pre>	FAILED	0.029 s



#	Step / Hook Details	Status	Duration
	at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:452) at parallel.ApplicationHook.quitBrowser(ApplicationHook.java:40) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.net.ConnectException: Connection refused: no further information at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:672) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:597) at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) at java.base/java.net.Socket.connect(Socket.java:633) at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) </pre>		

## Login page title

<div>FAILED</div> <div>DURATION - 5.145 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 12:43:57.188 PM // 12:44:02.333 PM /				
Login page feature				

#	Step / Hook Details	Status	Duration
1	<p>Given user is on login page</p> <pre> org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:20810 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: RemoteWebDriver     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:92)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277)     at parallel.loginStep.user_is_on_login_page(loginStep.java:19)     at ?.user is on login page(file:///C:/Users/bbounguicha/Downloads/pp/Cucumverpom/src/test/ressources/parallel/LoginPage.feature:4) Caused by: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:20810     at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247)     at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)     at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257)     at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135)     at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114)     at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42)     at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)     at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)     at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)     at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)     at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)     at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)     at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)     at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126)     at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)     at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)     at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)     at okhttp3.RealCall.execute(RealCall.java:77)     at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:155)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277)     at parallel.loginStep.user_is_on_login_page(loginStep.java:19)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:568)     at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)     at io.cucumber.java.Invoker.invoke(Invoker.java:24)     at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) </pre>	FAILED	2.698 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.net.ConnectException: Connection refused: no further information at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:672) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:597) at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) at java.base/java.net.Socket.connect(Socket.java:633) at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	When user gets the title of the page	SKIPPED	0.000 s
3	Then page title should be "Login - My Store"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	<p>AFTER - parallel.ApplicationHook.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:20810 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:92)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295)</p> <p>at parallel.ApplicationHook.tearDown(ApplicationHook.java:48)</p> <p>Caused by: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:20810</p> <p>at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247)</p> <p>at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)</p> <p>at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257)</p> <p>at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135)</p> <p>at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114)</p> <p>at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)</p> <p>at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)</p> <p>at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)</p> <p>at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)</p> <p>at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)</p> <p>at okhttp3.RealCall.execute(RealCall.java:77)</p> <p>at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:155)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295)</p> <p>at parallel.ApplicationHook.tearDown(ApplicationHook.java:48)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p>	FAILED	0.026 s



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.net.ConnectException: Connection refused: no further information at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:672) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:597) at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) at java.base/java.net.Socket.connect(Socket.java:633) at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) </pre>		
	<b>AFTER - parallel.ApplicationHook.quitBrowser()</b> <pre> org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:20810 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', </pre>	<b>FAILED</b>	0.016 s

#	Step / Hook Details	Status	Duration
	<p>os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: RemoteWebDriver  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:92)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:452)  at parallel.ApplicationHook.quitBrowser(ApplicationHook.java:40)</p> <p>Caused by: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:20810  at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247)  at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)  at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257)  at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135)  at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114)  at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42)  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)  at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)  at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)  at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126)  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)  at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)  at okhttp3.RealCall.execute(RealCall.java:77)  at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:155)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:452)  at parallel.ApplicationHook.quitBrowser(ApplicationHook.java:40)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)  at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.net.ConnectException: Connection refused: no further information at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:672) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:597) at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) at java.base/java.net.Socket.connect(Socket.java:633) at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) </pre>		

## Account Page Feature



<b>FAILED</b>	<b>DURATION - 4.897 s</b>	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 8 Pass - 0 Fail - 2 Skip - 6	
/ 12:43:57.176 PM // 12:44:02.073 PM /					

**Accounts page title**

<b>FAILED</b>	<b>DURATION - 4.529 s</b>		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 12:43:57.176 PM // 12:44:01.705 PM /				
Account Page Feature				
@accounts				

#	Step / Hook Details	Status	Duration				
1	<div>Given user has already logged in to application</div> <table><tr><td>username</td><td>password</td></tr><tr><td>dec2020secondbatch@gmail.com</td><td>Selenium@12345</td></tr></table> <div>org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:63023 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at parallel.AccountsPageStep.user_has_already_logged_in_to_application(AccountsPageStep.java:26) at ?.user has already logged in to application(file:///C:/Users/bbounguicha/Downloads/pp/Cucumverpom/src/test/ressources/parallel/AccountPage.feature:4) Caused by: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:63023 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)</div>	username	password	dec2020secondbatch@gmail.com	Selenium@12345	FAILED	2.076 s
username	password						
dec2020secondbatch@gmail.com	Selenium@12345						

#	Step / Hook Details	Status	Duration
	<pre> at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at parallel.AccountsPageStep.user_has_already_logged_in_to_application(AccountsPageStep.java:26) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.net.ConnectException: Connection refused: no further information at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:672) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:597) at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) at java.base/java.net.Socket.connect(Socket.java:633) at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) * Not displayable characters are replaced by '?'. </pre>		
2	Given user is on Accounts page	SKIPPED	0.003 s
3	When user gets the title of the page	SKIPPED	0.001 s
4	Then page title should be "My account - My Store"	SKIPPED	0.000 s
	<p>AFTER - parallel.ApplicationHook.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:63023 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295) at parallel.ApplicationHook.tearDown(ApplicationHook.java:48) Caused by: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:63023 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114) </pre>	FAILED	0.012 s



#	Step / Hook Details	Status	Duration
	<pre> at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295) at parallel.ApplicationHook.tearDown(ApplicationHook.java:48) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.net.ConnectException: Connection refused: no further information at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:672) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:597) at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) at java.base/java.net.Socket.connect(Socket.java:633) at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) </pre>		
	<p><b>AFTER - parallel.ApplicationHook.quitBrowser()</b></p> <pre> org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:63023 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:452) at parallel.ApplicationHook.quitBrowser(ApplicationHook.java:40) Caused by: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:63023 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:452) at parallel.ApplicationHook.quitBrowser(ApplicationHook.java:40) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.net.ConnectException: Connection refused: no further information at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:672) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:597) at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) at java.base/java.net.Socket.connect(Socket.java:633) at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) </pre>		

### Accounts section count

<b>FAILED</b>	<b>DURATION - 4.888 s</b>		<b>Steps</b> Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 12:43:57.185 PM // 12:44:02.073 PM /				
Account Page Feature				
@accounts				

#	Step / Hook Details	Status	Duration				
1	Given user has already logged in to application	FAILED	2.439 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>dec2020secondbatch@gmail.com</td><td>Selenium@12345</td></tr></table>			username	password	dec2020secondbatch@gmail.com	Selenium@12345
	username			password			
dec2020secondbatch@gmail.com	Selenium@12345						
org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:0:1]:20420 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: RemoteWebDriver							

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at parallel.AccountsPageStep.user_has_already_logged_in_to_application(AccountsPageStep.java:26) at ?.user has already logged in to application(file:///C:/Users/bbounguicha/Downloads/pp/Cucumverpom/src/test/ressources/parallel/AccountPage.feature:4) Caused by: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:20420 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at parallel.AccountsPageStep.user_has_already_logged_in_to_application(AccountsPageStep.java:26) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.net.ConnectException: Connection refused: no further information at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:672) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:597) at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) at java.base/java.net.Socket.connect(Socket.java:633) at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	Given user is on Accounts page	SKIPPED	0.000 s
3	Then user gets accounts section	SKIPPED	0.001 s
	<div>ORDER HISTORY AND DETAILS</div> <div>MY CREDIT SLIPS</div> <div>MY ADDRESSES</div>		

#	Step / Hook Details	Status	Duration
	<div>MY PERSONAL INFORMATION</div> <div>MY WISHLISTS</div> <div>Home</div>		
4	And accounts section count should be 6	SKIPPED	0.001 s
	<p>AFTER - parallel.ApplicationHook.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:20420 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: RemoteWebDriver  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:92)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295)  at parallel.ApplicationHook.tearDown(ApplicationHook.java:48)</p> <p>Caused by: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:20420  at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247)  at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)  at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257)  at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135)  at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114)  at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42)  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)  at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)  at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)  at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126)  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)  at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)  at okhttp3.RealCall.execute(RealCall.java:77)  at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:155)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295)  at parallel.ApplicationHook.tearDown(ApplicationHook.java:48)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p>	FAILED	0.025 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.net.ConnectException: Connection refused: no further information at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:672) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:597) at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) at java.base/java.net.Socket.connect(Socket.java:633) at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) </pre>		

#	Step / Hook Details	Status	Duration
	at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245)		
	<p>AFTER - parallel.ApplicationHook.quitBrowser()</p> <p>org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:20420 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'TALAN-85GS7FK', ip: '10.70.0.61', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:92)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:452)</p> <p>at parallel.ApplicationHook.quitBrowser(ApplicationHook.java:40)</p> <p>Caused by: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:20420</p> <p>at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247)</p> <p>at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)</p> <p>at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257)</p> <p>at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135)</p> <p>at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114)</p> <p>at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)</p> <p>at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)</p> <p>at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)</p> <p>at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)</p> <p>at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)</p> <p>at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)</p> <p>at okhttp3.RealCall.execute(RealCall.java:77)</p> <p>at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:155)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:452)</p> <p>at parallel.ApplicationHook.quitBrowser(ApplicationHook.java:40)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.net.ConnectException: Connection refused: no further information at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:672) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:597) at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) at java.base/java.net.Socket.connect(Socket.java:633) at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) </pre>		