
## HAFELE

## Double cylinder





Material: Cylinder housing: Brass

Keyed to differ Closure:

Locking system: With 5 pin tumblers

#### Note

No secured locking.

## $\rightarrow$ Keyed to differ


#### Supplied with

- 1 Double profile cylinder
- 3 Keys, nickel plated steel
- 1 Fixing screw

Dim. A mm	Dim. B mm	Dim. C mm	Nickel plated	Polished
30.5	30.5	61	916.91.000	916.91.020
33	33	66	916.91.040	916.91.070
35.5	35.5	71	916.91.800	916.91.830
43	43	86	916.91.850	916.91.870

## Thumbturn cylinder





Material: Cylinder housing: Brass Keyed to differ Closure:

Locking system: With 5 pin tumblers

#### Note

No secured locking.

## $\rightarrow$ Keyed to differ

#### Supplied with


- 1 Profile thumbturn cylinder
- 3 Keys, nickel plated steel
- 1 Fixing screw

Dim. A mm	Dim. B mm	Dim. C mm	Nickel plated	Polished
30.5	30.5	61	916.91.100	916.91.120
35.5	35.5	71	916.91.180	916.91.190

DGH-B-INT 2016, HDE-en, 03/16; Dimensional data not binding. We reserve the right to alter specifications without notice.

## Single cylinder





> Material: Closure: Cylinder housing: Brass With different key changes With 5 pin tumblers

> Locking system: > Version: Follower adjustable to 8 positions

Note

No secured locking.

## $\rightarrow$ With different key changes

#### Supplied with


- 1 single profile cylinder
- 3 keys, nickel plated steel
- 1 fixing screw

DGH-B-INT 2016, HDE-en, 03/16; Dimensional data not binding. We reserve the right to atter specifications without notice.

Dim. A mm	Dim. B mm	Dim. C mm	Nickel plated	Polished
30	10	40	916.91.300	916.91.320
35	10	45	916.91.340	916.91.360
40	10	50	916.91.370	916.91.380

## WC Thumbturn cylinder





> Material:

Cylinder housing: Brass

#### Supplied with

- 1 WC thumbturn cylinder
- 1 fixing screw

Dim. A mm	Dim. B mm	Dim. C mm	Cat. No.	
Nickel plated				
30.5	30.5	61	916.91.900	
35.5	30.5	66	916.91.901	
35.5	35.5	71	916.91.902	
Brass coloured, PVD coated				
30.5	30.5	61	916.91.953	
35.5	30.5	66	916.91.954	
35.5	35.5	71	916.91.955	
Graphite black, PVD coated				
30.5	30.5	61	916.91.930	
35.5	30.5	66	916.91.931	
35.5	35.5	71	916.91.932	

## Blank key

For Econo standard profile

	Cat. No.
Blank key for Econo standard profile –	916.91.401
conventional key	


06.09.2018 ID 1974




## Double cylinder









Material:Closure:Locking system

Cylinder housing: Brass With different key changes With 5 pin tumblers

Locking system: With 5

#### Note

No secured locking.

# $\rightarrow$ With different key changes with reversible key

#### Supplied with


- 1 Double profile cylinder
- 3 Keys, nickel plated steel
- 1 Fixing screw

Dim. A mm	Dim. B mm	Dim. C mm	Nickel plated matt
31.5	31.5	63	916.59.007
31.5	35.5	67	916.59.008

## Thumbturn cylinder







Material:Closure:

Cylinder housing: Brass With different key changes

Locking system:

With 5 pin tumblers

#### Note

No secured locking

## $\rightarrow$ With different key changes with reversible key

#### Supplied with

- 1 Profile thumbturn cylinder
- 3 Keys, nickel plated steel
- 1 Fixing screw

Dim. A mm	Dim. B mm	Dim. C mm	Nickel plated matt
31.5	31.5	63	916.59.407
31.5	35.5	67	916.59.408
35.5	31.5	67	916.59.410