


Butt hinge
→ For flush doors,
size 80 mm




DIN left



- Area of application: For wooden or metal frames, for flush wooden or metal interior doors
- Door weight: ≤48 kg with 3 door hinges
- Knuckle Ø: 12 mm
- Flange thickness: 2.5 mm
- Bearing: With fixed pin and ball bearing with intermediate ring

Installation




Material	Finish	DIN left	DIN right
Stainless steel	Matt	926.20.303	926.20.203


Order reference

Fixing screws for wooden frames and doors supplied.

Butt hinge
→ For flush doors,
size 80 mm




DIN left



- Area of application: For wooden or metal frames, for flush wooden or metal interior doors
- Door weight: ≤40 kg with 3 door hinges
- Knuckle Ø: 12 mm
- Flange thickness: 2.5 mm
- Bearing: With fixed pin and ball bearing with intermediate ring

Installation




Material	Finish	DIN left	DIN right
Stainless steel	Matt	926.20.503	926.20.403

Order reference

Fixing screws for wooden frames and doors supplied.


Butt hinge
→ For flush doors,
size 100 mm



DIN left

- Area of application: For wooden or metal frames, for flush wooden or metal interior doors ≤68 kg with 3 door hinges
- Door weight: ≤68 kg with 3 door hinges
- Knuckle Ø: 16 mm
- Flange thickness: 3 mm
- Bearing: With fixed pin and ball bearing with intermediate ring

Installation




Material	Finish	DIN left	DIN right
Stainless steel	Matt	926.20.103	926.20.003
Brass	Polished	926.20.180	926.20.080

Order reference


Fixing screws for wooden frames and doors supplied.

Butt hinge
→ Rising/falling for flush doors,
size 101 mm



Rising DIN right

A = 9 mm with
180° opening angle




Falling DIN right

A = 9 mm with
180° opening angle

- Area of application: For wooden or metal frames, for flush wooden or metal interior doors ≤40 kg
- Door weight: ≤40 kg
- Knuckle Ø: 16 mm
- Pin Ø: 10 mm
- Flange thickness: 3 mm
- Bearing: With fixed pin

Installation



Material	Finish	Version	DIN left	DIN right
Stainless steel	Matt	Rising	926.26.003	926.26.103
		Falling	926.26.203	926.26.303


Packing: 2 pieces

Order reference

Fixing screws for wooden frames and doors supplied.

DGH-B-INT 2016, HDE-en, 03/16; Dimensional data not binding. We reserve the right to alter specifications without notice.


DHB 1212 Butt hinge
→ For flush doors, size 76 mm



- > Area of application: For wooden or metal frames, for flush wooden or metal interior doors
- > Door weight: 80 kg
- > Knuckle Ø: 14 mm
- > Flange thickness: 3 mm
- > Flange shape: Square
- > Bearing: With fixed pin, knuckle with two ball bearings
- > Mounting: For DIN left and DIN right hand use
- > Standard: Certified in compliance with DIN 1935:2002
- > Class:

4	7	4	1	1	4	0	11
---	---	---	---	---	---	---	----

Installation



Material	Finish/colour	Cat. No.
Stainless steel	Satin	926.98.000
	Polished	926.98.001
	Burnished	926.98.009
	Polished brass coloured, PVD coated	926.98.008
	Matt black, PVD coated	926.98.003





Packing: 1 or 10 pieces

Order reference

Fixing screws for wooden frames and doors supplied.
Please order fixing screws for metal frames and doors 020.00.136 separately.

Butt hinge

For flush doors




RD = knuckle diameter

- > Area of application: For wooden frames, for flush interior doors
- > Material: Stainless steel
- > Door weight: 120 kg
- > Bearing: With fixed pin, knuckle with two ball bearings
- > Mounting: For DIN left and DIN right hand use
- > Standard: Certified in compliance with DIN 1935:2002
- > Class:

4	7	6	1	1	4	0	13
---	---	---	---	---	---	---	----

Installation



F

Knuckle Ø mm	Flange thick- ness mm	Dim. A	Dim. B	Model	Material	Satin	Polished	Burnished	Polished brass coloured, PVD coated	Matt black, PVD coated
Square flange shape										
12	2.5	4"/ 102 mm	3"/ 76 mm	DHB 2122	Stainless steel, quality 201	926.98.010	926.98.011	926.98.019	926.98.018	926.98.013
				DHB 2222	Stainless steel, quality 304	926.98.020	926.98.021	926.98.029	926.98.028	926.98.023
14	3	4"/ 102 mm	3"/ 76 mm	DHB 3122	Stainless steel, quality 201	926.98.030	926.98.031	926.98.039	926.98.038	926.98.033
				DHB 3222	Stainless steel, quality 304	926.98.040	926.98.041	926.98.049	926.98.048	926.98.043
				DHB 3322	Stainless steel, quality 316	926.98.060	926.98.061	926.98.069	926.98.068	926.98.063
		3.5"/ 89 mm	DHB 5222	Stainless steel, quality 304	926.98.100	926.98.101	926.98.109	926.98.108	926.98.103	
			4"/ 102 mm	DHB 4122	Stainless steel, quality 201	926.98.070	926.98.071	926.98.079	926.98.078	926.98.073
		DHB 4222		Stainless steel, quality 304	926.98.090	926.98.091	926.98.099	926.98.098	926.98.093	
		4.5"/ 114 mm	4"/ 102 mm	DHB 6222	Stainless steel, quality 304	926.98.110	926.98.111	926.98.119	926.98.118	926.98.113
		5"/ 127 mm	3.5"/ 89 mm	DHB 8222	Stainless steel, quality 304	926.98.130	926.98.131	926.98.139	926.98.138	926.98.133
4"/ 102 mm	DHB 9222	Stainless steel, quality 304	926.98.140	926.98.141	926.98.149	926.98.148	926.98.143			
	15	3.5	4.5"/ 114 mm	4"/ 102 mm	DHB 7222	Stainless steel, quality 304	926.98.120	926.98.121	926.98.129	926.98.128
Rounded flange shape										
14	3	4"/ 102 mm	3"/ 76 mm	DHB 3221	Stainless steel, quality 304	926.98.050	926.98.051	926.98.059	926.98.058	926.98.053
			4"/ 102 mm	DHB 4121	Stainless steel, quality 201	926.98.080	926.98.081	926.98.089	926.98.088	926.98.083

Packing: 1 or 10 pieces

Order reference

Fixing screws for wooden frames and doors supplied.

Please order fixing screws for metal frames and doors 020.00.136 separately.