Accessing and Using the Azure Cloud Shell SOP

Cognizant

Table of Contents

1. Accessing and Using the Azure Cloud Shell....3
1.1 Description....3
1.2 Architecture Diagram....3
1.3 Lab Steps....4
1.4 Troubleshooting....5
1.5 Supporting References....5

1. Accessing and Using the Azure Cloud Shell

1.1 Description

The Azure Cloud Shell is a web-based virtual terminal that allows you full access to Azure PowerShell and the CLI. There is nothing to install and no plugins, just scripting. Your key objective include configuring the Azure Cloud Shell, running sample commands in Azure CLI, creating a Linux virtual machine using the Azure CLI, viewing Azure resources in Azure PowerShell.

1.2 Architecture Diagram

The diagram below displays a visual representation of the application architecture:



1.3 Lab Steps

Follow the steps outlined below to achieve the objective of this lab exercise:

1. Set up Cloud Shell by clicking the **Cloud Shell** icon button in the top-right corner of the screen.
2. When prompted to choose an environment, and click **Bash** to begin configuring the Cloud Shell.
3. If you have no storage mounted window, click **Show advanced settings**.
4. Select the **subscription** and **Resource group**.
5. Create a storage account and specify a name to it.
6. Specify the file name.
7. Click **Storage**, then Bash will open.
8. Execute the following commands in Bash:
    a. List the resource groups available in your Azure subscription:

    ```
    az group list
    ```

    b. List the storage accounts available in your Azure subscription:

    ```
    az storage account list
    ```

    c. List the virtual machines available in your Azure subscription:

    ```
    az vm list
    ```

9. Create a Virtual machine using Bash and AzureCLI:
    a. Run the following command:

    ```
    az vm create \
          --resource-group myResourceGroup \
          --name myVM \
          --size Standard_B1s \
          --image UbuntuLTS \
          --admin-username azureuser \
          --generate-ssh-keys
    ```

    b. Minimize Cloud Shell and click **Virtual machines** in the left pane of the Azure Portal.
    c. Connect to the virtual machine created by the SSH from the following command:

    ```
    ssh azureuser@<publicIPofVM>
    ```

10. Run Cmdlets in the Azure PowerShell:
    a. Click **Bash** in the upper left corner of Cloud Shell and select **Powershell** from the dropdown.
    b. Click **Confirm**.
    c. List the resource groups available in your Azure subscription:

    ```
    Get-AzResourceGroup
    ```

    d. List the storage accounts available in your Azure subscription:

    ```
    Get-AzStorageAccount
    ```

    e. List all the resources that exist in the lab:

    ```
    Get-AzResource | ft
    ```

11. Remove the Virtual machine:
    a. Run the following command:

```
Remove-AzVM -Name myvm -ResourceGroupName <RGName>
```

    b. Type **Y** at the prompt, and press **Enter**.
    c. Verify that the virtual machine has been deleted using the following command:

```
Get-AzResource | ft
```

    d. Type **exit**, and press **Enter**.
    e. Click **Quit** to close Cloud Shell and return to the Azure Portal.

1.4 Troubleshooting

S. No	Problem	Solution
1	Error: 403 **RequestDisallowedByPolicy**.	Contact your Admin and ask to add the policy.
2	Facing an error while creating Storage Account like **Error:DisallowedOperation.**	Cannot use Active Azure Directory while creating Storage.
3	Terminal failed to connect.	Press **Enter** to reconnect.

1.5 Supporting References

Refer the below link for additional information:

1. https://docs.microsoft.com/en-us/azure/cloud-shell/overview