
AVCRI Database (`db.sqlite3`) Structure, Stored Data Values & Treatment Lifecycle

Complete Plain-Language Reference • Live Schema Audit (2026-11-12) • 115 Tables • 470,005 Total Records

1. Big Picture: How `db.sqlite3` Is Organized

The entire AVCRI application stores its day-to-day operational data inside a single SQLite file named **db.sqlite3**. Every time a user logs in, a doctor enters a treatment or prescription, the scheduler assigns rooms and therapists, an item is edited or cancelled, or an emergency leave arrives from HRMS, the values are saved as rows inside these **115 tables**.



How Tables Connect & Store Information

- **Primary Key (PK):** Every row has a unique identifier—usually an auto-incrementing number `id` (e.g., `id = 6438`), or a unique code like `room_no = "TR-1"` or `therapist_code = "THP1311"`.
- **Foreign Key (FK):** A pointer column that stores the PK of a row in another table. For example, a daily booking stores `allocation_id = 6438` (linking back to the master treatment entry) and `timeslot_id = 7` (linking to Slot 2: 08:30 AM in `masters_slotmaster`).
- **Unique Constraints (Double-Booking Guards):** The database itself rejects duplicate bookings at the same date and time—for example, `Sheduling_booking` allows only one booking per `(room_id, date, timeslot_id)`, and `Sheduling_bookingassignment` allows only one assignment per `(therapist_id, booking_date, booking_timeslot_id)`.
- **JSON Snapshots:** Complex lists (like prescribed oils/medicines in `items_groups`, or before/after therapist lists in audit logs) are stored as JSON text strings so historical entries never break even if master catalogs change later.
- **Booleans & Dates in SQLite:** SQLite stores True/False flags as `1` or `0`, dates as `YYYY-MM-DD` (e.g., `2026-10-28`), and timestamps as `YYYY-MM-DD HH:MM:SS`.

Database Section	Tables	Records	What Data Lives Here
1. Scheduling, Treatment Entries & Prescriptions (Sheduling_*)	34	143,369	Treatment entries, daily bookings, daily items, therapist/nurse assignments, continuity plans, preferred rosters, reschedules, prescriptions, and scheduling audit logs.
2. Master Data, Shifts & HR Leave (masters_*)	27	5,040	Catalogs & rules: therapies, therapists, grades, time slots, shifts, items/oils, nurses, staying rooms, weekly offs, HRMS emergency leaves, deputations, and treatment omissions.

Database Section	Tables	Records	What Data Lives Here
3. Rooms, Booking Locks, History & Legacy Masters (Patient_*)	14	295,922	Treatment rooms & floors, active Room & Therapist slot locks, 262,000 historical patient records, repeat visitor VIP flags, allocation failures, and older master copies.
4. Users, Roles, Permissions, Profiles & System Audit (authentication_*)	14	22,060	User login accounts, custom roles, sidebar modules/sections, role profiles (Doctor, Therapist, Patient, Nurse, Staff, Admin), and system audit logs.
5. Early Visit & Store Tables (MySql_Data_pull_*)	6	161	Earlier visit/therapy/prescription storage tables (20–42 rows) used by legacy endpoints.
6. Demand Forecasting (predictor_*)	2	1,339	Prophet forecast run logs and predicted daily/weekly/monthly patient counts.
7. Framework & SQLite Internal Tables (auth_*, django_*, sqlite_*)	8	2,108	Django sessions, migrations, permissions, content types, admin logs, and SQLite ID sequences.
8. Orphaned / Unused Legacy Tables	10	6	10 leftover tables from earlier versions (allocator_*, user_master, *_profile) not connected to current Django models.

2. Master Data: Reference Values Stored Before Any Entry

Before a doctor or staff member creates a treatment entry, the database relies on master setup tables that define **which therapies exist**, **which therapists can perform them**, **what time slots and rooms are available**, and **what oils/medicines can be prescribed**. Below are real examples of how those values look inside `db.sqlite3`.

Example 1: masters_therapymaster (How a Therapy Rule Is Stored)	Actual Stored Value / Format
`id / therapy_code / therapy_name`	2 | "THEB001" | "*pizhichil(4)"
`therapy_category / duration`	"Hard" | "1 hr" (Categories: Easy, Medium, Hard)
`bathing_required / room_required`	"Yes" | "Yes" (Controls whether a bathing therapist & room are needed)
`patient_type`	"IP" (Values: "IP" for Inpatient, "OP" for Outpatient)
`Therapist counts by grade`	super_senior=2, senior=1, junior=1, trainee=0, total_no_of_therapist=4
`Special therapy flags`	is_steam_therapy=0, is_vamanam=0, is_vasthi=0 (1 = special slot/room rules apply)

Example 2: masters_therapistmaster & masters_therapistgrade (Therapist Record)	Actual Stored Value / Format
`id / therapist_code / name`	7 | "THP1280" | "Anoop"
`therapist_gender / grade_id`	"Male" | therapist_grade_id = 2 (1=Trainee, 2=Junior, 3=Senior, 4=Super Senior)
`employee_code`	"669" (Matches HRMS employee ID for emergency leave sync)
`Capability & status flags`	is_bathing_therapist=1, is_helping_therapist=0, is_deputed=0, is_on_call=0, is_active=1
`Weekly off (masters_therapistleavemaster)`	Stores leave_day = 0..6 (0=Monday .. 6=Sunday) + leave_day_name (e.g. "Sunday")
`Emergency leave (masters_emergencyleave)`	leave_id="HR-LEP-2026-09784", employee_code="182", therapist_id=15, from/to_date, is_half_day=0/1, status="processed" (or "unlinked" if no therapist matched)
`Omissions (masters_therapisttreatmentomission)`	Pairs therapist_id + treatment_id with status="approved" so scheduler excludes that therapist for that therapy

Example 3: masters_slotmaster & Patient_treatmentroom (Slots & Rooms)	Actual Stored Value / Format
`Slot 1 (id=6)`	slot_number=1, slot_time="06:30:00", slot_name="Slot 1", is_vamanam_slot=1, is_vasthi_slot=0
`Slot 2 (id=7)`	slot_number=2, slot_time="08:30:00", slot_name="Slot 2", is_vamanam_slot=0, is_vasthi_slot=1
`Slots 3–7 (ids 8..12)`	10:00:00 (Slot 3), 11:30:00 (Slot 4), 14:30:00 (Slot 5), 16:00:00 (Slot 6), 17:30:00 (Slot 7)
`Shift mappings`	masters_shiftmaster ("shift-1", "shift-2") -> masters_shiftslotmapping (allowed slots per shift) & masters_therapistshiftmapping (therapist's shift)
`Treatment Room (Patient_treatmentroom)`	room_no="TRC-13" (PK), floor="3", tr_code="1037", is_steam_room=0, is_vamanam_room=0, vamanam_room_type="primary", is_wheelchair_accessible=0
`Staying Room Map (masters_stayingroom)`	Maps hospital room code (number="22") -> display room number (room_no="NR-22")

3. How a Treatment Entry & All Its Changes Are Stored (Step by Step)

This chapter follows a treatment entry from the moment it is created through scheduling, edits, rescheduling, emergency therapist replacement, cancellation, resume, and completion—showing the exact tables and data values stored at every step.

Step 1: Patient Record Is Created or Updated (`Sheduling_patientsnapshot`)

When a patient is selected for therapy, the system looks up their registration number (`pat_reg_no`) in `Sheduling_patientsnapshot`. If they are new, a row is inserted; if they already exist, fields like staying room, VIP status, and wheelchair status are updated. VIP status also syncs to `Patient_repeated_visitors.is_vip`.

Stored Row in Sheduling_patientsnapshot (Real Example)	Actual Stored Value / Format
`id (PK)`	1796
`pat_reg_no (Unique String)`	"128082023" (Hospital registration number; 5 digits = OP, longer = IP)
`pat_name / pat_age / pat_sex`	"JAYASHREE.C" | "71" | "Female"
`pat_room_no / pat_ref_id`	"NR-22" (resolved from masters_stayingroom) | "2023082808291"
`is_wheelchair / is_vip`	0 (False) | 0 (False)

Step 2: Treatment Header Is Created (`Sheduling_therapyallocation`)

Next, **one master header row** is created in `Sheduling_therapyallocation`. This row represents the entire multi-day therapy order (for example, 30 days of *Lepam*). Notice that the full list of prescribed oils/medicines is stored right here inside `items_groups` as a JSON string, and `status` starts as `"draft"` (changing to `"allocated"` once at least one day is scheduled).

Stored Row in Sheduling_therapyallocation (Real Example id=6438)	Actual Stored Value / Format
`id / patient_id`	6438 | patient_id = 1796 (FK -> Sheduling_patientsnapshot.id)
`therapy_code / therapy_name`	"THEB035" | "Lepam"
`ext_int / procured_from / usage`	"External" | "Kashaya Room" | "knees"
`from_date / to_date / days`	"2026-10-28" | "2026-11-26" | 30
`timeslot_id / room_id`	11 (Slot 6: 04:00 PM) | NULL (Lepam does not require a treatment room; room therapies get e.g. "TR-1")
`items_groups (JSON Snapshot)`	[{"items": [{"item_code": "14016", "item_name": "Kalvazha Dasamoola Lepam"}], "dosage": "", "uno": "Gms", "oil_class": ""}]
`status / locked / allocated_by_id`	"allocated" | 0 | 207 (FK -> authentication_customuser.id)
`Cancellation metadata (if cancelled)`	cancelled_date_from, cancelled_date_to, cancellation_reason, cancelled_by_id, cancelled_at (all NULL initially)

Step 3: Date Range Expands into Daily Rows (`Sheduling_booking` & `Sheduling_bookingitem`)

Immediately inside the same database transaction, the system loops through every single calendar date from `from_date` to `to_date` and creates **one** `Sheduling_booking` **row per day** (so a 30-day therapy creates 30 booking rows). For each day, it also unpacks `items_groups` into `Sheduling_bookingitem` rows—one row per item per day for pharmacy/procurement tracking.

> **5:30 AM Lock Rule During Creation:** Past dates are always locked, and after 5:30 AM IST, *today* is also locked. If a new treatment entry starts today after 5:30 AM (like Allocation #6483 on 2026-10-28 at 11:30 AM), today's `Sheduling_booking` row is still created, but its `status` is automatically saved as `"cancelled"` with reason `"Auto-cancelled (schedule locked after 5:30 AM)."` Tomorrow's row starts as `"draft"` (or gets scheduled immediately if Final Schedule already ran for tomorrow).

3 Daily Booking Rows Created for Allocation #6438 (Sheduling_booking)	Actual Stored Value / Format
`Booking id=45185 (Day 1: 2026-10-28)`	allocation_id=6438, date="2026-10-28", timeslot_id=11, room_id=NULL, status="scheduled", snapshot_therapy_name="Lepam"

3 Daily Booking Rows Created for Allocation #6438 (Sheduling_booking)	Actual Stored Value / Format
`Booking id=45186 (Day 2: 2026-10-29)`	allocation_id=6438, date="2026-10-29", timeslot_id=11, room_id=NULL, status="scheduled"
`Booking id=45187 (Day 3: 2026-10-30)`	allocation_id=6438, date="2026-10-30", timeslot_id=11, room_id=NULL, status="draft" (awaiting Final Schedule for Oct 30)
`BookingItem id=28945 (for Booking 45185)`	booking_id=45185, item_code="14016", item_name="Kalvazha Dasamoola Lepam", dosage="", uno="Gms", status="draft"

Step 4: Final Schedule Assigns Rooms, Therapists & Locks (`Patient_roombooking`, `Patient_therapistbooking`, `Sheduling_bookingassignment`)

When the Scheduling Staff clicks **Final Schedule** for a date (or when a new entry lands on a date where Final Schedule already ran), a marker row is saved in `Sheduling_finalschedulerun`, HRMS leaves are synced into `masters_emergencyleave`, and the allocation engine locks resources across **four connected tables**:

How Room & Therapist Assignments Are Stored (Real Example: Booking #19016, Full Body Podikizhi(3))	Actual Stored Value / Format
`1. Sheduling_booking (#19016)`	status changes "draft" -> "scheduled", room_id updates from NULL -> "TR-1", timeslot_id=7 (08:30 AM)
`2. Patient_roombooking (#4782)`	room_id="TR-1", date="2026-03-05", time_slot_id=7, status="BOOKED", patient_id=695, visit_id=19016 (Booking.id)
`3. Patient_therapistbooking (#35680, etc.)`	3 rows (1 per therapist): therapist_id=102/18/122 (masters_therapistmaster.id), status="BOOKED", is_bathing=1 (on 1 therapist), is_helping_therapist_assignment=0/1, patient_id=702032026, visit_id=2682 (Allocation.id)
`4. Sheduling_bookingassignment (#34197..)`	3 rows (1 per therapist): booking_id=19016, therapist_id="THP1311"/"THP1282"/"THP1344" (Patient_therapist.therapist_code), role="Junior/Senior/Trainee Therapist", status="assigned", booking_date="2026-03-05", booking_timeslot_id=7
`5. Sheduling_therapistcontinuityplan`	Stores tomorrow's continuity reservation linking patient_id + allocation_id + therapist_id + time_slot_id + priority (0/1/2)
`If Nurse Treatment`	Skips therapists & writes to Sheduling_bookingnurseassignment (booking_id, nurse_id, status="assigned", booking_date)
`If Allocation Fails`	Sheduling_booking.status="failed", failure_reason="insufficient_therapists_available...", plus a row in Patient_allocationattempt

Step 5: How Treatment Edits & Item Removals Are Stored

When someone edits an existing treatment entry (changing therapy name, time slot, medicine items, date range, VIP, or wheelchair flag):

- **Protected Past/Locked Dates:** Dates on or before `lock_upto_date` are never modified.
- **Shortening Date Range:** Future `Sheduling_booking` rows outside the new `from_date..to_date` are **deleted** after setting their `Patient_therapistbooking` and `Patient_roombooking` rows to `status = "CANCELLED"`.
- **Changing Time Slot:** Writes a row to `Sheduling_allocationchange` with `change_type = "change_slot"` and `diff = {"old_slot_id": ..., "new_slot_id": ...}`.
- **Re-allocating Future Scheduled Dates:** On dates where Final Schedule already ran, old `Sheduling_bookingassignment` rows are marked `status = "released"`, old `TherapistBooking`/`RoomBooking` rows are marked `"CANCELLED"`, the old `Sheduling_booking` and `Sheduling_bookingitem` rows are deleted and recreated fresh, and the scheduler runs again.
- **Removing an Item (`remove_item`):** Removes the item from `Sheduling_therapyallocation.items_groups` JSON and writes `action = "remove_item"` to both `authentication_auditlog` and `Sheduling_auditlog`.

Step 6: How Rescheduling & Emergency Therapist Replacement Are Stored

When a failed booking is rescheduled, or a therapist on emergency leave is replaced (manually or automatically by the 5:30 AM / 8:00 PM background scheduler), the database preserves a **complete before-and-after trail** across 5 tables:

Real Emergency Replacement Example Stored in db.sqlite3 (Booking #19016, Log #11)	Actual Stored Value / Format
1. Sheduling_bookingassignment	Old therapist THP1326 row -> status="released", released_at timestamp. New row created for THP1344 -> status="assigned"
2. Patient_therapistbooking	THP1326 row -> status="CANCELLED". New row #35967 created for therapist_id=122 (THP1344) -> status="BOOKED", is_bathing=1
3. Sheduling_bookingreschedulehistory (#11)	before_therapists=[{"code":"THP1326","name":"Dhrisya D","is_bathing":true}, ...] | after_therapists=[..., {"code":"THP1344","name":"Adhithya shiju","is_bathing":true}] | before_room="TR-1" -> after_room="TR-1" | reason="Emergency therapist replacement: Test normal emergency replacement flow"
4. Sheduling_schedulingauditlog (#11)	change_type="emergency_replacement", replaced_therapist_code="THP1326", replacement_therapist_code="THP1344", designated_bathing_therapist_code="THP1344", before_state={JSON}, after_state={JSON}, changed_by_name
5. Sheduling_auditlog (#17631)	action="replace_therapist", obj_type="TherapyAllocation", obj_id="2682", data={"booking_id": 19016, "replaced_therapist": "THP1326", "replacement_therapist": "THP1344", ...}

Step 7: How Cancellation, Resume, Procurement & Completion Are Stored

• **Cancelling a Treatment (**`cancel_therapy`**):** Updates `Sheduling_therapyallocation` (`status="cancelled"`, sets `cancelled_date_from`, `cancelled_date_to`, `cancellation_reason`, `cancelled_by_id`, `cancelled_at`), updates matching `Sheduling_booking.status="cancelled"`, marks `Sheduling_bookingassignment.status="released"`, marks `Patient_therapistbooking` and `Patient_roombooking` as `"CANCELLED"`, and logs `cancel_therapy`.

• **Resuming a Cancelled Date (**`resume_therapy`**):** Marks old `BookingAssignment` as `"released"`, **deletes** the cancelled `Patient_therapistbooking` & `Patient_roombooking` rows for that date/slot (preventing unique constraint errors), resets `Booking` & `BookingItem` to `"draft"`, trims or clears `cancelled_date_from/to`, sets `resumed_by_id` & `resumed_at`, and re-runs allocation if `FinalScheduleRun` exists.

• **Procurement & Completion:** Pharmacy/Kashayam room reads `Sheduling_bookingitem` alongside `Sheduling_prescriptionscheduling` and records dispatches in `Sheduling_prescriptiondispatch`. When sessions are marked completed/cancelled via the sessions UI, `Patient_roombooking`/`Patient_therapistbooking` update to `"COMPLETED"` or `"CANCELED"` (with an audit row in `Patient_bookingcancellations`).

4. Other Modules, Audit Tables & Data Anomalies

4.1 How Prescriptions Are Stored

Prescriptions follow a parallel structure to therapies, without rooms or therapists:

Prescription Storage Flow (Real Example Allocation #6464 & Scheduling #21986)	Actual Stored Value / Format
`Sheduling_prescriptionallocation (#6464)`	patient_id=1811, prescription_name="Prescription", from_date="2026-11-04", to_date="2026-11-21", days=18, status="draft", items_groups=[{"items":[{"item_code":"14446","item_name":"AGP Spl Kashayam"}], "uno":"ml", "procured_from":"IP Pharmacy"}]
`Sheduling_prescriptionscheduling (#21986)`	1 row per patient per date: patient_id=1811, prescription_date="2026-11-21", doctor_id=2, status="draft" -> "scheduled" -> "dispatched", sent_to, dispatched_at
`Sheduling_prescriptionchangelog (19,363 rows)`	Logs every create/update/delete/status_change with full before_values and after_values JSON
`Sheduling_prescriptiondispatch (11 rows)`	Records department="IP Pharmacy" / "Kashaya Room", dispatched_at, dispatched_by_id
`Sheduling_prescriptionfinalschedulerun`	1 row per run_date (68 rows) marking Prescription Final Schedule completion

4.2 Why There Are Multiple Audit & History Tables

Audit / History Table	Rows	When Rows Are Written & What Values They Hold
`authentication_auditlog`	21,350	Every login/logout, user/role change, export, final schedule click (final_sched_th), and therapy action (allocate/update/cancel/resume/remove_item) with IP address & user agent.
`Sheduling_prescriptionchangelog`	19,363	Every prescription create, edit, delete, or status change with before_values and after_values JSON.
`Sheduling_auditlog`	17,631	Scheduling-side mirror of therapy allocate/update/cancel/resume/remove_item plus emergency therapist replacements & bathing changes.
`Patient_bookingcancellations`	76	Created when RoomBooking.cancel() or TherapistBooking.cancel() runs from the sessions UI.
`Sheduling_bookingreschedulehistory`	11	Before/after slot, room, date, and therapist list JSON for single/bulk reschedules & emergency replacements.
`Sheduling_schedulingauditlog`	11	Rich audit snapshot for emergency replacements, bathing reassignments, and reschedules (replaced vs replacement therapist + full before_state/after_state JSON).
`masters_therapistoncalllog`	6	Logs whenever an on-call therapist is toggled ON (available) or OFF (standby) with date window & remarks.
`Sheduling_allocationchange`	1	Logs allocation creation & slot changes (change_slot) with diff JSON.
`Sheduling_helpingtherapistallocationlog`	1	Logs whenever a backup Helping Therapist is assigned due to regular therapist shortage.

4.3 Important Schema Quirks & Inconsistencies Found in `db.sqlite3`

1. Different IDs Stored in `patient_id` Across Booking Tables: In real rows inspected in `db.sqlite3`, `Patient_roombooking.patient_id` stores the internal `Sheduling_patientsnapshot.id` (e.g., `695`), whereas `Patient_therapistbooking.patient_id` stores the hospital `pat_reg_no` (e.g., `702032026`).

2. Misleading `visit_id` Column Names: `Patient_roombooking.visit_id` actually points to **Sheduling_booking.id** (e.g., `19016`), while `Patient_therapistbooking.visit_id` points to **Sheduling_therapyallocation.id** (e.g., `2682`). Neither points to `MySql_Data_pull_visit`.

3. Two Therapist Tables Used Together: `Sheduling_bookingassignment.therapist_id` (20,105 rows) still points to legacy `Patient_therapist.therapist_code` (e.g., `"THP1344"`), while `Patient_therapistbooking.therapist_id` points to `masters_therapistmaster.id` (e.g., `122`). The scheduler automatically keeps `Patient_therapist` synced via `get_or_create`.

4. Two TimeSlot Tables Used Together: Active scheduling tables link to `masters_slotmaster.id` (9 slots, e.g., `id=7` for 08:30 AM), while `Patient_allocationattempt` and `MySql_Data_pull_store_therapy` still point to legacy `Patient_timeslot.slot_number`.

5. 10 Orphaned Tables & Disabled Feature Tables: `db.sqlite3` contains 10 leftover tables with no active models (`allocator_allocationrun`, `allocator_assignment`, `user_master`, and 7 empty `*_profile` tables), plus 0-row tables for disabled WebSocket notifications (`Sheduling_therapynotification`, `Sheduling_prescriptionnotification`).

5. Complete Directory of All 115 Tables in `db.sqlite3`

Every single table inside `db.sqlite3`, grouped by module, showing row count, what it stores, typical data values, and which tables it links to.

1. Scheduling, Treatment Entries & Prescriptions (Sheduling_*) — 34 tables

Table Name	Rows	What It Stores & Typical Values	Links To (Foreign Keys) & Unique Locks
`Sheduling_allocationchange`	1	**Tracks edits made to a TherapyAllocation (e.g. slot change)** change_type='create_allocation'/'change_slot', diff=JSON, reason	allocation_id -> Sheduling_therapyallocation; changed_by_id -> authentication_customuser
`Sheduling_auditlog`	17,631	**General scheduling action audit trail** action='allocate_therapy'/'update_therapy'/'replace_therapist'/'change_bathing_therapist', data=JSON	user_id -> authentication_customuser
`Sheduling_booking`	22,196	**Daily schedule row (1 row per day of a treatment entry)** date='2026-10-29', status='draft'/'scheduled'/'cancelled'/'failed', room_id='TR-1', timeslot_id=7	allocation_id -> Sheduling_therapyallocation; room_id -> Patient_treatmentroom; timeslot_id -> masters_slotmaster | UNIQUE: room_id, date, timeslot_id
`Sheduling_bookingassignment`	20,105	**Assigns a therapist to a specific daily booking** therapist_id='THP1344', role='Trainee Therapist', status='assigned'/'released', booking_date, booking_timeslot_id	booking_id -> Sheduling_booking; booking_item_id -> Sheduling_bookingitem; booking_timeslot_id -> masters_slotmaster; released_by_id -> authentication_customuser; therapist_id -> Patient_therapist | UNIQUE: therapist_id, booking_date, booking_timeslot_id
`Sheduling_bookingitem`	14,442	**Daily medicine/oil item row expanded from items_groups JSON** item_code='14016', item_name='Kalvazha Dasamoola Lepam', uno='Gms', status='draft'/'scheduled'/'cancelled'/'completed'	booking_id -> Sheduling_booking; cancel_requested_by_id -> authentication_customuser; cancelled_by_id -> authentication_customuser; completed_by_id -> authentication_customuser
`Sheduling_bookingnurseassignment`	634	**Assigns a nurse to a nurse-only treatment booking (full-day)** nurse_id, status='assigned'/'released', booking_date	booking_id -> Sheduling_booking; booking_timeslot_id -> masters_slotmaster; nurse_id -> masters_nursemaster; released_by_id -> authentication_customuser | UNIQUE: nurse_id, booking_id
`Sheduling_bookingrescheduleh istory`	11	**Before/after snapshot whenever a booking is rescheduled or swapped** before_date/slot/room/therapists (JSON) -> after_date/slot/room/therapists (JSON), reason	after_room_id -> Patient_treatmentroom; after_slot_id -> masters_slotmaster; allocation_id -> Sheduling_therapyallocation; before_room_id -> Patient_treatmentroom; before_slot_id -> masters_slotmaster; booking_id -> Sheduling_booking; rescheduled_by_id -> authentication_customuser
`Sheduling_cancellationreques t`	0	**Pending/approved/rejected cancellation requests (currently unused/0 rows)** from_date, to_date, items=JSON, status='pending'/'approved'/'rejected'	admin_action_by_id -> authentication_customuser; allocation_id -> Sheduling_therapyallocation; requested_by_id -> authentication_customuser
`Sheduling_doctorpatientprefe renceallowance`	3	**Tracks a doctor's monthly quota (max 5 patients/month) for preferred therapists** doctor_code, patient_reg_no, year=2026, month, is_active=1	doctor_id -> authentication_customuser | UNIQUE: doctor_id, patient_reg_no, year, month
`Sheduling_finalschedulerun`	81	**Marks dates where batch Final Schedule has run (1 row per date)** run_date='2026-11-08', status='success'/'failed', stats=JSON	ran_by_id -> authentication_customuser | UNIQUE: run_date
`Sheduling_helpingtherapistal locationlog`	1	**Audit log when a backup Helping Therapist is used due to shortage** patient_id, therapy_name, reason_for_fallback, shortage_condition, is_supporting_backup=1	helping_therapist_id -> masters_therapistmaster

Table Name	Rows	What It Stores & Typical Values	Links To (Foreign Keys) & Unique Locks
Sheduling_notificationqueue	23	**Queued outbound notifications (email/SMS/webhook)** target_type, channel='webhook', payload=JSON, status='queued'/'sent'/'failed'	None
Sheduling_patientpreferredtherapistroster	1	**Patient's pool of up to 7 preferred therapists + primary/secondary bathing therapist** patient_reg_no, therapist_codes=JSON, unpreferred_therapist_codes=JSON, primary_bathing_code	allowance_id -> Sheduling_doctorpatientpreferenceallowance; configured_by_id -> authentication_customuser; primary_bathing_therapist_id -> masters_therapistmaster; secondary_bathing_therapist_id -> masters_therapistmaster | UNIQUE: patient_reg_no
Sheduling_patientpreferredtherapistroster_therapists	7	**Join table linking a preferred roster to preferred therapists** patientpreferredtherapistroster_id <-> therapistmaster_id	patientpreferredtherapistroster_id -> Sheduling_patientpreferredtherapistroster; therapistmaster_id -> masters_therapistmaster | UNIQUE: patientpreferredtherapistroster_id, therapistmaster_id
Sheduling_patientpreferredtherapistroster_unpreferred_therapists	0	**Join table linking a preferred roster to excluded therapists** patientpreferredtherapistroster_id <-> therapistmaster_id	patientpreferredtherapistroster_id -> Sheduling_patientpreferredtherapistroster; therapistmaster_id -> masters_therapistmaster | UNIQUE: patientpreferredtherapistroster_id, therapistmaster_id
Sheduling_patientsnapshot	1,813	**Local copy of each patient's basic details & flags** pat_reg_no='128082023', pat_sex='Female', pat_room_no='NR-22', is_vip=0/1, is_wheelchair=0/1	None | UNIQUE: pat_reg_no
Sheduling_prescriptionallocation	5,314	**Master header for a patient's prescription entry** prescription_name='Prescription', items_groups=JSON, from_date, to_date, days, status='draft'/'active'/'cancelled'	allocated_by_id -> authentication_customuser; cancelled_by_id -> authentication_customuser; patient_id -> Sheduling_patientsnapshot; resumed_by_id -> authentication_customuser
Sheduling_prescriptionchange	0	**Change log tied to PrescriptionAllocation (0 rows)** change_type, diff=JSON, reason	changed_by_id -> authentication_customuser; prescription_allocation_id -> Sheduling_prescriptionallocation
Sheduling_prescriptionchangelog	19,363	**Before/after JSON history of prescription edits** action='create'/'update'/'delete'/'status_change', before_values/after_values JSON	changed_by_id -> authentication_customuser; patient_id -> Sheduling_patientsnapshot
Sheduling_prescriptiondispatch	11	**Records when a prescription was dispatched to pharmacy/kashayam room** department='IP Pharmacy', dispatched_at, dispatched_by_id	dispatched_by_id -> authentication_customuser; prescription_allocation_id -> Sheduling_prescriptionallocation; prescription_scheduling_id -> Sheduling_prescriptionscheduling
Sheduling_prescriptionfinalschedulerun	68	**Marks dates where Prescription Final Schedule has run** run_date, status='success'/'failed', stats=JSON	ran_by_id -> authentication_customuser | UNIQUE: run_date
Sheduling_prescriptionitem	0	**Individual prescription items linked to PrescriptionScheduling (0 rows)** item_name, dose, quantity, time	prescription_scheduling_id -> Sheduling_prescriptionscheduling
Sheduling_prescriptionnotification	0	**In-app prescription notifications (0 rows — WebSockets disabled)** notification_type, title, message, priority	created_by_id -> authentication_customuser; prescription_allocation_id -> Sheduling_prescriptionallocation
Sheduling_prescriptionnotification_target_users	0	**Join table for PrescriptionNotification recipients (0 rows)** prescriptionnotification_id <-> customuser_id	customuser_id -> authentication_customuser; prescriptionnotification_id -> Sheduling_prescriptionnotification | UNIQUE: prescriptionnotification_id, customuser_id

Table Name	Rows	What It Stores & Typical Values	Links To (Foreign Keys) & Unique Locks
Sheduling_prescriptionscheduling	18,667	**Daily prescription status per patient & date (unique per patient+date)** prescription_date, status='draft'/'scheduled'/'dispatched', sent_to, dispatched_at	doctor_id -> authentication_customuser; patient_id -> Sheduling_patientsnapshot; scheduled_by_id -> authentication_customuser | UNIQUE: patient_id, prescription_date
Sheduling_schedulingauditlog	11	**Detailed audit log for emergency replacements, bathing changes & reschedules** change_type='emergency_replacement'/'bathing_reassignment'/'reschedule', before_state/after_state JSON	allocation_id -> Sheduling_therapyallocation; booking_id -> Sheduling_booking; changed_by_id -> authentication_customuser
Sheduling_therapistcontinuityplan	19,174	**Pre-computed therapist continuity preference per date/patient/slot** priority=0 (same therapy yesterday) / 1 / 2, is_bathing=0/1, source_date	allocation_id -> Sheduling_therapyallocation; patient_id -> Sheduling_patientsnapshot; therapist_id -> masters_therapistmaster; time_slot_id -> masters_slotmaster
Sheduling_therapistpreferenceauditlog	0	**Audit trail for TherapistPreferenceRequest actions (0 rows)** action='CREATED'/'APPROVED'/'REJECTED', details=JSON	action_by_id -> authentication_customuser; preference_request_id -> Sheduling_therapistpreferencerequest
Sheduling_therapistpreferencerequest	0	**Approval workflow table for therapist preference requests (0 rows)** patient_id, status='PENDING'/'APPROVED'/'REJECTED', preferred_therapist_codes=JSON	approved_by_id -> authentication_customuser; requested_by_id -> authentication_customuser; visit_id -> MySql_Data_pull_visit
Sheduling_therapistpreferencerequest_preferred_therapists	0	**Join table for preference request preferred therapists (0 rows)** therapistpreferencerequest_id <-> therapistmaster_id	therapistmaster_id -> masters_therapistmaster; therapistpreferencerequest_id -> Sheduling_therapistpreferencerequest | UNIQUE: therapistpreferencerequest_id, therapistmaster_id
Sheduling_therapistpreferencerequest_unpreferred_therapists	0	**Join table for preference request excluded therapists (0 rows)** therapistpreferencerequest_id <-> therapistmaster_id	therapistmaster_id -> masters_therapistmaster; therapistpreferencerequest_id -> Sheduling_therapistpreferencerequest | UNIQUE: therapistpreferencerequest_id, therapistmaster_id
Sheduling_therapyallocation	3,812	**Master header for a treatment entry (1 row per prescribed therapy)** therapy_code='THEB035', from_date='2026-10-28', to_date='2026-11-26', days=30, status='draft'/'allocated'/'cancelled'/'failed', items_groups=JSON	allocated_by_id -> authentication_customuser; cancelled_by_id -> authentication_customuser; patient_id -> Sheduling_patientsnapshot; resumed_by_id -> authentication_customuser; room_id -> Patient_treatmentroom; timeslot_id -> masters_slotmaster
Sheduling_therapynotification	0	**In-app therapy notifications (0 rows — WebSockets disabled)** notification_type, title, message, priority, target_roles=JSON	created_by_id -> authentication_customuser; therapy_allocation_id -> Sheduling_therapyallocation
Sheduling_therapynotification_target_users	0	**Join table for TherapyNotification recipients (0 rows)** therapynotification_id <-> customuser_id	customuser_id -> authentication_customuser; therapynotification_id -> Sheduling_therapynotification | UNIQUE: therapynotification_id, customuser_id

2. Master Data, Shifts & HR Leave (masters_*) — 27 tables

Table Name	Rows	What It Stores & Typical Values	Links To (Foreign Keys) & Unique Locks
masters_emergencyleave	2,493	**Emergency/planned leaves synced from HRMS API** leave_id='HR-LEP-2026-09829', employee_code='182', from_date, to_date, is_half_day, half_day_session, status='processed'/'unlinked'	therapist_id -> masters_therapistmaster | UNIQUE: leave_id
masters_ingredientmaster	3	**Ingredients used in prescriptions** ingredient_code, ingredient_name	None | UNIQUE: ingredient_code
masters_itemgroup	5	**Categories for items** name, is_active	None | UNIQUE: name

Table Name	Rows	What It Stores & Typical Values	Links To (Foreign Keys) & Unique Locks
masters_itemmaster	1,371	**Master catalog of oils, medicines, kashayams & consumables** item_code='0001'..'9999', item_name, min_quantity, max_quantity	item_group_id -> masters_itemgroup; procured_from_id -> masters_procured; umo_id -> masters_unitno | UNIQUE: item_code
masters_nursemaster	6	**Master list of nurses** nurse_code, nurse_name, designation	None | UNIQUE: nurse_code
masters_nursetreatmentmaster	15	**Treatments handled by nurses instead of therapists** treatment_code, name, number_of_nurse_required	None | UNIQUE: treatment_code
masters_oilclass	12	**Types of oils used in therapies** name (e.g. Sesame Oil, Coconut Oil)	None | UNIQUE: name
masters_prescriptionscope	2	**Internal vs External prescription scope** name='Internal' / 'External'	None | UNIQUE: name
masters_prescriptiontime	5	**Standard prescription dosing times (M, ABF, BL, etc.)** name, order_no	None | UNIQUE: name
masters_prescriptionusage	58	**Prescription dosage usage instructions (before/after food)** name, order_no	None | UNIQUE: name
masters_procured	2	**Where items are sourced from** name='IP Pharmacy' / 'Kashaya Room'	None | UNIQUE: name
masters_shiftmaster	2	**Master list of work shifts (2 shifts)** shift_name='shift-1' / 'shift-2'	None | UNIQUE: shift_name
masters_shiftslotmapping	14	**Maps which time slots belong to each shift** shift_id <-> slot_id, is_active=1	shift_id -> masters_shiftmaster; slot_id -> masters_slotmaster | UNIQUE: shift_id, slot_id
masters_slotmaster	9	**Master list of therapy time slots (9 slots)** slot_number=1..9, slot_time='06:30:00', is_vamanam_slot, is_vasthi_slot	None | UNIQUE: slot_number
masters_stayingroom	99	**Maps hospital room codes to display room numbers** number='22', room_desc, room_no='NR-22'	None | UNIQUE: number
masters_therapistdeputation	0	**Therapist deputation requests & HR/Admin approvals (0 rows)** destination, start_date, duration_days, end_date, status='pending'/'approved'/'rejected'	approved_by_id -> authentication_customuser; assigned_doctor_id -> authentication_customuser; requested_by_id -> authentication_customuser; therapist_id -> masters_therapistmaster
masters_therapistgrade	4	**The 4 therapist seniority grades** 1=Trainee, 2=Junior, 3=Senior, 4=Super Senior Therapist	None | UNIQUE: name
masters_therapistleavemaster	117	**Each therapist's recurring weekly off day** leave_day=0..6 (0=Monday..6=Sunday), leave_day_name='Sunday'	therapist_id -> masters_therapistmaster | UNIQUE: therapist_id, leave_day
masters_therapistmaster	124	**Primary master record for every therapist** therapist_code='THP1280', therapist_gender='Male'/'Female', employee_code='669', is_bathing/helping/deputed/on_call	therapist_grade_id -> masters_therapistgrade; therapist_profile_id -> authentication_therapistprofile; user_id -> authentication_customuser | UNIQUE: employee_code; therapist_code
masters_therapistoncalllog	6	**History of when on-call therapists were turned ON or OFF** status='turned_on'/'turned_off', start_date, end_date, remarks	changed_by_id -> authentication_customuser; therapist_id -> masters_therapistmaster
masters_therapistshiftmapping	154	**Maps which shifts each therapist works** therapist_id <-> shift_id, is_active=1	shift_id -> masters_shiftmaster; therapist_id -> masters_therapistmaster | UNIQUE: therapist_id, shift_id

Table Name	Rows	What It Stores & Typical Values	Links To (Foreign Keys) & Unique Locks
masters_therapisttreatmentomission	218	**Approved requests omitting a therapist from specific treatments** therapist_id, treatment_id, batch_id, status='approved'/'pending'/'rejected'	approved_by_id -> authentication_customuser; requested_by_id -> authentication_customuser; therapist_id -> masters_therapistmaster; treatment_id -> masters_therapymaster
masters_therapygroup	9	**Categories/groups for therapies (e.g. Vasthi, Dhara)** name, is_active=1	None | UNIQUE: name
masters_therapymaster	238	**Master catalog of all therapies & staff requirements** therapy_code='THEB001', therapy_category='Hard'/'Medium'/'Easy', patient_type='IP'/'OP', grade counts, steam/vamanam/vasthi flags	therapy_group_id -> masters_therapygroup | UNIQUE: therapy_code
masters_unitno	20	**Units of measurement (ml, gms, nos, etc.)** unit_name='ml' / 'Gms'	None | UNIQUE: unit_name
masters_usagetype	52	**Therapy usage instructions/locations** name (e.g. knees, full body)	None | UNIQUE: name
masters_vamanamtimingmaster	2	**Priority timings for Vamanam treatments (5:00 AM, 5:30 AM)** timing_name, timing_time, display_order=1/2	None

3. Rooms, Booking Locks, History & Legacy Masters (Patient_*) — 14 tables

Table Name	Rows	What It Stores & Typical Values	Links To (Foreign Keys) & Unique Locks
Patient_allocationattempt	295	**Logs failed/successful allocation attempts & failure reasons** date, status='SUCCESS'/'FAILED', reason='insufficient_therapists', extra=JSON	requested_time_slot_id -> Patient_timeslot; therapy_id -> MySql_Data_pull_store_therapy; visit_id -> MySql_Data_pull_visit
Patient_bookingcancellations	76	**Cancellation audit table for legacy session cancellations** patient_id, date, time_slot_id, therapy_name, therapist_name, room_no, reason	canceled_by_id -> authentication_customuser
Patient_dailypatientcount	1,096	**Aggregated daily patient counts used by forecasting** date (unique), patient_count	None | UNIQUE: date
Patient_floor	5	**Hospital floors where treatment rooms are located** name='1'/'2'/'3', is_active	None | UNIQUE: name
Patient_patienthistory	262,000	**Historical archive of past treatments (262,000 rows, used for forecasting)** preg_no, pat_name, date, therapist_code, room_no, treatment	None
Patient_repeated_visitors	3,625	**Tracks repeat patients, total visit counts & VIP flag** register_number (PK), patient_name, total_visits, is_vip	None
Patient_roombooking	7,272	**Slot-level room lock preventing double-booking of a room** room_id='TR-1', date, time_slot_id=7, status='BOOKED'/'CANCELED'/'COMPLETED', visit_id=Booking.id	room_id -> Patient_treatmentroom; therapy_id -> Sheduling_therapyallocation; time_slot_id -> masters_slotmaster; visit_id -> Sheduling_booking | UNIQUE: room_id, date, time_slot_id, status
Patient_roomname	0	**Optional room name lookup (0 rows)** name, is_active	None | UNIQUE: name
Patient_therapist	120	**Legacy therapist master (still linked by BookingAssignment FK)** therapist_code (PK), therapist_name, therapist_grade, is_bathing_therapist	None | UNIQUE: therapist_code
Patient_therapistbooking	21,138	**Slot-level therapist lock preventing double-booking of a therapist** therapist_id (TherapistMaster), date, time_slot_id, status='BOOKED', is_bathing, visit_id=Allocation.id	therapist_id -> masters_therapistmaster; therapy_id -> masters_therapymaster; time_slot_id -> masters_slotmaster; visit_id -> Sheduling_therapyallocation | UNIQUE: therapist_id, date, time_slot_id, status

Table Name	Rows	What It Stores & Typical Values	Links To (Foreign Keys) & Unique Locks
Patient_therapistleave	105	**Legacy weekly leave table (superseded by masters_therapistleavemaster)** therapist_id -> Patient_therapist, leave_day=0..6	therapist_id -> Patient_therapist
Patient_therapydetails	140	**Legacy therapy catalog (superseded by masters_therapymaster)** therapy_code (PK), therapy_name, therapist grade counts	None | UNIQUE: therapy_code
Patient_timeslot	7	**Legacy 7-slot table (superseded by masters_slotmaster)** slot_number (PK 1..7), start_time, end_time	None
Patient_treatmentroom	43	**Master list of therapy treatment rooms (43 rooms)** room_no='TR-1'/'TRC-9', tr_code='1008', is_steam_room, is_vamanam_room, is_wheelchair_accessible	floor_master_id -> Patient_floor; room_name_id -> Patient_roomname | UNIQUE: room_no

4. Users, Roles, Permissions, Profiles & System Audit (authentication_*) — 14 tables

Table Name	Rows	What It Stores & Typical Values	Links To (Foreign Keys) & Unique Locks
authentication_adminprofile	8	**Extended profile for Admin users** admin_id, department, designation	user_id -> authentication_customuser | UNIQUE: user_id; admin_id
authentication_auditlog	21,350	**Central system audit log (logins, exports, therapy actions, final runs)** action='login'/'allocate_therapy'/'final_sched_th'/..., status='success'/'failed', additional_data=JSON	user_id -> authentication_customuser
authentication_customuser	238	**System login accounts for all staff, doctors, therapists, patients & admins** username, role='doctor'/'therapist'/'scheduling_staff'/'admin'/..., custom_role_id, is_active	custom_role_id -> authentication_role | UNIQUE: username
authentication_customuser_groups	0	**Django user-to-auth_group mapping (0 rows)** customuser_id <-> group_id	customuser_id -> authentication_customuser; group_id -> auth_group | UNIQUE: customuser_id, group_id
authentication_customuser_user_permissions	0	**Django per-user permissions mapping (0 rows)** customuser_id <-> permission_id	customuser_id -> authentication_customuser; permission_id -> auth_permission | UNIQUE: customuser_id, permission_id
authentication_doctorprofile	54	**Extended profile for Doctor users** doctor_id, specialization, department, qualification, license_number	user_id -> authentication_customuser | UNIQUE: user_id; doctor_id
authentication_module	48	**Screens/modules in the web app & sidebar** name, display_name, url_path, nav_section_id, order	nav_section_id -> authentication_navsection | UNIQUE: name
authentication_navsection	7	**Sidebar navigation headings grouping modules** name, display_name, icon, order	None | UNIQUE: name
authentication_nurseprofile	1	**Extended profile for Nurse users** nurse_id, department, qualification, shift	user_id -> authentication_customuser | UNIQUE: user_id; nurse_id
authentication_patientprofile	13	**Extended profile for Patient portal users** patient_reg_no, date_of_birth, gender, allergies, is_vip	user_id -> authentication_customuser | UNIQUE: user_id; patient_reg_no
authentication_role	27	**Configurable roles for module access permissions** name, display_name, is_active	None | UNIQUE: name
authentication_role_modules	163	**Many-to-many permissions: which Role can access which Module** role_id <-> module_id	module_id -> authentication_module; role_id -> authentication_role | UNIQUE: role_id, module_id
authentication_staffprofile	13	**Extended profile for Scheduling/Pharmacy/HR/Finance/Housekeeping staff** staff_id, department, designation, reporting_manager	user_id -> authentication_customuser | UNIQUE: user_id; staff_id
authentication_therapistprofile	138	**Extended HR/profile details for Therapist users** therapist_code, employee_code, therapist_grade, is_bathing_therapist, joining_date	user_id -> authentication_customuser | UNIQUE: employee_code; user_id; therapist_code

5. Early Visit & Store Tables (MySql_Data_pull_*) — 6 tables

Table Name	Rows	What It Stores & Typical Values	Links To (Foreign Keys) & Unique Locks
MySql_Data_pull_store_prescription	20	**Early prescription header linked to Visit** visit_id, patient_id, date_created	visit_id -> MySql_Data_pull_visit
MySql_Data_pull_store_prescriptionitem	22	**Early prescription items linked to store_Prescription** prescription_id, item_code, dosage, internal_external, status	cancelled_by_id -> authentication_customuser; prescription_id -> MySql_Data_pull_store_prescription
MySql_Data_pull_store_therapy	31	**Early therapy entry table linked to Visit** visit_id, therapy_name, from_date, to_date, preferred_time_slot_id -> Patient_timeslot	preferred_time_slot_id -> Patient_timeslot; visit_id -> MySql_Data_pull_visit
MySql_Data_pull_store_therapyitem	42	**Early therapy items linked to store_Therapy** therapy_id, item_code, oil_class, status='active'/'cancelled'	cancelled_by_id -> authentication_customuser; therapy_id -> MySql_Data_pull_store_therapy
MySql_Data_pull_store_therapyitemday	26	**Early per-day expansion of store_TherapyItem** therapy_item_id, date, status='active'/'cancelled'/'completed'	cancelled_by_id -> authentication_customuser; therapy_item_id -> MySql_Data_pull_store_therapyitem | UNIQUE: therapy_item_id, date
MySql_Data_pull_visit	20	**Early visit header table (20 rows from initial prototype flow)** patient_id, from_date, to_date, is_ip_or_op, is_vip	None

6. Demand Forecasting (predictor_*) — 2 tables

Table Name	Rows	What It Stores & Typical Values	Links To (Foreign Keys) & Unique Locks
predictor_forecastrun	15	**Execution log for each forecasting job run** run_type, status='completed'/'failed', start_date, end_date, predictions_created	started_by_id -> authentication_customuser
predictor_prediction	1,324	**Prophet forecast output values by date & type** date, prediction_type='daily'/'weekly'/'monthly', predicted_value, yhat_lower, yhat_upper, actual_value	None | UNIQUE: date, prediction_type

7. Framework & SQLite Internal Tables (auth_*, django_*, sqlite_*) — 8 tables

Table Name	Rows	What It Stores & Typical Values	Links To (Foreign Keys) & Unique Locks
auth_group	0	**Built-in Django permission groups (0 rows; custom Role table used instead)** name	None | UNIQUE: name
auth_group_permissions	0	**Group-to-permission join table (0 rows)** group_id <-> permission_id	group_id -> auth_group; permission_id -> auth_permission | UNIQUE: group_id, permission_id
auth_permission	499	**Auto-generated Django model permissions (add/change/delete/view)** content_type_id, codename, name	content_type_id -> django_content_type | UNIQUE: content_type_id, codename
django_admin_log	44	**Audit log of edits made inside /admin/** user_id, content_type_id, object_repr, action_flag	content_type_id -> django_content_type; user_id -> authentication_customuser
django_content_type	119	**Registry of Django app+model types used by permissions & admin** app_label, model	None | UNIQUE: app_label, model
django_migrations	206	**Tracks all 206 applied Django database migrations** app, name, applied	None
django_session	1,152	**Active/stored browser login sessions** session_key, session_data, expire_date	None | UNIQUE: session_key
sqlite_sequence	88	**SQLite internal auto-increment ID tracker** name (table name), seq (highest ID issued)	None

8. Orphaned / Unused Legacy Tables — 10 tables

Table Name	Rows	What It Stores & Typical Values	Links To (Foreign Keys) & Unique Locks
admin_profile	0	**Legacy profile table linked to user_master (0 rows)** admin_id, user_id -> user_master	user_id -> user_master | UNIQUE: user_id; admin_id
allocator_allocationrun	2	**Old prototype allocator run table (2 rows, no active model)** run_date, status, notes	None
allocator_assignment	4	**Old prototype allocator assignment table (4 rows, no active model)** allocation_id, pat_reg_no, therapy_code, slot_no, room_code, therapist_code	allocation_id -> allocator_allocationrun
doctor_profile	0	**Legacy profile table linked to user_master (0 rows)** doctor_id, user_id -> user_master	user_id -> user_master | UNIQUE: user_id; doctor_id
nurse_profile	0	**Legacy profile table linked to user_master (0 rows)** nurse_id, user_id -> user_master	user_id -> user_master | UNIQUE: user_id; nurse_id
patient_profile	0	**Legacy profile table linked to user_master (0 rows)** patient_reg_no, user_id -> user_master	user_id -> user_master | UNIQUE: user_id; patient_reg_no
receptionist_profile	0	**Legacy profile table linked to user_master (0 rows)** receptionist_id, user_id -> user_master	user_id -> user_master | UNIQUE: user_id; receptionist_id
staff_profile	0	**Legacy profile table linked to user_master (0 rows)** staff_id, user_id -> user_master	user_id -> user_master | UNIQUE: user_id; staff_id
therapist_profile	0	**Legacy profile table linked to user_master (0 rows)** therapist_code, user_id -> user_master	user_id -> user_master | UNIQUE: user_id; employee_code; therapist_code
user_master	0	**Legacy pre-CustomUser auth table (0 rows, no active model)** user_id, username, role	None | UNIQUE: email; username