

ANEXO V

PRUEBAS Y VERIFICACIÓN: AJUSTES REALIZADOS (1.5.3)



Restaurar sesión

pfSense.home.arpa - Int...

192.168.1.1/interfaces_vlan.php

pfSense
COMMUNITY EDITION

System ▾ Interfaces ▾ Firewall ▾ Services ▾ VPN ▾ Status ▾ Diagnostics ▾ Help ▾

WARNING: The 'admin' account password is set to the default value. [Change the password in the User Manager.](#)

Interfaces / VLANs

Interface AssignmentsInterface GroupsWirelessVLANsQinQsPPPsGREsGIFsBridgesLAGGs

VLAN Interfaces

Interface	VLAN tag	Priority	Description	Actions
em1 (lan)	10		VLAN ADMINISTRACION	 
em2 (opt1)	20		VLAN TECNICA	 
em1 (lan)	30		VLAN REUNIONES	 
em1 (lan)	40		VLAN INVITADOS	 
em1 (lan)	50		VLAN IMPESC	 
em1 (lan)	100		VLAN DMZ	 

+ Add

pfSense is developed and maintained by Netgate. © 2004 - 2026. View license

AplicacionespfSense.home.arpa - Int...2026-04-21 09:36gns3

Restaurar sesión

pfSense.home.arpa - Fire

192.168.1.1/firewall_aliases.php?tab=ip

pfSense

COMMUNITY EDITION

System ▾ Interfaces ▾ Firewall ▾ Services ▾ VPN ▾ Status ▾ Diagnostics ▾ Help ▾

WARNING: The 'admin' account password is set to the default value. [Change the password in the User Manager.](#)

Firewall / Aliases / IP

IP

Ports

URLs

All

Firewall Aliases IP

Name	Type	Values	Description	Actions
A_ADMINISTRACION	Network(s)	192.168.10.0/24	ALIAS ADMINISTRACION	  
A_DMZ	Network(s)	10.0.100.0/24	ALIAS DMZ	  
A_IMPESC	Network(s)	192.168.50.0/24	ALIAS IMPESC	  
A_INVITADOS	Network(s)	192.168.40.0/24	ALIAS INVITADOS	  
A_REUNIONES	Network(s)	192.168.30.0/24	ALIAS REUNIONES	  
A_TECNICA	Network(s)	192.168.20.0/24	ALIAS TECNICA	  

+

 Add

↑

 Import

i

pfSense is developed and maintained by Netgate. © 2004 - 2026. View license.

Aplicaciones

pfSense.home.arpa - Fir...

2026-04-21 09:40

gns3

pfSense.home.arpa - Ser x

192.168.1.1/services_dhcp.php?if=opt1

☆

👤

🔖

☰

LANADMINSTRACIONTECNICAREUNIONESINVITADOSIMPESCDMZ

General DHCP Options

DHCP BackendISC DHCP

Enable

☒ Enable DHCP server on ADMINSTRACION interface

BOOTP

☐ Ignore BOOTP queries

Deny Unknown Clients

Allow all clients

When set to **Allow all clients**, any DHCP client will get an IP address within this scope/range on this interface. If set to **Allow known clients from any interface**, any DHCP client with a MAC address listed in a static mapping on **any** scope(s)/interface(s) will get an IP address. If set to **Allow known clients from only this interface**, only MAC addresses listed in static mappings on this interface will get an IP address within this scope/range.

Ignore Denied Clients

☐ Ignore denied clients rather than reject

This option is not compatible with failover and cannot be enabled when a Failover Peer IP address is configured.

Ignore Client Identifiers

☐ Do not record a unique identifier (UID) in client lease data if present in the client DHCP request

This option may be useful when a client can dual boot using different client identifiers but the same hardware (MAC) address. Note that the resulting server behavior violates the official DHCP specification.

Primary Address Pool

Subnet192.168.10.0/24

Subnet Range192.168.10.1 - 192.168.10.254

Address Pool Range

192.168.10.2

From

192.168.10.200

To

Aplicaciones

pfSense.home.arpa - Se...

2026-04-21 09:50

gns3

pfSense.home.arpa - Ser x

192.168.1.1/services_dhcp.php?if=opt3

LANADMINSTRACIONTECNICAREUNIONESINVITADOSIMPESCDMZ

General DHCP Options

DHCP Backend

ISC DHCP

Enable

☒ Enable DHCP server on REUNIONES interface

BOOTP

☐ Ignore BOOTP queries

Deny Unknown Clients

Allow all clients

When set to **Allow all clients**, any DHCP client will get an IP address within this scope/range on this interface. If set to **Allow known clients from any interface**, any DHCP client with a MAC address listed in a static mapping on **any** scope(s)/interface(s) will get an IP address. If set to **Allow known clients from only this interface**, only MAC addresses listed in static mappings on this interface will get an IP address within this scope/range.

Ignore Denied Clients

☐ Ignore denied clients rather than reject
This option is not compatible with failover and cannot be enabled when a Failover Peer IP address is configured.

Ignore Client Identifiers

☐ Do not record a unique identifier (UID) in client lease data if present in the client DHCP request
This option may be useful when a client can dual boot using different client identifiers but the same hardware (MAC) address. Note that the resulting server behavior violates the official DHCP specification.

Primary Address Pool

Subnet

192.168.30.0/24

Subnet Range

192.168.30.1 - 192.168.30.254

Address Pool Range

192.168.30.2

192.168.30.200

FromTo

Aplicaciones

pfSense.home.arpa - Se...

2026-04-21 09:54

gns3

pfSense.home.arpa - Ser x

192.168.1.1/services_dhcp.php?if=opt5

☆

👤

🔖

☰

LANADMINSTRACIONTECNICAREUNIONESINVITADOSIMPESCDMZ

General DHCP Options

DHCP Backend

ISC DHCP

Enable

☒ Enable DHCP server on IMPESC interface

BOOTP

☐ Ignore BOOTP queries

Deny Unknown Clients

Allow all clients

When set to **Allow all clients**, any DHCP client will get an IP address within this scope/range on this interface. If set to **Allow known clients from any interface**, any DHCP client with a MAC address listed in a static mapping on **any** scope(s)/interface(s) will get an IP address. If set to **Allow known clients from only this interface**, only MAC addresses listed in static mappings on this interface will get an IP address within this scope/range.

Ignore Denied Clients

☐ Ignore denied clients rather than reject
This option is not compatible with failover and cannot be enabled when a Failover Peer IP address is configured.

Ignore Client Identifiers

☐ Do not record a unique identifier (UID) in client lease data if present in the client DHCP request
This option may be useful when a client can dual boot using different client identifiers but the same hardware (MAC) address. Note that the resulting server behavior violates the official DHCP specification.

Primary Address Pool

Subnet

192.168.50.0/24

Subnet Range

192.168.50.1 - 192.168.50.254

Address Pool Range

192.168.50.2

From

192.168.50.200

To

Aplicaciones

pfSense.home.arpa - Se...

🔍

2026-04-21 09:58

gns3

pfSense.home.arpa - Ser x

192.168.1.1/services_dhcp.php?if=opt6

☆

👤

🔗

☰

LANADMINSTRACIONTECNICAREUNIONESINVITADOSIMPESCDMZ

General DHCP Options

DHCP BackendISC DHCP

Enable

☒ Enable DHCP server on DMZ interface

BOOTP

☐ Ignore BOOTP queries

Deny Unknown Clients

Allow all clients

When set to **Allow all clients**, any DHCP client will get an IP address within this scope/range on this interface. If set to **Allow known clients from any interface**, any DHCP client with a MAC address listed in a static mapping on **any** scope(s)/interface(s) will get an IP address. If set to **Allow known clients from only this interface**, only MAC addresses listed in static mappings on this interface will get an IP address within this scope/range.

Ignore Denied Clients

☐ Ignore denied clients rather than reject

This option is not compatible with failover and cannot be enabled when a Failover Peer IP address is configured.

Ignore Client Identifiers

☐ Do not record a unique identifier (UID) in client lease data if present in the client DHCP request

This option may be useful when a client can dual boot using different client identifiers but the same hardware (MAC) address. Note that the resulting server behavior violates the official DHCP specification.

Primary Address Pool

Subnet10.0.100.0/24

Subnet Range10.0.100.1 - 10.0.100.254

Address Pool Range

10.0.100.2

10.0.100.200

FromTo

Aplicacións

pfSense.home.arpa - Se...

🔌

2026-04-21 09:59

gns3

Server Options

WINS Servers

DNS Servers

DNS Server Settings

DNS Servers

 Delete Delete Delete

Address

Enter IP addresses to be used by the system for DNS resolution. These are also used for the DHCP service, DNS Forwarder and DNS Resolver when it has DNS Query Forwarding enabled.

Hostname

Enter the DNS Server Hostname for TLS Verification in the DNS Resolver (optional).

pfSense.home.arpa - Sys x

192.168.1.1/system_advanced_network.php

pfSense
COMMUNITY EDITION

System ▾ Interfaces ▾ Firewall ▾ Services ▾ VPN ▾ Status ▾ Diagnostics ▾ Help ▾

WARNING: The 'admin' account password is set to the default value. [Change the password in the User Manager.](#)

System / **Advanced** / Networking ?

Admin Access Firewall & NAT **Networking** Miscellaneous System Tunables Notifications

DHCP Options

Server Backend	☒ Kea DHCP ☐ ISC DHCP (Deprecated) ☐ Ignore Deprecation Warning
ISC DHCP has reached end-of-life and will be removed from a future version of pfSense. Kea DHCP is the newer, modern DHCP distribution from ISC that includes the most-requested features.	
RADVD Debug	☐ Log all radvd log levels
DHCP6 Debug	☐ Start DHCP6 client in debug mode
Do not allow PD/Address release	☐ dhcp6c will send a release to the ISP on exit, some ISPs then release the allocated address or prefix. This option prevents that signal ever being sent
DHCP6 DUID	Raw DUID: As stored in DUID file or seen in firewall logs ▾ A DHCPv6 Unique Identifier (DUID) is used by the firewall when requesting an IPv6 address. By default, the firewall automatically creates a dynamic DUID-LLT which is not saved in the firewall configuration. To ensure that the same DUID is retained by the firewall at all times, enter a DUID in this section. The new DUID will take effect after a reboot or when the WAN interface(s) are reconfigured by the firewall.

Aplicaciones

pfSense.home.arpa - Sy...

2026-04-21 10:04 gns3

pfSense.home.arpa - Ser x

192.168.1.1/services_unbound.php

90%

General DNS Resolver Options

Enable

☒ Enable DNS resolver

Listen Port

53

The port used for responding to DNS queries. It should normally be left blank unless another service needs to bind to TCP/UDP port 53.

Enable SSL/TLS Service

☐ Respond to incoming SSL/TLS queries from local clients

Configures the DNS Resolver to act as a DNS over SSL/TLS server which can answer queries from clients which also support DNS over TLS. Activating this option disables automatic interface response routing behavior, thus it works best with specific interface bindings.

SSL/TLS Certificate

GUI default (69e21908388e6)

The server certificate to use for SSL/TLS service. The CA chain will be determined automatically.

SSL/TLS Listen Port

853

The port used for responding to SSL/TLS DNS queries. It should normally be left blank unless another service needs to bind to TCP/UDP port 853.

Network Interfaces

LAN
ADMINISTRACION
TECNICA
REUNIONES
INVITADOS
IMPESC
DMZ
WAN IPv6 Link-Local

Interface IP addresses used by the DNS Resolver for responding to queries from clients. If an interface has both IPv4 and IPv6 addresses, both are used. Queries to addresses not selected in this list are discarded. The default behavior is to respond to queries on every available IPv4 and IPv6 address.

Outgoing Network Interfaces

LAN
ADMINISTRACION
TECNICA
REUNIONES
INVITADOS
IMPESC
DMZ
WAN IPv6 Link-Local

Utilize different network interface(s) that the DNS Resolver will use to send queries to authoritative servers and receive their replies. By default all

Aplicaciones

pfSense.home.arpa - Se...

2026-04-21 10:08

gns3

pfSenseBAO.home.arpa - x

192.168.2.1/firewall_rules.php?if=opt1

pfSense
COMMUNITY EDITION

System ▾ Interfaces ▾ Firewall ▾ Services ▾ VPN ▾ Status ▾ Diagnostics ▾ Help ▾

1

WARNING: The 'admin' account password is set to the default value. [Change the password in the User Manager.](#)

Firewall / Rules / ADMINISTRACION

Floating WAN LAN ADMINISTRACION TECNICA REUNIONES INVITADOS IMPESC DMZ

Rules (Drag to Change Order)

☐	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☐	✓	0/0 B	IPv4 TCP/UDP	A_ADMINISTRACION	*	This Firewall (self)	53 (DNS)	*	none	PERMITIR DNS	     
☐	✓	0/0 B	IPv4 *	A_ADMINISTRACION	*	A_DMZ	*	*	none	Acceso DMZ	     
☐	✓	0/0 B	IPv4 *	A_ADMINISTRACION	*	A_IMPESC	*	*	none	Acceso IMPESC	     
☐	✗	0/0 B	IPv4 *	A_ADMINISTRACION	*	A_TECNICA	*	*	none	Acceso TECNICA	    
☐	✗	0/0 B	IPv4 *	A_ADMINISTRACION	*	A_INVITADOS	*	*	none	Acceso INVITADOS	    
☐	✗	0/0 B	IPv4 *	A_ADMINISTRACION	*	A_REUNIONES	*	*	none	Acceso REUNIONES	    
☐	✓	0/0 B	IPv4 *	A_ADMINISTRACION	*	*	*	*	none	Acceso INTERNET	     

↑ Add

↓ Add

Delete

Toggle

Copy

Save

+ Separator

Aplicacions

pfSenseBAO.home.arpa...

Terminal - gns3@Client...

2026-04-21 11:29 gns3

pfSenseBAO.home.arpa

192.168.2.1/firewall_rules.php?if=opt2

pfSense

COMMUNITY EDITION

System

Interfaces

Firewall

Services

VPN

Status

Diagnostics

Help

1

WARNING: The 'admin' account password is set to the default value. [Change the password in the User Manager.](#)

Firewall / Rules / TECNICA

Floating

WAN

LAN

ADMINISTRACION

TECNICA

REUNIONES

INVITADOS

IMPESC

DMZ

Rules (Drag to Change Order)

	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☐	✓	0/0 B	IPv4 TCP/UDP	A_TECNICA	*	This Firewall (self)	53 (DNS)	*	none	PERMITIR DNS	Anchor Edit Copy Toggle Delete X
☐	✓	0/0 B	IPv4 *	A_TECNICA	*	A_DMZ	*	*	none	Acceso DMZ	Anchor Edit Copy Toggle Delete X
☐	✓	0/0 B	IPv4 *	A_TECNICA	*	A_IMPESC	*	*	none	Acceso IMPESC	Anchor Edit Copy Toggle Delete X
☐	✗	0/0 B	IPv4 *	A_TECNICA	*	A_ADMINISTRACION	*	*	none	Acceso ADMINISTRACION	Anchor Edit Copy Toggle Delete
☐	✗	0/0 B	IPv4 *	A_TECNICA	*	A_REUNIONES	*	*	none	Acceso REUNIONES	Anchor Edit Copy Toggle Delete
☐	✗	0/0 B	IPv4 *	A_TECNICA	*	A_INVITADOS	*	*	none	Acceso INVITADOS	Anchor Edit Copy Toggle Delete
☐	✓	0/0 B	IPv4 *	A_TECNICA	*	*	*	*	none	Acceso INTERNET	Anchor Edit Copy Toggle Delete X

↑ Add

↓ Add

Delete

Toggle

Copy

Save

+ Separator

i

Aplicaciones

pfSenseBAO.home.arpa...

Terminal - gns3@Client...

2026-04-21 11:39

gns3

pfSenseBAO.home.arpa

192.168.2.1/firewall_rules.php?if=opt3

pfSense

COMMUNITY EDITION

System ▾ Interfaces ▾ Firewall ▾ Services ▾ VPN ▾ Status ▾ Diagnostics ▾ Help ▾

1

WARNING: The 'admin' account password is set to the default value. [Change the password in the User Manager.](#)

Firewall / Rules / REUNIONES

Floating

WAN

LAN

ADMINISTRACION

TECNICA

REUNIONES

INVITADOS

IMPESC

DMZ

Rules (Drag to Change Order)

☐	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☐	✓	0/0 B	IPv4 TCP/UDP	A_REUNIONES	*	This Firewall (self)	53 (DNS)	*	none	PERMITIR DNS	
☐	✓	0/0 B	IPv4 *	A_REUNIONES	*	A_IMPESC	*	*	none	Acceso IMPESC	
☐	✓	0/0 B	IPv4 *	A_REUNIONES	*	A_DMZ	*	*	none	Acceso DMZ	
☐	✗	0/0 B	IPv4 *	A_REUNIONES	*	A_ADMINISTRACION	*	*	none	Acceso ADMINISTRACION	
☐	✗	0/0 B	IPv4 *	A_REUNIONES	*	A_TECNICA	*	*	none	Acceso TECNICA	
☐	✗	0/0 B	IPv4 *	A_REUNIONES	*	A_INVITADOS	*	*	none	Acceso INVITADOS	
☐	✓	0/0 B	IPv4 *	A_REUNIONES	*	*	*	*	none	Acceso INTERNET	

↑ Add

↓ Add

Delete

Toggle

Copy

Save

Separator

Aplicaciónes

pfSenseBAO.home.arpa...

Terminal - gns3@Client...

2026-04-21 11:43

gns3

pfSenseBAO.home.arpa

192.168.2.1/firewall_rules.php?if=opt4

pfSense
COMMUNITY EDITION

System Interfaces Firewall Services VPN Status Diagnostics Help

1

WARNING: The 'admin' account password is set to the default value. [Change the password in the User Manager.](#)

Firewall / Rules / INVITADOS

Floating WAN LAN ADMINISTRACION TECNICA REUNIONES INVITADOS IMPESC DMZ

Rules (Drag to Change Order)

☐	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☐	✓	0/0 B	IPv4 TCP/UDP	A_INVITADOS	*	This Firewall (self)	53 (DNS)	*	none	PERMITIR DNS	Anchor Edit Copy Toggle Delete X
☐	✓	0/0 B	IPv4 *	A_INVITADOS	*	A_DMZ	*	*	none	Acceso DMZ	Anchor Edit Copy Toggle Delete X
☐	✗	0/0 B	IPv4 *	A_INVITADOS	*	A_ADMINISTRACION	*	*	none	Acceso ADMINISTRACION	Anchor Edit Copy Toggle Delete
☐	✗	0/0 B	IPv4 *	A_INVITADOS	*	A_REUNIONES	*	*	none	Acceso REUNIONES	Anchor Edit Copy Toggle Delete
☐	✗	0/0 B	IPv4 *	A_INVITADOS	*	A_TECNICA	*	*	none	Acceso TECNICA	Anchor Edit Copy Toggle Delete
☐	✗	0/0 B	IPv4 *	A_INVITADOS	*	A_IMPESC	*	*	none	Acceso IMPESC	Anchor Edit Copy Toggle Delete
☐	✓	0/0 B	IPv4 *	A_INVITADOS	*	*	*	*	none	Acceso INTERNET	Anchor Edit Copy Toggle Delete X

↑ Add

↓ Add

Delete

Toggle

Copy

Save

Separator

i

Aplicaciónes pfSenseBAO.home.arpa... Terminal - gns3@Client... 2026-04-21 11:47 gns3

pfSenseBAO.home.arpa - x

192.168.2.1/firewall_rules.php?if=opt5

pfSense
COMMUNITY EDITION

System ▾ Interfaces ▾ Firewall ▾ Services ▾ VPN ▾ Status ▾ Diagnostics ▾ Help ▾

1

WARNING: The 'admin' account password is set to the default value. [Change the password in the User Manager.](#)

Firewall / Rules / IMPESC

Floating

WAN

LAN

ADMINISTRACION

TECNICA

REUNIONES

INVITADOS

IMPESC

DMZ

Rules (Drag to Change Order)

☐	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☐	✓ 0/0 B	IPv4 TCP/UDP	A_IMPESC	*	This Firewall (self)	53 (DNS)	*	none		PERMITIR DNS	
☐	✓ 0/0 B	IPv4 *	A_IMPESC	*	*	*	*	none		Acceso INTERNET	

↑ Add

↓ Add

Delete

Toggle

Copy

Save

+ Separator

i

pfSense is developed and maintained by Netgate. © ESF 2004 - 2026 View license.

Aplicaciónes

pfSenseBAO.home.arpa...

Terminal - gns3@Client...

2026-04-21 11:49

gns3

pfSenseBAO.home.arpa - x

192.168.2.1/firewall_rules.php?if=opt6

pfSense
COMMUNITY EDITION

System ▾ Interfaces ▾ Firewall ▾ Services ▾ VPN ▾ Status ▾ Diagnostics ▾ Help ▾

1

WARNING: The 'admin' account password is set to the default value. [Change the password in the User Manager.](#)

Firewall / Rules / DMZ

Floating WAN LAN ADMINSTRACION TECNICA REUNIONES INVITADOS IMPESC DMZ

Rules (Drag to Change Order)

☐	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☐	✓ 0/0 B	IPv4 TCP/UDP	A_DMZ	*	This Firewall (self)	53 (DNS)	*	none		PERMITIR DNS	     
☐	✓ 0/0 B	IPv4 *	A_DMZ	*	*	*	*	none		Acceso INTERNET	     

↑ Add

↓ Add

Delete

Toggle

Copy

Save

+ Separator

i

pfSense is developed and maintained by Netgate. © ESF 2004 - 2026 [View license.](#)

Aplicacions

pfSenseBAO.home.arpa...

Terminal - gns3@Client...









2026-04-21 11:50 gns3

pfSenseBAO.home.arpa

192.168.2.1/vpn_openvpn_server.php

pfSense
COMMUNITY EDITION

System ▾ Interfaces ▾ Firewall ▾ Services ▾ VPN ▾ Status ▾ Diagnostics ▾ Help ▾

WARNING: The 'admin' account password is set to the default value. [Change the password in the User Manager.](#)

VPN / OpenVPN / Servers

Servers

Clients

Client Specific Overrides

Wizards

Client Export

OpenVPN Servers

Interface	Protocol / Port	Tunnel Network	Mode / Crypto	Description	Actions
WAN	UDP4 / 1194 (TUN)	10.8.0.0/24	Mode: Remote Access (SSL/TLS + User Auth) Data Ciphers: AES-128-CBC, AES-256-CBC, AES-256-GCM Digest: SHA256 D-H Params: 2048 bits	ServerVPN BAO	  

+ Add

pfSense is developed and maintained by Netgate. © ESF 2004 - 2026 View license.

Aplicacions

pfSenseBAO.home.arpa...

Terminal - gns3@Client...

2026-04-21
12:36

gns3

pfSenseBAO.home.arpa - x

192.168.2.1/firewall_rules.php?if=wan

pfSense

COMMUNITY EDITION

System

Interfaces

Firewall

Services

VPN

Status

Diagnostics

Help

WARNING: The 'admin' account password is set to the default value. [Change the password in the User Manager.](#)

Firewall / Rules / WAN

Floating

WAN

LAN

ADMINISTRACION

TECNICA

REUNIONES

INVITADOS

IMPESC

DMZ

OpenVPN

Rules (Drag to Change Order)

☐	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☒	0/35 KiB	*	RFC 1918 networks	*	*	*	*	*		Block private networks	
☒	0/0 B	*	Reserved Not assigned by IANA	*	*	*	*	*		Block bogon networks	
☐	0/0 B	IPv4 UDP	*	*	*	1194 (OpenVPN)	*	none		Acceso OPENVPN desde WAN	

Add

Add

Delete

Toggle

Copy

Save

Separator

pfSense is developed and maintained by Netgate. © ESF 2004 - 2026 View license.

Aplicacións

pfSenseBAO.home.arpa...

Terminal - gns3@Client...

2026-04-21 12:38

gns3

pfSenseBAO.home.arpa

192.168.2.1/firewall_rules.php?if=openvpn

pfSense
COMMUNITY EDITION

System Interfaces Firewall Services VPN Status Diagnostics Help

WARNING: The 'admin' account password is set to the default value. [Change the password in the User Manager.](#)

Firewall / Rules / OpenVPN

Floating WAN LAN ADMINSTRACION TECNICA REUNIONES INVITADOS IMPESC DMZ OpenVPN

Rules (Drag to Change Order)

	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☐	✓ 0/0 B	IPv4 TCP/UDP	*	*	This Firewall (self)	53 (DNS)	*	none		PERMITE DNS	     
☐	✗ 0/0 B	IPv4 *	*	*	A_ADMINISTRACION	*	*	none		Acceso ADMINISTRACION	    
☐	✗ 0/0 B	IPv4 *	*	*	A_REUNIONES	*	*	none		Acceso REUNIONES	    
☐	✗ 0/0 B	IPv4 *	*	*	A_INVITADOS	*	*	none		Acceso INVITADOS	    
☐	✗ 0/0 B	IPv4 *	*	*	A_IMPESC	*	*	none		Acceso IMPESC	    
☐	✓ 0/0 B	IPv4 *	*	*	A_TECNICA	*	*	none		Acceso TECNICA	     
☐	✓ 0/0 B	IPv4 *	*	*	A_DMZ	*	*	none		Acceso DMZ	     
☐	✓ 0/0 B	IPv4 *	*	*	*	*	*	none		Acceso INTERNET	     

↑ Add ↓ Add

Delete

Toggle

Copy

Save

+ Separator

Aplicacións Firefox-esr Descargas - Thunar

2026-04-21 13:53 gns3