

Chris Braissant

**TDI Compressor operator**

Ban's Diving Resort



## Introduction

Intro, Paperwork, Schedule

## Theory

Compressor  
design

## Filtration

Starting and  
running

## Sources

# Introduction



Introduction

Intro, Paperwork, Schedule

Theory

Compressor  
design

Filtration

Starting and  
running

Sources

# Introduction

## Intro, Paperwork, Schedule

# Course overview

Introduction  
Intro, Paperwork, Schedule

Theory

Compressor design

Filtration

Starting and running

Sources

Entry-level course  
Operating principle  
Routine maintenance  
Proper handling  
Filter changing  
Practical part in the workshop

# Paperwork

Introduction

Intro, Paperwork, Schedule

Theory

Compressor  
design

Filtration

Starting and  
running

Sources

Liability Release and Express Assumption of Risk  
Medical Statement

# Liability Release

Introduction

Intro, Paperwork, Schedule

Theory

Compressor  
design

Filtration

Starting and  
running

Sources

	<b>General Liability Release and Express Assumption of Risk</b>
1045 NE Industrial Blvd Jensen Beach, FL 34957 Phone: 888-778-9073 Fax: 877-436-7096 Email: <a href="mailto:worldsg@tdisdi.com">worldsg@tdisdi.com</a> <a href="http://www.tdisdi.com">www.tdisdi.com</a>	
<b>For 1 - Compressor Operator</b> (specify Course or Specialty) training program under sanction through SDI. Please read carefully, fill in all blanks and initial each paragraph before signing at bottom.	
I, <b>2 - your name</b> , hereby affirm that I have been advised and thoroughly informed of the inherent hazards of scuba diving and release:	
I understand that diving with compressed air or oxygen enriched air (nitrox) involves certain inherent risks including decompression sickness, embolism, oxygen toxicity, inert gas narcosis, marine life injuries or other barotrauma/hyperbaric injuries can occur that require treatment in a recompression chamber. I further understand that the open water diving trips, which are necessary for training and certification, may be conducted at a site that is remote, either by time or distance or both, from such a recompression chamber. I still agree to proceed with such instructional dives in spite of the possible absence of a recompression chamber in proximity to the dive site.	
I understand and agree that during my instruction(s) <b>3 - Chris Braissant</b> , the facility through which I am receiving my instruction(s), the instructors, the staff, the management companies, employees, agents, or assigns of the above listed entities and/or individuals, nor the authors of any materials including texts and tables expressly used for training and certification (hereinafter referred to as "Released Parties") may be held liable or responsible in any way for any injury, death, or other damages to me or my minor child(s) that may result in whole or in part from my participation in this diving class or as a result of the negligence of any party, including the Released Parties, whether passive or active.	
In consideration of being allowed to enroll in this course, I hereby personally assume all risks in connection with said course, for any harm, injury, or damage that may befall me while I am enrolled as a student of this course, including all risks connected therewith, whether intentional or unintentional, and I further release and hold harmless said course and Released Parties from any claim or lawsuit by me, anyone purporting to act on my behalf, my family, estate, heirs or assigns, arising directly or indirectly out of my enrollment and participation in this course, including all claims arising during the course or after I receive my certification even if such claims may be groundless, false or fraudulent.	
I also understand that diving activities are physically strenuous and that I will be exerting myself during this diving course, and that if I am injured as a result of heart attack, stroke, hypertension, oxygen toxicity, inert gas narcosis, drowning, etc., that I expressly assume all risk of such injury and that I will not hold above listed individuals or organizations responsible for my injury, and I agree to defend, indemnify, and hold harmless said course and Released Parties for any such injuries incurred by me.	
I understand that these activities may place me deeper than I am able to safely execute a free (without breathing gas) ascent from the water.	
I understand that I may be required to furnish my own equipment and that I am responsible for its operating condition and maintenance.	
I further state that I am of lawful age and legally competent to sign this liability release, or that I have acquired the written consent of my parents or guardians.	
I understand that the terms herein are contractual and not a mere recital, and that I have signed this document of my own free act. Further that I understand and agree that, in the event that one or more of the provisions of this agreement, for any reason, is found to be invalid, illegal or unenforceable in any respect, such invalidity, illegality or unenforceability shall not affect any other provision hereof, and this agreement shall be construed as if such invalid, illegal or unenforceable provision or provisions had never been contained herein.	
<b>IT IS THE INTENTION OF</b> <b>5 - Your name</b> <b>BY THIS INSTRUMENT TO EXEMPT AND RELEASE</b> <b>MY INSTRUCTOR(S)</b> <b>6 - Chris Braissant</b> <b>(AND OTHERS,</b> <b>7 - blank</b> <b>)</b> <b>THE FACILITY</b> <b>THROUGH WHICH I RECEIVED MY INSTRUCTION</b> <b>8 - Ban's diving</b> <b>THE TRAINING AGENCY</b> <b>9 - TDI / SDI</b> <b>AND INTERNATIONAL TRAINING AND SCUBA DIVING INTERNATIONAL, AND ALL OTHER</b> <b>RELATED ENTITIES AND RELEASED PARTIES AS DEFINED ABOVE, FROM ALL LIABILITY OR RESPONSIBILITY</b> <b>WHATSOEVER FOR PERSONAL, PROPERTY DAMAGE, OR WRONGFUL DEATH, HOWEVER CAUSED, OR</b> <b>APPROACHED, DIRECTLY OR INDIRECTLY, INCLUDING, BUT NOT LIMITED TO, THE NEGLIGENCE OF THE</b> <b>RELEASED PARTIES, WHETHER PASSIVE OR ACTIVE.</b> I HAVE FULLY INFORMED MYSELF OF THE CONTENTS OF THIS LIABILITY RELEASE AND EXPRESS ASSUMPTION OF RISK BY READING IT BEFORE SIGNING IT ON BEHALF OF MYSELF AND MY HEIRS.	
This document is required for all courses and Specialties taught under sanction by Scuba Diving International. No alterations, changes, omissions or revisions may be made.	
<b>10 - Signature / Date</b> Signature of Student/Participant / Date	
Signatures of Parents or Guardians / Date (where applicable)	
<b>11 - Witness / Date</b> Witness / Date	
Copyright© 2002 by Scuba Diving International (SDI)	
Revision 6.2, 11/17/11	

1. Compressor Operator
2. Your name
3. Instr.: Chris Braissant
4. Facility: Ban's diving
5. Your name
6. Instr.: Chris Braissant
7. Facility: Ban's Diving
8. - blank -
9. Training agency:  
TDI/SDI
10. Signature and date
11. Witness signature and date
12. Your initials

Introduction

Theory

Heat exchange

Compressor  
design

Filtration

Starting and  
running

Sources

# Theory



Introduction  
Theory  
Heat exchange  
Compressor design  
Filtration  
Starting and running  
Sources

# Theory

## Heat exchange

# Polytropic process

Introduction  
Theory  
Heat exchange  
Compressor design  
Filtration  
Starting and running  
Sources

A process which occurs with an INTERCHANGE OF BOTH HEAT AND WORK between the system and its surroundings.

$$PV^n = \text{constant} \quad (n = \text{polytropic index})$$

# Isothermal process

Introduction  
Theory  
Heat exchange  
Compressor design  
Filtration  
Starting and running  
Sources

A process which occurs at CONSTANT TEMPERATURE.  
(Boyle-Mariotte's Law)

$$PV = \text{constant} \quad (n = 1)$$

# Adiabatic process

Introduction  
Theory  
Heat exchange  
Compressor design  
Filtration  
Starting and running  
Sources

A process in which heat does not enter or leave the system concerned (all heat is contained).

$$PV^\gamma = \text{constant} \quad (\gamma = \text{adiabatic index})$$

Monoatomic gas (inert gas)

- helium, argon, neon, xenon,...

$$\gamma = 5/3$$

Diatomeric gas

- oxygen, nitrogen, hydrogen, air...

$$\gamma = 7/5$$

# Adiabatic compression

Introduction

Theory

Heat exchange

Compressor  
design

Filtration

Starting and  
running

Sources

Without going to much into details, the formula to find the temperature after compression in a adiabatic process is:

$$T_2 = T_1 \left( \frac{P_2}{P_1} \right)^{\frac{\gamma-1}{\gamma}}$$

The temperature after compression is independant of the volume (or size) of a compressor.

Only the pressures and the ambiant temperature could change the final temperature.

# Adiabatic compression

Introduction

Theory

Heat exchange

Compressor  
design

Filtration


Starting and  
running

Sources

hydrogen <b>H</b> [1.0079]	beryllium <b>Be</b> 9.0122	lithium <b>Li</b> 6.941	magnesium <b>Mg</b> 24.305	sodium <b>Na</b> 22.990	potassium <b>K</b> 39.098	calcium <b>Ca</b> 40.078	scandium <b>Sc</b> 44.956	titanium <b>Ti</b> 47.867	vanadium <b>V</b> 50.942	chromium <b>Cr</b> 51.996	manganese <b>Mn</b> 54.938	iron <b>Fe</b> 55.845	cobalt <b>Co</b> 58.933	nickel <b>Ni</b> 58.693	copper <b>Cu</b> 63.546	zinc <b>Zn</b> 65.38	aluminum <b>Al</b> 26.982	silicon <b>Si</b> 28.086	boron <b>B</b> 10.811	carbon <b>C</b> 12.011	nitrogen <b>N</b> 14.007	oxygen <b>O</b> 15.999	fluorine <b>F</b> 18.999	chlorine <b>Cl</b> 30.960	bromine <b>Br</b> 79.904	iodine <b>I</b> 126.89	atmospheric <b>Ar</b> 39.948
rubidium <b>Rb</b> 85.468	strontium <b>Sr</b> 87.62	yttrium <b>Y</b> 88.906	zirconium <b>Zr</b> 91.224	niobium <b>Nb</b> 92.908	molybdenum <b>Mo</b> 95.96	technetium <b>Tc</b> [98]	ruthenium <b>Ru</b> 101.07	rhenium <b>Re</b> 102.91	rhodium <b>Rh</b> 106.42	palladium <b>Pd</b> 107.87	silver <b>Ag</b> 112.41	cadmium <b>Cd</b> 114.82	gallium <b>Ga</b> 116.23	germanium <b>Ge</b> 117.64	arsenic <b>As</b> 119.52	selenium <b>Se</b> 121.76	antimony <b>Sb</b> 127.60	tellurium <b>Te</b> 127.60	iodine <b>I</b> 126.89	astatine <b>At</b> [209]	radon <b>Rn</b> [222]						
caesium <b>Cs</b> 132.91	barium <b>Ba</b> 137.33	hafnium <b>Hf</b> 178.49	tantalum <b>Ta</b> 180.05	tungsten <b>W</b> 183.84	rhenium <b>Re</b> 186.21	osmium <b>Os</b> 190.23	iridium <b>Ir</b> 192.22	platinum <b>Pt</b> 195.08	gold <b>Au</b> 196.97	mercury <b>Hg</b> 200.59	thallium <b>Tl</b> 204.38	lead <b>Pb</b> 207.2	bismuth <b>Bi</b> 208.98	potassium <b>Po</b> [209]	astatine <b>At</b> [210]	radon <b>Rn</b> [222]											
francium <b>Fr</b> [223]	radium <b>Ra</b> [226]	rutherfordium <b>Rf</b> [261]	dubnium <b>Db</b> [262]	seaborgium <b>Sg</b> [266]	bohrium <b>Bh</b> [264]	hafnium <b>Hs</b> [277]	meitnerium <b>Mt</b> [268]	darmstadtium <b>Ds</b> [271]	roentgenium <b>Rg</b> [272]	lanthanum <b>La</b> 138.91	cerium <b>Ce</b> 140.12	praseodymium <b>Pr</b> 140.91	neodymium <b>Nd</b> 144.24	promethium <b>Pm</b> [145]	samarium <b>Sm</b> 150.36	europeum <b>Eu</b> 151.96	gadolinium <b>Gd</b> 157.25	terbium <b>Tb</b> 158.93	dysprosium <b>Dy</b> 162.50	holmium <b>Ho</b> 164.93	erbium <b>Er</b> 167.26	thulium <b>Tm</b> 168.93	yterbium <b>Yb</b> 173.05	lutetium <b>Lu</b> 174.97			
actinium <b>Ac</b> [227]	thorium <b>Th</b> 232.04	protactinium <b>Pa</b> 231.04	uranium <b>U</b> 238.03	neptunium <b>Np</b> [237]	plutonium <b>Pu</b> [244]	americium <b>Am</b> [243]	curium <b>Cm</b> [247]	berkelium <b>Bk</b> [251]	californium <b>Cf</b> [252]	einsteinium <b>Es</b> [257]	fermium <b>Fm</b> [258]	mendelevium <b>Md</b> [259]	nobelium <b>No</b> [262]	lawrencium <b>Lr</b> [262]													

# Adiabatic compression

Introduction  
Theory  
Heat exchange  
Compressor design  
Filtration  
Starting and running  
Sources



Introduction  
Theory  
**Compressor design**  
Single stage  
Filtration  
Starting and running  
Sources

# Compressor design


Introduction  
Theory  
Compressor  
design  
Single stage  
Filtration  
Starting and  
running  
Sources

# Compressor design

## Single stage

# Single stage's design

Introduction  
Theory  
Compressor  
design  
Single stage  
Filtration  
Starting and  
running  
Sources




A compressor's stage is composed of:

- Inlet and outlet pipe
- Inlet and outlet valve
- Cylinder
- Piston - compressing the air in the chamber
- Piston rings - making a seal between the piston and the cylinder
- Rod - connecting the crankshaft to the piston
- Crankshaft - moving the piston up and down (not on the drawing)


# Single stage's design

Introduction  
Theory  
Compressor  
design  
Single stage  
Filtration  
Starting and  
running  
Sources



# Compressor phases

Introduction  
Theory  
Compressor design  
Single stage  
Filtration  
Starting and running  
Sources




## First phase:

- Inlet valve is open
- Outlet valve is closed
- The chamber is filled with low pressure air

# Compressor phases

Introduction  
Theory  
Compressor design  
Single stage  
Filtration  
Starting and running  
Sources




## Second phase:

- Piston starts to go upward
- Pressure increase in the piston
- Inlet valve is closed
- Pressure not sufficient enough to open the outlet valve

# Compressor phases

Introduction  
Theory  
Compressor design  
Single stage  
Filtration  
Starting and running  
Sources




## Third phase:

- Piston reaches the maximum stroke
- Pressure open the outlet valve
- High pressure air leave the chamber

# Compressor phases

Introduction  
Theory  
Compressor design  
Single stage  
Filtration  
Starting and running  
Sources



## Fourth phase:

- Piston goes downward
- Pressure drops in the piston
- Inlet valve is open
- Outlet valve is closed
- The chamber is filled with low pressure air

# Compressor valves


Introduction  
Theory  
Compressor design  
Single stage  
Filtration  
Starting and running  
Sources



- Same principle as a dump valve
- Pressure push intermediate plate
- Spring are compressed
- Air can flow through the gap

# Compressor valves

Introduction  
Theory  
Compressor design  
**Single stage**  
Filtration  
Starting and running  
Sources



# Temperature

Introduction  
Theory  
Compressor  
design  
Single stage  
Filtration  
Starting and  
running  
Sources

The temperature of the gas after compression can be determined using the formulas seen before:

$$T_2 = T_1 \left( \frac{P_2}{P_1} \right)^{\frac{\gamma-1}{\gamma}}$$

which give us a temperature of  $1257[^\circ C]$  !!!

Temp. before compression:

Pressure before compression:

Pressure after compression:

Adiabatic index:

$$T_1 = 27[^\circ C] = 300[K]$$

$$P_1 = 1\text{ bar}$$

$$P_2 = 300\text{ bar}$$

$$\gamma = 7/5 \Rightarrow \frac{\gamma-1}{\gamma} = 2/7$$

# Temperature

Introduction  
Theory  
Compressor design  
Single stage  
Filtration  
Starting and running  
Sources

The temperature of the gas after compression can be determined using the formulas seen before:

$$T_2 = T_1 \left( \frac{P_2}{P_1} \right)^{\frac{\gamma-1}{\gamma}} = 300 \left( \frac{300}{1} \right)^{\frac{2}{7}} = 1530[K] = 1257[^\circ C]$$

Introduction  
Theory  
Compressor  
design  
**Filtration**  
Air Quality  
Starting and  
running  
Sources

# Filtration



Introduction  
Theory  
Compressor  
design  
Filtration  
Air Quality  
Starting and  
running  
Sources

# Filtration

## Air Quality

# Air Quality

Introduction

Theory

Compressor  
design

Filtration

Air Quality

Starting and  
running

Sources

	EN12021	BS4275	O <sub>2</sub> Clean Air	PADI 5 stars
Oxygen			21 ± 1%	
CO <sub>2</sub>			< 500ppm	
CO	< 15ppm	< 5ppm	< 5ppm	< 10ppm
Oil	< 0.5ppm	< 0.5ppm	< 0.3ppm	< 5ppm
Water		< 25mg/m <sup>2</sup>		Not specified
Odor / taste			None	

Introduction  
Theory  
Compressor design  
Filtration  
**Starting and running**  
  Compressor  
  Petrol engine  
Sources

# Starting and running



Introduction  
Theory  
Compressor design  
Filtration  
Starting and running  
**Compressor**  
Petrol engine  
Sources

# Starting and running Compressor

# Compressor pre-startup checks

- Oil level
- Input filter
- Output filter
- Fan belt
- Hoses
- Filter towers
- Log book

# Compressor startup sequence

- Condensate drains
- Drain valves opened
- All Gauges at zero
- Start compressor
- Clacking noise from 3rd stage
- Close drain valves
- Pressure maintaining valve (PMV)
- Safety valves goes off

# Compressor shut sown sequence

Introduction  
Theory  
Compressor design  
Filtration  
Starting and running  
**Compressor**  
Petrol engine  
Sources

- Open drain valves
- Gauges going down
- Turn off engine / motor

# Compressor running tests

- RPM - Motor speed
- Vibration
- Condensate every x minutes
- Filter

Introduction  
Theory  
Compressor design  
Filtration  
Starting and running  
Compressor  
Petrol engine  
Sources

# Starting and running

## Petrol engine

# Petrol engine pre-startup checks

Introduction  
Theory  
Compressor design  
Filtration  
Starting and running  
Compressor  
Petrol engine  
Sources

- Oil level
- Input filter
- Spark plug
- Petrol level

# Petrol engine startup sequence

- Turn fuel ON
- Turn ignition ON
- Place choke on COLD START position
- Set throttle to 1/3 full speed
- Slowly pull starter cord to remove slack
- Sharply pull starter cord
- Set throttle to full speed
- Place choke on WARM/RUN position

# Petrol engine switch off sequence

Introduction  
Theory  
Compressor design  
Filtration  
Starting and running  
Compressor  
Petrol engine  
Sources

- Slowly set throttle to minimum speed
- Turn fuel OFF until motor stop
- Turn ignition OFF

Introduction  
Theory  
Compressor design  
Filtration  
Starting and running  
Sources

# Sources

# Sources

Introduction  
Theory  
Compressor design  
Filtration  
Starting and running  
Sources

- url