

# Cucumber Report

15 Jul, 2022 4:43:53 PM

**Start : Jul 15, 4:41:32.232 PM**

**End : Jul 15, 4:43:48.975 PM**

**Duration : 2 m 16.743 s**

Features







PASSED - 1  
FAILED - 0  
SKIPPED - 0

Scenarios

PASSED - 2  
FAILED - 0  
SKIPPED - 0


Steps

PASSED - 18  
FAILED - 0  
SKIPPED - 0



<b>Feature</b>				<b>Scenario</b>				<b>Step</b>			
<b>Name</b>		<b>Duration</b>		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Automated End2End Tests</u>		2 m 16.743 s		2	2	0	0	18	18	0	0

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
	<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>
@End2End_1		2	2	0	0	1	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Automated End2End Tests</u>	2	2	0	0	2 m 16.743 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Automated End2End Tests</u>	<u>Customer place an order by purchasing an item from search</u>	9	9	0	0	1 m 10.483 s
2	<u>Automated End2End Tests</u>	<u>Customer place an order by purchasing an item from search</u>	9	9	0	0	1 m 6.224 s

## Automated End2End Tests

PASSED	DURATION - 2 m 16.743 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 18 Pass - 18 Fail - 0 Skip - 0	
/ 4:41:32.232 PM // 4:43:48.975 PM /					

### Customer place an order by purchasing an item from search


PASSED	DURATION - 1 m 10.483 s	Automated End2End Tests	@End2End_1	Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 4:41:32.250 PM // 4:42:42.733 PM /					

#	Step / Hook Details	Status	Duration
1	Given user is on Home Page  AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)  Screenshot 	PASSED	11.497 s
2	When user searches for "dress"  AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)  Screenshot 	PASSED	4.885 s
		PASSED	0.573 s
		PASSED	0.325 s


#	Step / Hook Details	Status	Duration
3	When user chooses to buy the item 1 with color as "White" and size as "Medium"  AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)  screenshot  	PASSED	9.508 s
4	When user moves to checkout from mini cart  AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)  screenshot  	PASSED	18.281 s
5	When user enters "Lakshay" personal details on checkout page  AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)  screenshot  	PASSED	1.206 s
6	When user accepts terms and conditions  AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)  screenshot  	PASSED	4.192 s
7	Then place the order  AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.078 s
		PASSED	0.228 s

#	Step / Hook Details	Status	Duration
			
8	Then verify the order details	PASSED	3.997 s
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)  Screenshot	PASSED	0.180 s
9	Then take screenshot of order	PASSED	0.254 s
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)  Screenshot	PASSED	0.270 s

### Customer place an order by purchasing an item from search



#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	16.900 s
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.383 s

#	Step / Hook Details	Status	Duration
	screenshot 		
2	When user searches for "dress" AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.641 s
	screenshot 	PASSED	1.477 s
3	When user chooses to buy the item 1 with color as "White" and size as "Medium" AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	7.845 s
	screenshot 	PASSED	0.327 s
4	When user moves to checkout from mini cart AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	19.450 s
	screenshot 	PASSED	0.176 s
5	When user enters "Virender" personal details on checkout page AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.624 s
	screenshot	PASSED	0.242 s

#	Step / Hook Details	Status	Duration
			
6	When user accepts terms and conditions AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) <b>screenshot</b> 	PASSED	3.104 s
7	Then place the order AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) <b>screenshot</b> 	PASSED	0.090 s
8	Then verify the order details AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) <b>screenshot</b> 	PASSED	4.670 s
9	Then take screenshot of order AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) <b>screenshot</b>	PASSED	0.285 s
		PASSED	0.255 s

#	Step / Hook Details	Status	Duration
	 <p>The screenshot shows a configuration interface for 'ShopTools'. It includes sections for 'General', 'Product', 'Customer', and 'Order'. Under 'General', there are fields for 'Name', 'Description', 'Category', 'Status', and 'Language'. Under 'Product', there are fields for 'Product ID', 'Barcode', 'UPC', 'EAN', and 'Weight'. Under 'Customer', there are fields for 'Customer ID', 'Name', 'Address', and 'Phone'. Under 'Order', there are fields for 'Order ID', 'Customer ID', 'Product ID', and 'Quantity'.</p>		