

Cucumber Report

16 Jul, 2022 7:31:32 PM

Start : Jul 16, 7:30:00.889 PM

End : Jul 16, 7:31:31.147 PM

Duration : 1 m 30.258 s

Features







PASSED - 1
FAILED - 0
SKIPPED - 0

Scenarios

PASSED - 2
FAILED - 0
SKIPPED - 0


Steps

PASSED - 18
FAILED - 0
SKIPPED - 0



| Feature | | | | Scenario | | | | Step | | | |
|--------------------------------|--|-----------------|--|-----------------|----------|----------|----------|-------------|----------|----------|----------|
| Name | | Duration | | T | P | F | S | T | P | F | S |
| <u>Automated End2End Tests</u> | | 1 m 30.258 s | | 2 | 2 | 0 | 0 | 18 | 18 | 0 | 0 |

| Tag | Scenario | | | | Feature | | | |
|------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | Name | T | P | F | S | T | P | F |
| @End2End_1 | | 2 | 2 | 0 | 0 | 1 | 1 | 0 |



| # | Feature Name | T | P | F | S | Duration |
|---|--------------------------------|---|---|---|---|--------------|
| 1 | <u>Automated End2End Tests</u> | 2 | 2 | 0 | 0 | 1 m 30.258 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------------------|--|---|---|---|---|----------|
| 1 | <u>Automated End2End Tests</u> | <u>Customer place an order by purchasing an item from search</u> | 9 | 9 | 0 | 0 | 53.397 s |
| 2 | <u>Automated End2End Tests</u> | <u>Customer place an order by purchasing an item from search</u> | 9 | 9 | 0 | 0 | 36.824 s |

Automated End2End Tests

| | | | | | |
|--------------------------------------|-------------------------|--|--|--|--|
| PASSED | DURATION - 1 m 30.258 s | Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0 | | Steps Total - 18 Pass - 18 Fail - 0 Skip - 0 | |
| / 7:30:00.889 PM // 7:31:31.147 PM / | | | | | |

Customer place an order by purchasing an item from search


| | | | | | |
|--------------------------------------|---------------------|-------------------------|------------|--|--|
| PASSED | DURATION - 53.397 s | Automated End2End Tests | @End2End_1 | Steps Total - 9 Pass - 9 Fail - 0 Skip - 0 | |
| / 7:30:00.902 PM // 7:30:54.299 PM / | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is on Home Page AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot | PASSED | 16.581 s |
| 2 | When user searches for "dress" AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot | PASSED | 1.904 s |
| | | PASSED | 0.340 s |
| | | PASSED | 0.242 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 3 | When user chooses to buy the item 1 with color as "White" and size as "Medium" AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot  | PASSED | 9.873 s |
| 4 | When user moves to checkout from mini cart AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot  | PASSED | 9.218 s |
| 5 | When user enters "Lakshay" personal details on checkout page AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot  | PASSED | 1.266 s |
| 6 | When user accepts terms and conditions AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot  | PASSED | 3.342 s |
| 7 | Then place the order AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.215 s |
| | | PASSED | 0.178 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 8 | Then verify the order details | PASSED | 3.277 s |
| | AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot | PASSED | 0.147 s |
| 9 | Then take screenshot of order | PASSED | 0.210 s |
| | AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot | PASSED | 0.161 s |

Customer place an order by purchasing an item from search



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is on Home Page | PASSED | 7.117 s |
| | AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.264 s |

| # | Step / Hook Details | Status | Duration |
|---|---|------------------|--------------------|
| | screenshot  | | |
| 2 | When user searches for "dress" AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) | PASSED PASSED | 2.915 s 0.220 s |
| | screenshot  | | |
| 3 | When user chooses to buy the item 1 with color as "White" and size as "Medium" AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) | PASSED PASSED | 4.895 s 0.192 s |
| | screenshot  | | |
| 4 | When user moves to checkout from mini cart AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) | PASSED PASSED | 8.488 s 0.149 s |
| | screenshot  | | |
| 5 | When user enters "Virender" personal details on checkout page AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) | PASSED PASSED | 1.233 s 0.198 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| |  | | |
| 6 | When user accepts terms and conditions AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot  | PASSED | 3.361 s |
| 7 | Then place the order AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot  | PASSED | 0.356 s |
| 8 | Then verify the order details AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot  | PASSED | 2.470 s |
| 9 | Then take screenshot of order AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot  | PASSED | 0.241 s |
| | | PASSED | 0.201 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| |  <p>The screenshot shows a configuration interface for 'ShopTalk'. It includes sections for 'General', 'Advanced', and 'Custom Fields'. Under 'General', there are fields for 'Name', 'Description', 'Status', and 'Order'. Under 'Advanced', there are fields for 'API URL', 'Port', 'Protocol', 'HTTP Headers', and 'Custom Headers'. Under 'Custom Fields', there are fields for 'Label', 'Type', and 'Value'.</p> | | |