	₽Logo	
,000,38	STUDENT REPORT	,
,00	SIDDENT REPORT	
	STUDENT REPORT STUDENT REPORT A BRAMHAVVA ACHARI	38/
DI	ETAILS OF SERVICE SERV	
	Name 300 386 1000 368 1000 360 360 360 360 360 360 360 360 360	5000
	A BRAMHAYYA ACHARI	
223000	Roll Number	
	3BR23CD001	3BR2
E)	KPERIMENTO A SCHOOL SAFEY SOLO STATE	500
00,	ELECTIONS ARABOLOUI ARABO	CO CO
,	ELECTIONS 3000 APRIL 1000 3000 APRIL 1000 3000	38223
239	38kg 2007 33kg 2000 338kg 2007	
38	3BR23CD001 KPERIMENT tile Sept. 2000 1 388 2000 1 38	201
	You are the nead of the election committee in your vinage. Each Political party is associated with a unique number and the	CDOO
23000	votes are represented as an integer array A. where each element contains the party number voted for by the villagers. For a party to win, they must have a majority of votes. our task is to find and return an integer value denoting the winning party's	
J.	number. Return -1 if there is no party with a majority.	31 3BR2
•	Note: If only one vote is there he is the winner.	2,
000138	Input Format :	
	input1: An integer value representing the number the number of voters	3R23CD
3	input2: An integer array A representing the votes of the voters.	<i>\(\)</i>
3BR236	output Format:	, o
`	Return an integer value denoting the winning party's number.Return -1 there is no party with a majority	chool
000	Example 1:	,
23CD00	Input:	aR?
	6	5
38	112223	
0001,31	Output:	a de la seconda
		800
BR23	Explanation:	
'5'	As 2 got the most number of votes i.e 3.	BEAN.
	Example 2:	5
	Input:	.0.
	6	2038 B
	121122	34
	Output:	c.98
	-1 Explanation:	Bagin
	EADIGIIGUIUI.	

Explanation:

Source Code:

n=int(input()) arr=list(map(int,input().split())) d={ } if n==1: print(arr[0]) else: for i in arr: if i not in d: d[i]=1 else: d[i]+=1x=sorted(d.items(),key=lambda x:x[1], reverse =True) if x[0][1]==x[1][1]: print(-1) else:

RESULT

6 / 6 Test Cases Passed | 100 %

print(x[0][0])