





ITEM NO.	QTY.	DESCRIPTION/MATERIAL	LENGTH	PART NO.	DWG NO.
1	1	FILTER SECTION ASSEMBLY			PJS 48-601
2	1	WEAR SECTION WELDMENT			PJS 48-605
3	1	LOWER SECTION ASSEMBLY			PJS 48-607
4	48	3/8"-16 X 1-1/4" HEX BOLT G5 ZC		HAR-CON-38114HBP	
5	96	3/8" USS FLAT WASHER ZP		HAR-CON-38FWP000	
6	48	3/8" SPLIT LOCK WASHER ZP		HAR-CON-38LWP000	
7	48	3/8-16 HEX NUT ZP		HAR-CON-38HNP000	
8	2	1/4"TUBE X 1/4"MPT NP BRASS PUSH-IN 90 ELBOW		HOS-PIN-09040M04	
9	1	1/4"OD BLACK POLYURATHANE TUBING 100' REEL	20FT	HOS-TN6-J081000J	
10	1	1/4"OD RED POLYURATHANE TUBING 100' REEL	20FT	HOS-TN6-J081R00J	
11	16	3/4" X 7" WEDGE ANCHOR		HAR-CON-WED3470	

FOR ADDITIONAL DETAILS SEE PAGE 2 OF PJS 48-600







SECTION A-A
SCALE 1 : 24

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: AS | |

APPROX. WEIGHT 3121.9

THIRD ANGLE PROJECTION

TOLERANCES:
FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - GENERAL ASSEMBLY

SHEET NO.: 1 OF 2

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026

SIZE: B

PART NO.:


DWG. NO.: PJS 48-600


SCALE: 1:40

FOR ASSEMBLY AND BILL OF MATERIALS SEE PAGE 1 OF PJS 48-600

ASSEMBLY NOTES:

[1] INSTALL 90° PUSH-IN ELBOWS FACING UP.





DETAIL B
SCALE 1 : 4

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: AS | |

APPROX. WEIGHT 3121.9

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - GENERAL ASSEMBLY

SHEET NO.: 2 OF 2

DWG. REV.: 00


DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026

SIZE: B

PART NO.:

DWG. NO.: PJS 48-600

SCALE: 1:40




ITEM NO.	QTY.	DESCRIPTION/MATERIAL	LENGTH	PART NO.	DWG NO.
1	1	FILTER SECTION WELDMENT			PJS 48-602
2	1	MIDDLE BLOW PIPE WELDMENT			PJS 48 STD-06A
3	2	OUTER BLOW PIPE WELDMENT			PJS 48 STD-06B
4	1	RESERVOIR LH SUPPORT BRACKET ASSEMBLY			PJS 48 STD-09A
5	1	RESERVOIR RH SUPPORT BRACKET ASSEMBLY			PJS 48 STD-10A
6	1	1-1/2" PIPE - 5"L			PJS 48 STD-05-2
7	2	1-1/2" PIPE - 9.5"L			PJS 48 STD-05-3
8	7	FILTER TREE HOLDER FOR 11-7/8"OD X 36"L FILTER			FL-200
9	7	FILTER TREE KNOB			FTK-01
10	1	PJS 48" RESERVOIR ASSEMBLY			PJS 48RES-00


ASSEMBLY NOTES:


1. REFER TO WORK ORDER TO SELECT EUROVAC STICKER COLOR.
2. PLACE SERIAL TAG LABEL IN AN APPROPIATE LOCATION AS SUGGESTED.


ITEM NO.	QTY.	DESCRIPTION/MATERIAL	LENGTH	PART NO.	DWG NO.
11	7	11-7/8" X 36" NANOFIBER CARTRIDGE FILTER (215 SQ. FT)		FIL-050-143NO360	
12	11	1/2" X 1" OD BONDED SEALING WASHER SS		HAR-SPA-68500100	
13	6	LARGE ADJ. LOCKING DRAW LATCH GV STEEL 1.5"W X 6"L		HAR-FAU-77201280	
14	18	10-32 X 1/2" FLAT SOCKET MACHINE SCREW SS		HAR-CON-103212FH	
15	18	#10 BONDED SEALING WASHER SS		HAR-SPA-685002SS	
16	18	10-32 HEX NUT ZP		HAR-CON-1032N000	
17	2	8-3/4" U-BOLT STAINLESS STEEL		HAR-CLU-S08000SS	
18	8	1/2"-13 HEX NUT PLATED		HAR-CON-12HNP000	
19	8	1/2"-13 SPLIT LOCK WASHER ZP		HAR-CON-12LWP000	
20	12	1/2" FLAT WASHER ZP		HAR-CON-12FWP000	
21	4	1/2"-13 X 1-1/4" HEX BOLT		HAR-CON-12114HBP	
22	3	2" TUBE (1-1/2" PIPE) CLAMP 1 5/8" CHANNEL ZC		HAR-TOR-020UNICL	
23	7	3/4"NPT PULSE JET NOZZLE		HOS-GOZ-PJNOZ101	
24	1	BULB TRIM SEAL GASKET - 1/8" MATERIAL	86	HAR-GKT-6100B3X1	
25	2	BULB TRIM SEAL GASKET - 1/8" MATERIAL	64	HAR-GKT-6100B3X1	
26	2	3/8" USS FLAT WASHER ZP		HAR-CON-38FWP000	
27	2	3/8" SPLIT LOCK WASHER ZP		HAR-CON-38LWP000	
28	2	3/8-16 X 3/4" HEX BOLT ZP		HAR-CON-3834HBP0	
29	1	3 VALVE PJ SOLENOID ASS'Y 24VDC NEMA 4X ENCLOSURE		HOS-GOY-RCA35V20	
30	1	EUROVAC 21" STICKER		SEE WORK ORDER	
31	1	SERIAL TAG LABEL			

SEE PAGE 2 OF PJS 48-601 FOR ADDITIONAL DETAILS









DETAIL A: SOLENOID HARDWARE
SCALE 1 : 4

SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY


REVISIONS					
REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:	TOLERANCES: FRACTIONS ± 1/16" X.X ± 0.5 X.XX ± 0.15 X.XXX ± 0.05 ANGLES ± 0.5°	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
APPROX. WEIGHT 1373.97		
THIRD ANGLE PROJECTION	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.	


EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE:				SHEET NO.:
PJS 48" FS7 W/10" RAL & WEAR SECTION - FILTER SECTION ASSEMBLY				1 OF 2
				DWG. REV.: 00
DRAWN: B.M.	CHECKED: C.B.	APPROVED: C.B.	DATE: 08/21/2026	SIZE: B
PART NO.:		DWG. NO.: PJS 48-601		SCALE: 1:24


SEE PAGE 1 OF PJS 48-601 FOR ASSEMBLY AND BILL OF MATERIALS



FILTER INSTALLATION DETAIL
SCALE 1 : 16



PULSE JET RESERVOIR INSTALLATION
SCALE 1 : 12



DETAIL B: RESERVOIR ARM HW
SCALE 1 : 2

SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 1373.97

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - FILTER SECTION ASSEMBLY

SHEET NO.: 2 OF 2
DWG. REV.: 00
SIZE: B

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026


PART NO.:
DWG. NO.: PJS 48-601
SCALE: 1:32


ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	FILTER SECTION BODY WELDMENT		PJS 48-603
2	1	48"OD DOME HEAD WELDMENT		PJS 48 DT-01
3	1	FILTER ACCESS DOOR WELDMENT (12GA.)		PJS 48 STD-02B
4	2	BLOW PIPE ACCESS DOOR WELDMENT (12GA.)		PJS 48 STD-03B
5	1	HR ANGLE RING, 2 X 3/16 X 48 1/8 I.D.	MSH-BRP-48018200	

FABRICATION NOTES:


1. APPLY SEALANT AT ALL STITCH WELDED LOCATIONS.


SEE PAGE 2 OF PJS 48-602 FOR ADDITIONAL DETAILS






DETAIL A: ANGLE RING WELDMENT
SCALE 1 : 4







SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT
558.81

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - FILTER SECTION WELDMENT

SHEET NO.: 1 OF 2

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026


SIZE: B

PART NO.:


DWG. NO.: PJS 48-602

SCALE: 1:24


SEE PAGE 1 OF PJS 48-602 FOR ASSEMBLY AND BILL OF MATERIALS




DETAIL B: FILTER DOOR HINGE WELDMENT
SCALE 1 : 2



DETAIL D: BLOW PIPE DOOR HINGE WELDMENT
SCALE 1 : 2



DETAIL C: FILTER DOOR POSITIONING
SCALE 1 : 2



DETAIL E: BLOW PIPE DOOR POSITIONING
SCALE 1 : 2

SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT
558.81

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.


EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3


TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - FILTER SECTION WELDMENT

SHEET NO.: 2 OF 2
DWG. REV.: 00
SIZE: B

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026

PART NO.:
DWG. NO.: PJS 48-602
SCALE: 1:32
(DO NOT SCALE DWG.)








DETAIL A: BODY STIFFENER WELDMENT
SCALE 1 : 4

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	BODY PANELS WELDMENT		PJS 48-604
2	1	CELL PLATE WELDMENT		PJS 48 STD-01
3	1	DIRTY SIDE PRESSURE PORT DEFLECTOR		PJS DFL-01
4	2	FLAT BAR STIFFENER - 31"L		PJS 48-303-1
5	1	BLOW TUBE RAIL		PJS 48-603-2
6	1	8" OUTLET TUBE		PJS 48 XRV-05-2
7	2	1-1/2" STEEL QUICK JOINT CPLG WITH PIPE EXTENSION		PJS 66 STD-21
8	1	1-1/2" GALV. FULL CPLG 4-13/16"L BODY HEX NUT	MPF-QCF-0SB155CC	
9	2	1/4" NPT BLK STEEL HALF COUPLING	MPF-SSB-STHC0025	
10	4	1/2"-13UNC SGL TAB WELD NUT	HAR-NSW-00SCB050	

SEE PAGE 2 OF PJS 48-603 FOR ADDITIONAL DETAILS







SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT
355.48

THIRD ANGLE PROJECTION

TOLERANCES:
FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3


TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - FILTER SECTION BODY WELDMENT

SHEET NO.: 1 OF 2
DWG. REV.: 00
SIZE: B
SCALE: 1:24 (DO NOT SCALE DWG.)


DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026

PART NO.:
DWG. NO.: PJS 48-603


SEE PAGE 1 OF PJS 48-603 FOR ASSEMBLY AND BILL OF MATERIALS




DETAIL B: PRESSURE PORT DEFLECTOR
SCALE 1 : 4



DETAIL E: 1/2" WELD NUTS
SCALE 1 : 4



DETAIL C: 1-1/2" PIPE COUPLING WELDMENT
SCALE 1 : 4



DETAIL D: 1/4"NPT COUPLING WELDMENT
SCALE 1 : 2

SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT
355.48

THIRD ANGLE PROJECTION

TOLERANCES:
FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3


TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - FILTER SECTION BODY WELDMENT


SHEET NO.: 2 OF 2
DWG. REV.: 00
SIZE: B
SCALE: 1:24 (DO NOT SCALE DWG.)


DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026

PART NO.:
DWG. NO.: PJS 48-603

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	DWG NO.
1	1	BODY PANELS FLAT WELDMENT	PJS 48-604F







SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 224.43

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - BODY PANELS WELDMENT

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48-604

SCALE: 1:16

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	DWG NO.
1	1	FS BODY LEFT PANEL	PJS 48-604-1
2	1	FS BODY RIGHT PANEL	PJS 48-604-2



NOTE: ROLL THIS SIDE FACING OUT

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: WE| |

APPROX. WEIGHT 224.44

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - BODY PANELS FLAT WELDMENT

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48-604F

SCALE: 1:16 (DO NOT SCALE DRAWING)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	HRPO SHEET (12 GA.) 72" X 120" X .1046"	57.750	92.797	STL-A12-PO721200



NOTE: THIS SIDE TO BE FACING OUT

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: CL | |

APPROX. WEIGHT 134.73430

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - FS BODY LEFT PANEL - BLANK

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48-604-1

SCALE: 1:12 (DO NOT SCALE DRAWING)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	HRPO SHEET (12 GA.) 72" X 120" X .1046"	57.750	57.587	STL-A12-PO721200



NOTE: THIS SIDE TO BE FACING OUT

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS					
REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: CL | |

APPROX. WEIGHT 89.70103

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - FS BODY RIGHT PANEL - BLANK

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026


SIZE: B


PART NO.:


DWG. NO.: PJS 48-604-2

SCALE: 1:12

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	LENGTH	PART NO.	DWG NO.
1	1	CELL PLATE			PJS 48 STD-01-1
2	6	CELL PLATE STIFFENER - 17"L			PJS 48 STD-01-3
3	14	3/8-16 X 3/4" HEX BOLT ZP		HAR-CON-3834HBP0	







DETAIL A - ROUND BAR WELDING DETAIL
SCALE 1:2

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY
1	8-1/2	8-7/8	MODIFIED FILTER TREE PIN B.C.D.	07/20/22	B.M.
2	BAR	BOLT	FILTER TREE PIN MATERIAL CHANGED	01/23/20206	B.M.

ROUTING:

APPROX. WEIGHT
93.085

THIRD ANGLE PROJECTION

TOLERANCES:
FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3


TITLE: PJS 48" STANDARD PARTS - CELL PLATE WELDMENT

SHEET NO.: 1 OF 1
DWG. REV.: 2
SIZE: B
SCALE: 1:8

DRAWN:	CHECKED:	APPROVED:	DATE:
N.P.	C.B.	C.B.	12/16/21

PART NO.:
DWG. NO.: PJS 48 STD-01

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	MILD STEEL PLATE 3/16" X 60" X 120"	47.728	47.728	STL-A34-PO601200



CELL PLATE BLANK

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY
1	8.500	8.875	MODIFIED FILTER TREE PIN B.C.D.	07/20/22	B.M.

ROUTING:

APPROX. WEIGHT 78.101

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" STANDARD PARTS - CELL PLATE

SHEET NO.: 1 OF 1

DWG. REV.: 1

DRAWN:	CHECKED:	APPROVED:	DATE:
N.P.	C.B.	C.B.	12/16/21


SIZE: B

PART NO.:

DWG. NO.: PJS 48 STD-01-1

SCALE: 1:8

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	HR FLAT BAR 1/2" X 1" X 20'		17.000	MSH-AIR-HFB10050



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 2.395

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" STANDARD PARTS - CELL PLATE STIFFENER - 17"L

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
N.P.	C.B.	C.B.	02/03/20


SIZE: B


PART NO.:

DWG. NO.: PJS 48 STD-01-3

SCALE: 1:2 (DO NOT SCALE DRWG)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	DIRTY SIDE PRESSURE PORT DEFLECTOR		PJS DFL-01F





SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY

ROUTING:

APPROX. WEIGHT
0.27322

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PULSE JET SEPARATOR PARTS - DIRTY SIDE PRESS. PORT DEFLECTOR

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	04/08/22


SIZE: B

PART NO.:

DWG. NO.: PJS DFL-01

SCALE: 1:1

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.	DWG NO.
1	1	HRPO SHEET (16GA.) 48" X 96" X .059"	4.000	4.053	STL-A16-PO480960	



DIRTY SIDE PRESSURE PORT DEFLECTOR BLANK

SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY

ROUTING:

APPROX. WEIGHT 0.27322

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PULSE JET SEPARATOR PARTS - DIRTY SIDE PRESS. PORT DEFLECTOR BLANK

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	04/08/22


SIZE: B

PART NO.:

DWG. NO.: PJS DFL-01F

SCALE: 1:1 (DO NOT SCALE DRWG)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	HR FLAT BAR 1/4" X 2" X 20'		31.000	MSH-AIR-HFB20025



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT
4.368

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" ROTARY AIRLOCK - FLAT BAR STIFFENER - 31"L

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	01/23/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48-303-1

SCALE: 1:4

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	1-5/8" U-CHANNEL 12GA PLAIN 10'L		41 3/4	MSH-UD0-0B280100



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: CS | |

APPROX. WEIGHT 6.5

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - BLOW TUBE RAIL

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48-603-2

SCALE: 1:4 (DO NOT SCALE DRWG.)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	DWG NO.
1	1	8"OD OUTLET TUBE - BLANK	PJS 48 XRV-05-2F



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT
4.380

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" W/18X32 XRV & 55G CAN - 8" OUTLET TUBE

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
J.C.	C.B.	C.B.	01/30/25


SIZE: B

PART NO.:

DWG. NO.: PJS 48 XRV-05-2

SCALE: 1:2 (DO NOT SCALE DRWG)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	HRPO SHEET (12 GA.) 48" X 96" X .1046"	6.000	24.765	STL-A12-PO480960



NOTE: ROLL TO ∅8"OD

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 4.380

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" W/18X32 XRV & 55G CAN - 8"OD OUTLET TUBE - BLANK

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
J.C.	C.B.	C.B.	01/30/25

SIZE: B

PART NO.:


DWG. NO.: PJS 48 XRV-05-2F


SCALE: 1:2 (DO NOT SCALE DWG.)

ITEM NO.	Q'TY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.	DWG NO.
1	1	1-1/2" GALV. FULL CPLG 5-3/16"L BODY HEX NUT		3 1/8"	NON-STOCK	
2	1	1-1/2" GALV. FULL CPLG 5-3/16"L BODY HEX NUT		1 1/2"	NON-STOCK	
3	1	2" (2.375"OD) SCH40 BLACK PIPE PLAIN ENDS		2"	MPT-PRO-SB002040	

FABRICATION NOTES:

[1] QUICK JOINT COUPLING END PIECES (ITEM 1 & 2) TO BE CUT FROM FULL CPLG BODY AS PER GIVEN LENGTH SHOWN IN THE DRAWING





1-1/2" STEEL QUICK COUPLING WITH PIPE EXTENSION

SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY

ROUTING:

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

THIRD ANGLE PROJECTION

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: 1-1/2 QUICK JOINT COUPLING WITH PIPE EXTENSION - WELD'NT

SHEET NO.: 1 OF 1

DWG. REV.: 0

DRAWN:	CHECKED:	APPROVED:	DATE:
N.P.	C.B.	C.B.	06/21/21


SIZE: B


PART NO.:

DWG. NO.: PJS 66 STD-21


SCALE: 1:1


ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	48"OD X 9-7/8"H X 3/16" STD DOME TANK HEAD	MSH-HFD-00480A34	
2	1	SOLENOID VALVE BRACKET WELDMENT		PJS 48-06
3	2	LIFTING LUG WELDMENT		PJS 48-05





DETAIL A
SCALE 1 : 4





SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: WE| |

APPROX. WEIGHT 124.5

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" STANDARD PARTS - 48"OD DOME HEAD WELDMENT

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/26/2026


SIZE: B


PART NO.:


DWG. NO.: PJS 48 DT-01

SCALE: 1:12 (DO NOT SCALE DRAWING)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	SOLENOID VALVE BRACKET		PJS 48-06-1
2	2	3/8-16UNC SGLTAB WELD NUT	HAR-SPA-N2120000	







SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 1.12

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: 48" PJS W. DOME LID & 30 GAL. CAN. - SOLENOID VALVE BRACKET WELDMENT

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.P.	C.B.	C.B.	02/03/20


SIZE: B


PART NO.:


DWG. NO.: PJS 48-06

SCALE: 1:2

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	DWG NO.
1	1	SOLENOID VALVE BRACKET - BLANK	PJS 48-06-1F







SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 1.08

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: 48" PJS WITH DOME LID & 30 GAL. CAN. SOLENOID VALVE BRACKET

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.P.	C.B.	C.B.	02/03/20


SIZE: B

PART NO.:

DWG. NO.: PJS 48-06-1

SCALE: 1:2

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	HRPO SHEET (11GA.) 48" X 96" X .1196"	4.017	8.625	STL-A11-PO489600



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 1.08

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: 48" PJS W/DOME LID & 30 GAL. CAN. - SOLENOID VALVE BRACKET - BLANK

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.P.	C.B.	C.B.	02/03/20


SIZE: B


PART NO.:

DWG. NO.: PJS 48-06-1F

SCALE: 1:2 (DO NOT SCALE DRAWING)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	DWG NO.
1	1	LIFTING LUG PLATE	LUG STD-00-1
2	2	GUSSET	PJS 42 XRV-11-1





SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 1.52

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: Ø48" PULSE JET SEPARATOR W/DOME LID LIFTING LUG WELDMENT

SHEET NO.: 1 OF 1

DWG. REV.: 00


DRAWN:	CHECKED:	APPROVED:	DATE:	SIZE:
B.P.	C.B.	B.O.	02/03/2020	B

PART NO.:

DWG. NO.: PJS 48-05

SCALE: 1:1

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	MILD STEEL PLATE 1/4" X 72" X 144"	6.125	4.000	STL-A36-PO721440



SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 1.18

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: LIFTING LUG PLATE

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.P.	C.B.	C.B.	03/29/2021


SIZE: B

PART NO.:

DWG. NO.: LUG STD-00-1

SCALE: 1:1 (DO NOT SCALE DRWG)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	MILD STEEL PLATE 1/4" X 60" X 120"	1.627	3.000	STL-A36-PO601200



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 0.17

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: 42" PULSE JET SEPARATOR - GUSSET

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
C.M.	C.B.	C.B.	10/15/24

SIZE: B


PART NO.:


DWG. NO.: PJS 42 XRV-11-1


SCALE: 2:1 (DO NOT SCALE DRWG)


ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	FILTER DOOR		PJS 48 STD-02B-1
2	3	3 3/16" WELD-ON HINGE W/BRASS PIN	HAR-HIN-FMS31875	
3	2	STRIKER PLATE - LARGE 2 HOLE KEEPER PLATE GV STEEL 1.77"W X 1.14"L	HAR-FAU-77201420	

FABRICATION NOTES:
1. DOOR MAY HAVE TO BE HINGED ON RH SIDE. CHECK MAIN ASSEMBLY WELDMENT DWG TO VERIFY.









SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED
01	6.200	6.250	RELOCATED HINGE POSITIONS	11/05/20	C.B.

ROUTING:

APPROX. WEIGHT
21.72

TOLERANCES:
FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

THIRD ANGLE PROJECTION

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" STANDARD PARTS - FILTER ACCESS DOOR WELD (12GA.)

SHEET NO.: 1 OF 1
DWG. REV.: 01
SIZE: B
SCALE: 1:8


DRAWN:	CHECKED:	APPROVED:	DATE:
N.P.	C.B.	B.O.	11/05/20


PART NO.:
DWG. NO.: PJS 48 STD-02B

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	DWG NO.
1	1	FILTER ACCESS DOOR - BLANK	PJS 48 STD-02B-1F

FABRICATION NOTES:

1. BEND DOOR TO MATCH CURVATURE OF SEPARATOR BODY.





SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 21.08

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" STANDARD PARTS - FILTER ACCESS DOOR

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	01/25/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48 STD-02B-1

SCALE: 1:8

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	HRPO SHEET (12 GA.) 48" X 96" X .1046"	23.541	31.000	STL-A12-PO480960



FILTER DOOR BLANK

NOTE: ROLL THIS SIDE FACING OUT TO MATCH SEPARATOR BODY CURVATURE

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 21.08

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" STANDARD PARTS - FILTER ACCESS DOOR - BLANK

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	01/25/2026

SIZE: B


PART NO.:


DWG. NO.: PJS 48 STD-02B-1F

SCALE: 1:8 (DO NOT SCALE DRWG)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	BLOW TUBE ACCESS DOOR		PJS 48 STD-03B-1
2	2	3 3/16" WELD-ON HINGE W/BRASS PIN	HAR-HIN-FMS31875	
3	2	STRIKER PLATE - LARGE 2 HOLE KEEPER PLATE GV STEEL 1.77"W X 1.14"L	HAR-FAU-77201420	

FABRICATION NOTES:
1. 1/4" SPACE MUST BETWEEN DOOR AND BODY AFTER WELDING.
2. ENSURE SECTION AT HINGE THAT IS WELDED TO DOOR DOES NOT RUB AGAINST BODY





SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT
12.96

THIRD ANGLE PROJECTION

TOLERANCES:
FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: Ø48" PULSE JET SEPARATOR - BLOW PIPE ACCESS DOOR WELD (12GA)

SHEET NO.: 1 OF 1
DWG. REV.: 00
SIZE: B
SCALE: 1:8


DRAWN:	CHECKED:	APPROVED:	DATE:
B.P.	C.B.	B.O.	02/03/2020

PART NO.:
DWG. NO.: PJS 48 STD-03B

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	DWG NO.
1	1	BLOW PIPE ACCESS DOOR - BLANK	PJS 48 STD-03B-1F

FABRICATION NOTES:

1. BEND DOOR TO MATCH SEPARATOR BODY CURVATURE.



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT
12.50

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" STANDARD PARTS - BLOW PIPE ACCESS DOOR

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	01/25/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48 STD-03B-1

SCALE: 1:4 (DO NOT SCALE DRAWING)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	HRPO SHEET (12 GA.) 48" X 96" X .1046"	16.000	26.989	STL-A12-PO480960



ITEM 1 - BLOW TUBE ACCESS DOOR BLANK
NOTE: ROLL THIS SIDE FACING OUT TO MATCH SEPARATOR BODY CURVATURE

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 12.50

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" STANDARD PARTS - BLOW PIPE ACCESS DOOR - BLANK

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	01/25/2026


SIZE: B


PART NO.:


DWG. NO.: PJS 48 STD-03B-1F

SCALE: 1:4 (DO NOT SCALE DRWG)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	MIDDLE BLOW PIPE		PJS 48 STD-05-1
2	1	END PLATE		PJS 48 STD-05-4
3	3	BLOW PIPE TEE		PJS 48 STD-05-5
4	3	3/4" NPT BLK STEEL HALF CPLG	MPF-SSB-STHC0075	







SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED
01	41-1/4	42-1/2	EXTENDED BLOW PIPE LENGTH	01/25/2026	B.M.

ROUTING:

APPROX. WEIGHT 13.656

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

THIRD ANGLE PROJECTION

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3


TITLE: Ø48" PULSE JET SEPARATOR - MIDDLE BLOW PIPE WELDMENT

SHEET NO.: 1 OF 1
DWG. REV.: 01
SIZE: B
SCALE: 1:4

DRAWN:	CHECKED:	APPROVED:	DATE:
N.P.	C.B.	C.B.	12/16/21

PART NO.:
DWG. NO.: PJS 48 STD-06A

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	1-1/2" (1.9"OD) SCH 40 BLACK PIPE PLAIN ENDS		42 1/2	MPT-PRO-SB001540



SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED
01	41-1/4	42-1/2	EXTENDED PIPE LENGTH	01/25/2026	B.M.

ROUTING:

APPROX. WEIGHT 12.73

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: Ø48" PULSE JET SEPARATOR - MIDDLE BLOW PIPE


SHEET NO.: 1 OF 1
DWG. REV.: 01
SIZE: B
SCALE: 1:4


DRAWN:	CHECKED:	APPROVED:	DATE:
N.P.	C.B.	C.B.	12/16/21

PART NO.:

DWG. NO.: PJS 48 STD-05-1

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	HRPO SHEET 3/16" X 60" X 120"	STL-A36-PO601200	PJS 48 STD-05-4





END PLATE BLANK

SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY

ROUTING:

APPROX. WEIGHT 0.014

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: Ø48" PULSE JET SEPARATOR - END PLATE

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
N.P.	C.B.	C.B.	12/16/21

PART NO.:


DWG. NO.: PJS 48 STD-05-4


SIZE: B

SCALE: 2:1

DO NOT SCALE DRAWING

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	3/4" (1.050"OD) SCH 40 BLACK PIPE PLAIN ENDS		1.277	MPT-GRI-50012010





SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY

ROUTING:

APPROX. WEIGHT 0.136

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: Ø48" PULSE JET SEPARATOR - BLOW PIPE TEE

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
N.P.	C.B.	C.B.	12/16/21


SIZE: B


PART NO.:

DWG. NO.: PJS 48 STD-05-5

SCALE: 2:1 (DO NOT SCALE DRWG)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	OUTER BLOW PIPE		PJS 48 STD-06B-1
2	1	END PLATE		PJS 48 STD-05-4
3	2	BLOW PIPE TEE		PJS 48 STD-05-5
4	2	3/4" NPT BLK STEEL HALF CPLG	MPF-SSB-STHC0075	





SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED
01	35-5/16	36-3/16	EXTENDED PIPE LENGTH	01/25/2026	B.M.

ROUTING:

APPROX. WEIGHT 11.397

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: Ø48" PULSE JET SEPARATOR - OUTER BLOW PIPE WELDMENT

SHEET NO.: 1 OF 1

DWG. REV.: 01

DRAWN:	CHECKED:	APPROVED:	DATE:
N.P.	C.B.	C.B.	12/16/21

SIZE: B


PART NO.:


DWG. NO.: PJS 48 STD-06B


SCALE: 1:4

DO NOT SCALE DRAWING

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	1-1/2" (1.9"OD) SCH 40 BLACK PIPE PLAIN ENDS		36 3/16	MPT-PRO-SB001540







SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED
01	35-5/16	36-3/16	EXTENDED PIPE LENGTH	01/25/2026	B.M.

ROUTING:

APPROX. WEIGHT
10.77

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: Ø48" PULSE JET SEPARATOR - OUTER BLOW PIPE

SHEET NO.: 1 OF 1

DWG. REV.: 01

DRAWN:	CHECKED:	APPROVED:	DATE:
N.P.	C.B.	C.B.	12/19/21


SIZE: B


PART NO.:

DWG. NO.: PJS 48 STD-06B-1

SCALE: 1:4 (DO NOT SCALE DWG.)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	LENGTH	PART NO.	DWG NO.
1	1	RESERVOIR LEFT SUPPORT BRACKET WELDMENT			PJS 48 STD-09
2	2	1/8" X 1/2" X 25' LS1500 FOAM STRIP	22	HAR-GUS-N1512050	





SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 7.30

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" STANDARD PARTS - RESERVOIR LH SUPPORT BRACKET ASSY

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	01/26/2026


SIZE: B


PART NO.:

DWG. NO.: PJS 48 STD-09A

SCALE: 1:4 (DO NOT SCALE DRWG)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	RESERVOIR LEFT SUPPORT BRACKET		PJS 48 STD-09-1
2	1	RESERVOIR BRACKET ATTACHMENT PLATE		PJS 48 STD-09-3





SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY
01	8	8-3/4	ATTACHMENT PLATE LENGTH INCREASED	07/22/22	B.M.

ROUTING:

APPROX. WEIGHT
7.20

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3


TITLE: Ø48" PULSE JET SEPARATOR - RESERVOIR LEFT SUPPORT BRACKET WELDMENT


SHEET NO.: 1 OF 1
DWG. REV.: 01
SIZE: B
SCALE: 1:4


DRAWN:	CHECKED:	APPROVED:	DATE:
N.P.	C.B.	C.B.	12/17/21

PART NO.:
DWG. NO.: PJS 48 STD-09

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	RESERVOIR LEFT SUPPORT BRACKET		PJS 48 STD-09-1F







SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY
01	12 GA.	11 GA.	MATERIAL THICKNESS CHANGED	12/17/21	N.P.

ROUTING:

APPROX. WEIGHT 5.74

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: Ø48" PULSE JET SEPARATOR - RESERVOIR LEFT SUPPORT BRACKET

SHEET NO.: 1 OF 1

DWG. REV.: 01

DRAWN:	CHECKED:	APPROVED:	DATE:
N.P.	C.B.	C.B.	12/17/21


SIZE: B

PART NO.:

DWG. NO.: PJS 48 STD-09-1

SCALE: 1:4

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.	DWG NO.
1	1	HRPO SHEET (11 GA.) 60" X 120" X 0.1196"	7.607	24.310	STL-A11-PO601200	



RESERVOIR LEFT SUPPORT BRACKET BLANK

SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY
01	12 GA.	11 GA.	MATERIAL THICKNESS CHANGED	12/17/21	N.P.

ROUTING:

APPROX. WEIGHT 5.74

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: Ø48" PULSE JET SEPARATOR - RESERVOIR LEFT SUPPORT BRACKET BLANK

SHEET NO.: 1 OF 1

DWG. REV.: 01

DRAWN:	CHECKED:	APPROVED:	DATE:
N.P.	C.B.	C.B.	12/17/21


SIZE: B

PART NO.:

DWG. NO.: PJS 48 STD-09-1F

SCALE: 1:2 (DO NOT SCALE DRWG)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	MILD STEEL PLATE 3/16" X 60" X 120"	3.250	8.750	STL-A34-PO601200



RESERVOIR BRACKET ATTACHMENT PLATE

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY
1	8.000	8.750	RESERVOIR BRACKET LENGTH INCREASED	07/22/22	B.M.
2	.438	.563	SLOT DIAMETER INCREASED	07/22/22	B.M.

ROUTING:

APPROX. WEIGHT 1.46

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

THIRD ANGLE PROJECTION

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: Ø48" PULSE JET SEPARATOR - RESERVOIR BKT. ATTACHMENT PLATE

SHEET NO.: 1 OF 1

DWG. REV.: 2

DRAWN:	CHECKED:	APPROVED:	DATE:
N.P.	C.B.	C.B.	02/03/20


SIZE: B


PART NO.:

DWG. NO.: PJS 48 STD-09-3

SCALE: 1:2 (DO NOT SCALE DRWG)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	LENGTH	PART NO.	DWG NO.
1	1	RIGHT RESERVOIR BRACKET WELDMENT			PJS 48 STD-10
2	2	1/8" X 1/2" X 25' LS1500 FOAM STRIP	22	HAR-GUS-N1512050	





SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 7.30

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" STANDARD PARTS - RESERVOIR RH SUPPORT BRACKET ASSY

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	01/26/2026


SIZE: B


PART NO.:


DWG. NO.: PJS 48 STD-10A


SCALE: 1:4 (DO NOT SCALE DRWG)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	RESERVOIR RIGHT SUPPORT BRACKET		PJS 48 STD-09-2
2	1	RESERVOIR BRACKET ATTACHMENT PLATE		PJS 48 STD-09-3









SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY
01	8	8-3/4	ATTACHMENT PLATE LENGTH INCREASED	07/22/22	B.M.

ROUTING:

APPROX. WEIGHT
7.20

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: Ø48" PULSE JET SEPARATOR - RESERVOIR RIGHT SUPPORT BRACKET WELDMENT

DRAWN:	CHECKED:	APPROVED:	DATE:
N.P.	C.B.	C.B.	12/17/21

PART NO.:

DWG. NO.: PJS 48 STD-10


SHEET NO.: 1 OF 1


DWG. REV.: 01

SIZE: B

SCALE: 1:4

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	DWG NO.
1	1	RESERVOIR RH SUPPORT BRACKET - BLANK	PJS 48 STD-09-2F





SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY
1	12 GA.	11 GA.	MATERIAL THICKNESS CHANGED	12/17/21	N.P.

ROUTING:

APPROX. WEIGHT 5.74

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: Ø48" PULSE JET SEPARATOR - RESERVOIR RIGHT SUPPORT BRACKET

SHEET NO.: 1 OF 1

DWG. REV.: 0

DRAWN:	CHECKED:	APPROVED:	DATE:
N.P.	C.B.	C.B.	12/17/21


PART NO.:

DWG. NO.: PJS 48 STD-09-2

SIZE: B

SCALE: 1:4

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	HRPO SHEET (11GA.) 60" X 120" X .1196"	7.602	24.310	STL-A11-PO601200



RESERVOIR RIGHT SUPPORT BRACKET BLANK

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY
1	12 GA.	11 GA.	MATERIAL THICKNESS CHANGED	12/17/21	N.P.

ROUTING:

APPROX. WEIGHT 5.74

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" STANDARD PARTS - RES. RH SUPPORT BRACKET - BLANK

SHEET NO.: 1 OF 1

DWG. REV.: 0

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	01/27/2026


SIZE: B


PART NO.:

DWG. NO.: PJS 48 STD-09-2F

SCALE: 1:2 (DO NOT SCALE DRWG)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	1-1/2" (1.900"OD) X 21' SCH 40 GALV PIPE PLAIN ENDS		5	MPT-MIG-40015P53





SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT
1.52

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" STANDARD PARTS - 1-1/2" PIPE - 5"L

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	01/25/2026

PART NO.:

DWG. NO.: PJS 48 STD-05-2

SHEET NO.: 1 OF 1


DWG. REV.: 00

SIZE: B

SCALE: 1:1

(DO NOT SCALE DRWG)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	1-1/2" (1.900"OD) X 21' SCH 40 GALV PIPE PLAIN ENDS		9 1/2	MPT-MIG-40015P53



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT
2.89

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" STANDARD PARTS - 1-1/2" PIPE - 9.5"L

SHEET NO.: 1 OF 1

DWG. REV.: 00


DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	01/26/2026

SIZE: B


PART NO.:

DWG. NO.: PJS 48 STD-05-3

SCALE: 1:2




SCALE 1 : 8




DETAIL A: COUPLING NUT WELDMENT
SCALE 1 : 2

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	2	FILTER TREE ARM		FL-200-1
2	1	FILTER TREE STIFFENER		FL-200-2
3	1	3/8-16 HEX NUT ZP	HAR-CON-38HNP000	
4	1	3/8-16UNC X 1 1/8 COUPLING NUT PLATED	HAR-CON-38CN0000	
5	1	3/8"-16 X 10" THREADED ROD ZP	HAR-ATR-EGP03716	



SCALE 1 : 8



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 5.80

TOLERANCES:
FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

THIRD ANGLE PROJECTION

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: FILTER TREE HOLDER FOR 11-7/8"OD X 36"L FILTER - WELDMENT

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	06/01/22


SIZE: B


PART NO.:

DWG. NO.: FL-200

SCALE: 1:4

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	FILTER TREE ARM BLANK		FL-200-1F





SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY

ROUTING:

APPROX. WEIGHT 2.69

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: FILTER TREE ASSEMBLY FOR 11-7/8"OD X 36"L FILTER - FILTER TREE ARM

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	06/01/22

PART NO.:

DWG. NO.: FL-200-1


SHEET NO.: 1 OF 1

DWG. REV.: 00

SIZE: B

SCALE: 1:4

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.	DWG NO.
1	1	MILD STEEL PLATE 1/4" X 60" X 120"	1.375	38.149	STL-A36-PO601200	



FILTER TREE ARM BLANK

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY

ROUTING:

APPROX. WEIGHT 2.69

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE:
FILTER TREE ASSEMBLY FOR 11-7/8"OD FILTER TREE ARM

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	06/01/22


SIZE: B

PART NO.: STL-A36-PO601200

DWG. NO.: FL-200-1

SCALE: 1:4

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	LENGTH	PART NO.
1	1	HR FLAT BAR 1/4" X 3/4" X 20'	2 1/4	MSH-AIR-FB075025



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT
0.119

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: FILTER TREE HOLDER FOR 11-7/8"OD X 36"L FILTER - FILTER TREE STIFFENER

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
C.M.	C.B.	C.B.	01/06/26


SIZE: B

PART NO.:

DWG. NO.: FL-200-2

SCALE: 2:1

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	LENGTH	PART NO.	DWG NO.
1	1	FILTER TREE KNOB PLATE			FTK-01-1
2	1	3/4" (1.050"OD) SCH 40 BLACK PIPE	1-3/8	MPT-GRI-50012010	
3	1	3/8-16UNC x 1 1/8 COUPLING NUT PLATED		HAR-CON-38CN0000	
4	1	3/8" USS FLAT WASHER ZP		HAR-CON-38FWP000	



SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY
1	-	-	THE DRAWING HAS BEEN UPDATED	07/09/24	C.M.

ROUTING: LASR

APPROX. WEIGHT 0.50

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.


EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: EL-18´´ PJS W/5&10 HP PORTABLE-FILTER TREE KNOB

DRAWN:	CHECKED:	APPROVED:	DATE:	SHEET NO.:	DWG. REV:	SIZE:	SCALE:
C.M.	C.B.	C.B.	06/21/22	1 OF 1	00	B	1:1

PART NO.: DWG. NO.: FTK-01

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.	DWG NO.
1	1	HR FLAT BAR 3/16" X 1" X 20'	1.000	6	MSH-AIR-FB100187	



SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY
01	-	-	HOLES FOR TOOL HAVE BEEN ADDED	07/09/24	C.M.

ROUTING:

APPROX. WEIGHT 0.29

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.


EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3


TITLE: FILTER TREE KNOB PLATE


DRAWN:	CHECKED:	APPROVED:	DATE:	PART NO.:	DWG. NO.:	SHEET NO.:	DWG. REV.:	SIZE:	SCALE:
C.M.	C.B.	C.B.	06/21/22		FTK-01-1	1 OF 1	01	B	2:1

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	RESERVIOR BODY WELDMENT	SUB-040-R48F3F00	PJS 48RES-01
2	2	1/2" CLSD STD GALV. MI CW NIPPLE	MPF-MIG-NTN005C	
3	1	1/2" STD GALV. MI UNION	MPF-MIG-NTU005	
4	1	1/2" STD GALV. PLUG	MPF-MIG-NTPL005	
5	1	1/4" BRASS DRAIN COOK	MPF-DOM-D39B0000	
6	1	1/2" FILTER/REGULATOR ASSEMBLY	HOS-FRL-AW400004	
01	7	3	1-1/2" FLGD PULSE VLV REMOTE PILOT (RCAC45FS000 & EM40)	HOS-GOY-45FS0000
02	8	12	5/16-18 X 1-3/4" HEX BOLT ZP	HAR-CON-516134HB
9	24	5/16" SAE FLAT WASHER ZP	HAR-CON-516FWP00	
10	12	5/16-18 HEX NUT PLATED	HAR-CON-516HNP00	









SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY
01	--	--	CHANGED TO TURBO PULSE VALVE	11/09/20	C.B.
02	1.500	1.750	CHANGED BOLT LENGTH TO 1.750	11/09/20	C.B.

ROUTING:

APPROX. WEIGHT
141.74

THIRD ANGLE PROJECTION

TOLERANCES:
FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: 48" PJS RESERVOIR - PJS 48" RESERVOIR ASSEMBLY

DRAWN:	CHECKED:	APPROVED:	DATE:
J.T.	C.B.	C.B.	11/05/20

PART NO.:

DWG. NO.: PJS 48RES-00


SHEET NO.: 1 OF 1


DWG. REV.: 02


SIZE: B


SCALE: 1:12


ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	8" SCH 40 VESSEL BODY		PJS 48RES-01-1
2	2	RESERVOIR DOME HEAD		PJS 48RES-01-2
3	3	2" PIPE - 2.75"L		PJS 48RES-01-3
4	3	1-1/2" TURBO VALVE MATING FLANGE		TUR EM40-01
5	2	1/2" NPT BLK STEEL HALF COUPLING	MPF-SSB-STHC0500	
01 6	1	1/4" NPT BLK STEEL HALF COUPLING	MPF-SSB-STHC0025	











DETAIL A: MATING FLANGE WELDS
SCALE 1:2

SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY
01	1/2"	1/4"	CHANGED COUPLING SIZE TO 1/4"	11/09/20	C.B.

ROUTING:

APPROX. WEIGHT 124.58

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.


EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3


TITLE: Ø48" PJS RESERVOIR - PJS 48" RESERVOIR WELDMENT


DRAWN:	CHECKED:	APPROVED:	DATE:	PART NO.:	DWG. NO.:	SHEET NO.:	DWG. REV.:	SIZE:	SCALE:
J.T.	C.B.	C.B.	11/05/20		PJS 48RES-01	1 OF 1	01	B	1:8


ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.	DWG NO.
1	1	8" (8.625"OD) SCH40 BLACK PIPE PLAIN ENDS		48.000	MPT-PRO-SB008040	











SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY
01	1.126	.719	CHANGED HOLE SIZE FOR DIFFERENT COUPLING	11/09/20	C.B.

ROUTING:

APPROX. WEIGHT 109.10

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: ∅48" PJS RESERVOIR - 8" SCH 40 VESSEL BODY

SHEET NO.: 1 OF 1

DWG. REV.: 01

DRAWN:	CHECKED:	APPROVED:	DATE:
J.T.	C.B.	C.B.	11/05/20

SIZE: B


PART NO.:


DWG. NO.: PJS 48RES-01-1

SCALE: 1:8

DO NOT SCALE DRAWING

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	8-5/8"OD X 2-7/8"OAH X 3/16" STD TANK HEAD CARBON STEEL			MSH-HFD-00086A34





SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 4.13

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: 48" PULSE JET SEPARATOR - RESERVOIR DOME HEAD

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	03/13/25


SIZE: B

PART NO.:

DWG. NO.: PJS 48RES-01-2

SCALE: 1:2

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	2" (2-3/8"OD) SCH 40 BLACK PIPE PLAIN ENDS		2.750	MPT-PRO-SB002040



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT
1.007

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" RESERVOIR PARTS - 2" PIPE - 2.75"L

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	01/26/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48RES-01-3

SCALE: 1:1

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.	DWG NO.
1	1	MILD STEEL PLATE 1/2" X 48" X 96"	3.837	3.837	STL-A42-PO480960	TUR EM40-01



1-1/2" TURBO VALVE MATING FLANGE BLANK
MAT'L THICKNESS - 1/2"

SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY

ROUTING:

APPROX. WEIGHT 1.344

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PULSE JET RESERVOIR - 1-1/2" TURBO VALVE MATING FLANGE

SHEET NO.: 1 OF 1

DWG. REV.: 00

SIZE: B


DRAWN:	CHECKED:	APPROVED:	DATE:
J.T.	C.B.	C.B.	11/05/20


PART NO.:

DWG. NO.: TUR EM40-01


SCALE: 1:1

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	WEAR SECTION BODY WELDMENT		PJS 48-606
2	1	DIFFUSER CONE WELDMENT		PJS 48 STD-07C
3	1	PJS 48 INLET - 8" OD		PJS 48 INL-08
4	2	HR ANGLE RING, 2 X 3/16 X 48 1/8 I.D.	MSH-BRP-48018200	





DETAIL A
SCALE 1 : 2



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY


REVISIONS					
REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: WE| |	TOLERANCES: FRACTIONS ± 1/16" X.X ± 0.5 X.XX ± 0.15 X.XXX ± 0.05 ANGLES ± 0.5°	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
APPROX. WEIGHT 247.8		
THIRD ANGLE PROJECTION	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.	

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE:				SHEET NO.:
PJS 48" FS7 W/10" RAL & WEAR SECTION - WEAR SECTION WELDMENT				1 OF 1
				DWG. REV.: 00
DRAWN: B.M.	CHECKED: C.B.	APPROVED: C.B.	DATE: 08/20/2026	SIZE: B
PART NO.:		DWG. NO.: PJS 48-605		SCALE: 1:12

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	DWG NO.
1	1	WEAR SECTION BODY FLAT WELDMENT	PJS 48-606F



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:
FA | WE |

APPROX. WEIGHT
115.5

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.


EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - WEAR SECTION BODY WELDMENT

DRAWN:	CHECKED:	APPROVED:	DATE:	SHEET NO.:	DWG. REV.:
B.M.	C.B.	C.B.	08/20/2026	1 OF 1	00

PART NO.:	DWG. NO.:	SIZE:	SCALE:
	PJS 48-606	B	1:12

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	DWG NO.
1	1	WEAR SECTION LEFT SIDE BODY	PJS 48-606-1
2	1	WEAR SECTION RIGHT SIDE BODY	PJS 48-606-2



NOTE: ROLL THIS SIDE FACING OUT

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: WE| |

APPROX. WEIGHT 115.5

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - WEAR SECTION BODY FLAT WELDMENT

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/20/2026

SIZE: B


PART NO.:

DWG. NO.: PJS 48-606F

SCALE: 1:12

(DO NOT SCALE DWG.)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	MILD STEEL PLATE 3/16" X 60" X 120"	15.250	75.064	STL-A34-PO601200



NOTE: ROLL THIS SIDE FACING OUT

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: CL | |

APPROX. WEIGHT 60.5

THIRD ANGLE PROJECTION

TOLERANCES:
FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - WEAR SECTION LEFT SIDE BODY - BLANK

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/20/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48-606-1

SCALE: 1:8 (DO NOT SCALE DRWG.)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	MILD STEEL PLATE 3/16" X 60" X 120"	15.250	75.064	STL-A34-PO601200



NOTE: ROLL THIS SIDE FACING OUT

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: CL | |

APPROX. WEIGHT 55.0

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" W/10" RAL & WEAR SECTION - WEAR SECTION RIGHT SIDE BODY - BLANK

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/20/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48-606-2

SCALE: 1:8

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	DWG NO.
1	2	DIFFUSER CONE FLAT WELDMENT	PJS 48 STD-07CF



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: FA | WE |

APPROX. WEIGHT 63.146

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - DIFFUSER CONE WELDMENT

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/20/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48 STD-07C

SCALE: 1:12

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	DWG NO.
1	2	HALF DIFFUSER CONE - BLANK	PJS 48 STD-07C-1



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: WE| |

APPROX. WEIGHT 63.146

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - DIFFUSER CONE FLAT WELDMENT

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/20/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48 STD-07CF

SCALE: 1:12

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	HRPO SHEET (11GA.) 48" X 96" X .1196"	23.914	68.158	STL-A11-PO489600



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS					
REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: CL | |

APPROX. WEIGHT 31.57

THIRD ANGLE PROJECTION

TOLERANCES:
FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - HALF DIFFUSER CONE - BLANK

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/20/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48 STD-07C-1

SCALE: 1:8 (DO NOT SCALE DRAWING)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	PJS 48 INLET - 8" OD		PJS 48 INL-08F



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT
8.67894

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: 48" PULSE JET SEPARATOR PARTS-
PJS 48 INLET - 8" OD

SHEET NO.: 1 OF 1
DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	07/21/22


SIZE: B

PART NO.:

DWG. NO.: PJS 48 INL-08

SCALE: 1:4
DO NOT SCALE DRAWING

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	HRPO SHEET (12 GA.) 48" X 96" X .1046"	21.173	24.765	STL-A12-PO480960



NOTE: ROLL TO ∅8 OD

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 8.67758

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: 48" PULSE JET SEPARATOR PARTS
PJS 48 INLET 8" OD - BLANK

SHEET NO.: 1 OF 1
DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	07/21/02

SIZE: B


PART NO.:


DWG. NO.: PJS 48 INL-08F


SCALE: 1:4
DO NOT SCALE DRAWING


ITEM NO.	QTY.	DESCRIPTION/MATERIAL	LENGTH	PART NO.	DWG NO.
1	1	HOPPER SECTION ASSEMBLY			PJS 48-608
2	1	SUPPORT FRAME ASSEMBLY			PJS 48SUP-400
3	1	10" O.D. X 6.5"LG ROTARY AIRLOCK ADAPTOR COLLAR			PJSF 10 RVCCC-00E
4	1	3/16" X 3/8" ALUM 440 TAPE (ROLL CAULKING)	42	HAR-GKT-TR1015AL	
5	1	10" ROUND ROTARY AIRLOCK		MOT-ANC-0FT10RBW	
6	8	3/8" X 2" GRADE 8 HEX BOLT ZC		HAR-SSH-CP804819	
7	16	3/8" PLATE FLAT WASHER GRADE 8 ZC		HAR-CON-38FWP800	
8	8	3/8" SPLIT LOCK WASHER GRADE 8 ZC		HAR-CON-38LWP800	
9	8	3/8"-16 HEX NUT GRADE 8 ZC		HAR-CON-38HNP800	
10	8	1/2" MI BEVELED WASHER		HAR-SPA-W2900000	
11	24	3/4-10 X 2 1/2" LG HEX BOLT PLATED		HAR-CON-34212HBP	
12	48	3/4" FLAT WASHER PLATED		HAR-CON-34FWP000	
13	24	3/4" LOCK WASHER PLATED		HAR-CON-34LWP000	
14	24	3/4"-10UNC HEX NUT PLATED		HAR-CON-34HNP000	

FOR ADDITIONAL DETAILS SEE PAGE 2 OF PJS 48-607









DETAIL A
SCALE 1 : 2

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: AS | |

APPROX. WEIGHT 1478.8

THIRD ANGLE PROJECTION

TOLERANCES:
FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.


EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - LOWER SECTION ASSEMBLY

SHEET NO.: 1 OF 2
DWG. REV.: 00
SIZE: B
SCALE: 1:32 (DO NOT SCALE DWG.)

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/20/2026

PART NO.:
DWG. NO.: PJS 48-607



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: AS | |

APPROX. WEIGHT 1478.8

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - LOWER SECTION ASSEMBLY

SHEET NO.: 2 OF 2

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/20/2026


SIZE: B


PART NO.:

DWG. NO.: PJS 48-607


SCALE: 1:32


ITEM NO.	QTY.	DESCRIPTION/MATERIAL	LENGTH	PART NO.	DWG NO.
1	1	HOPPER SECTION WELDMENT			PJS 48-609
2	1	HOPPER ACCESS COVER			PJS 48-608-1
3	1	3/8" X 3/4" X 25' POLY. FOAM STRIP GASKET W/PSA	45	HAR-GUS-P1537075	
4	8	3/8" USS FLAT WASHER ZP		HAR-CON-38FWP000	
5	8	3/8" SPLIT LOCK WASHER ZP		HAR-CON-38LWP000	
6	8	3/8-16 HEX NUT ZP		HAR-CON-38HNP000	





DETAIL A
SCALE 1 : 2





SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: AS | |

APPROX. WEIGHT 225.6

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - HOPPER SECTION ASSEMBLY

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/20/2026

SIZE: B

PART NO.:


DWG. NO.: PJS 48-608


SCALE: 1:16

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	HOPPER BARREL WELDMENT		PJS 48-610
2	1	CONE BODY		PJS 48-305-1
3	1	CONE DISCHARGE TUBE - 10 OD		PRS 24RV-04-02
4	1	10" ANSI PATTERN FLANGE		FLG 10-01
5	8	3/8"-16 X 1-1/4" HEX BOLT G5 ZC	HAR-CON-38114HBP	
6	2	HR ANGLE RING, 2 X 3/16 X 48 1/8 I.D.	MSH-BRP-48018200	


FABRICATION NOTES:

1. APPLY SEALANT AT ALL STITCH WELDED LOCATIONS.







DETAIL A
SCALE 1 : 2



DETAIL B
SCALE 1 : 4





SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY


REVISIONS					
REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: WE| |	TOLERANCES: FRACTIONS ± 1/16" X.X ± 0.5 X.XX ± 0.15 X.XXX ± 0.05 ANGLES ± 0.5°	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
APPROX. WEIGHT 219.3		
THIRD ANGLE PROJECTION	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.	

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE:				SHEET NO.:
PJS 48" FS7 W/10" RAL & WEAR SECTION - HOPPER SECTION WELDMENT				1 OF 1
				DWG. REV.: 00
DRAWN: B.M.	CHECKED: C.B.	APPROVED: C.B.	DATE: 08/20/2026	SIZE: B
PART NO.:		DWG. NO.: PJS 48-609		SCALE: 1:16

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	DWG NO.
1	2	HOPPER BARREL FLAT WELDMENT	PJS 48-610F



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: FA | WE |

APPROX. WEIGHT 24.9

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - HOPPER BARREL WELDMENT

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/20/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48-610

SCALE: 1:8

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	DWG NO.
1	2	HOPPER BARREL HALF BODY - BLANK	PJS 48-610-1



NOTE: ROLL THIS SIDE FACING OUT

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: WE| |

APPROX. WEIGHT 24.9

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - HOPPER BARREL FLAT WELDMENT

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/20/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48-610F

SCALE: 1:12 (DO NOT SCALE DRAWING)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	HRPO SHEET (12 GA.) 48" X 96" X .1046"	5.625	75.195	STL-A12-PO480960



NOTE: ROLL THIS SIDE FACING OUT

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: CL | |

APPROX. WEIGHT 12.5

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - HOPPER BARREL HALF BODY - BLANK

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/20/2026


SIZE: B


PART NO.:


DWG. NO.: PJS 48-610-1

SCALE: 1:8 (DO NOT SCALE DRAG)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	DWG NO.
1	1	CONE BODY - BLANK	PJS 48-305-1F







SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS					
REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 120.48

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48 FS7 W/10" AIRLOCK VALVE - CONE BODY

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	01/21/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48-305-1

SCALE: 1:16

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	HRPO SHEET (12 GA.) 72" X 144" X.104"	54.821	111.819	STL-A12-PO721440



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS					
REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 120.48

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

THIRD ANGLE PROJECTION

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48 FS7 W/10" AIRLOCK VALVE - CONE BODY - BLANK

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	01/22/2026

SIZE: B


PART NO.:


DWG. NO.: PJS 48-305-1F

SCALE: 1:12

DO NOT SCALE DWG.

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	DWG NO.
1	1	10" OD TUBE - BLANK	PRS 24RV-04-02F





SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT
3.203

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PRS 24" W/10" ROTARY AIRLOCK - CONE DISCHARGE TUBE - 10 OD

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	05/11/22


SIZE: B

PART NO.:

DWG. NO.: PRS 24RV-04-02

SCALE: 1:4 (DO NOT SCALE DRWG)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	HRPO SHEET (12 GA.) 48" X 96" X .1046"	3.500	31.048	STL-A12-PO480960



NOTE: ROLL TO ∅10 OD

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 3.203

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PRS 24" W/10" ROTARY AIRLOCK - 10" OD TUBE - BLANK

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	01/21/2026


SIZE: B

PART NO.:

DWG. NO.: PRS 24RV-04-02F

SCALE: 1:4 (DO NOT SCALE DRWG)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	MILD STEEL PLATE 1/4" X 72" X 144"	16.000	16.000	STL-A36-PO721440



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED
01	.875	1.000	BOLT HOLE SIZE INCREASED	03/10/23	B.M.

ROUTING:

APPROX. WEIGHT
7.93

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE:
FLANGES -
10" ANSI PATTERN FLANGE

DRAWN:	CHECKED:	APPROVED:	DATE:
J.T.	C.B.	C.B.	06/20/20

PART NO.:

DWG. NO.: FLG 10-01

SHEET NO.: 1 OF 1

DWG. REV.: 01

SIZE: B


SCALE: 1:2


(DO NOT SCALE DRAW)

FABRICATION NOTES:

1. BEND COVER TO MATCH CURVATURE OF HOPPER.

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	DWG NO.
1	1	HOPPER ACCESS COVER - BLANK	PJS 48-608-1F





SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: FA| |

APPROX. WEIGHT 5.8

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - HOPPER ACCESS COVER

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026

PART NO.:

DWG. NO.: PJS 48-608-1


SHEET NO.: 1 OF 1

DWG. REV.: 00

SIZE: B

SCALE: 1:4

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	HRPO SHEET (12 GA.) 48" X 96" X .1046"	16.501	12.616	STL-A12-PO480960



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: CL | |

APPROX. WEIGHT 5.8

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" FS7 W/10" RAL & WEAR SECTION - HOPPER ACCESS COVER - BLANK

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/20/2026


SIZE: B


PART NO.:

DWG. NO.: PJS 48-608-1F


SCALE: 1:4 DO NOT SCALE DWG.

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	TOP FRAME WELDMENT		PJS 48SUP-401
2	2	SIDE FRAME WELDMENT		PJS 48SUP-402
3	4	ANGLE BAR BRACE - 81 1/2"L		PJS 48SUP-400-01
4	2	6" CROSS BRACE SPACER PLATE		FRA STD-06B
5	34	1/2"-13 X 1-3/4" GRADE 8 HEX BOLT ZC	HAR-CON-1234HB8C	
6	68	1/2" FLAT WASHER GRADE 8 ZC	HAR-CON-12FWP800	
7	34	1/2" SPLIT LOCK WASHER GRADE 8 ZC	HAR-CON-12LWP800	
8	34	1/2"-13 HEX NUT GRADE 8 ZC	HAR-CON-12HNP801	







DETAIL C
SCALE 1 : 8





DETAIL B
SCALE 1 : 8



DETAIL A
SCALE 1 : 8







SECTION D-D
SCALE 1 : 24

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: AS | |

APPROX. WEIGHT 1159.5

THIRD ANGLE PROJECTION

TOLERANCES:
FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" SUPPORT FRAME - SUPPORT FRAME ASSEMBLY

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026


SIZE: B


PART NO.:


DWG. NO.: PJS 48SUP-400

SCALE: 1:32


ITEM NO.	QTY.	DESCRIPTION/MATERIAL	DWG NO.
1	2	FRAME OUTER MEMBER - 74 29/32"L	PJS 48SUP-401-01
2	2	FRAME OUTER MEMBER - 62 1/16"L	PJS 48SUP-401-02
3	2	FRAME INNER MEMBER - 62 1/16"L	PJS 48SUP-401-03
4	2	FRAME INNER MEMBER - 48 1/2"L	PJS 48SUP-401-04
5	4	FRAME INNER MEMBER - 20 3/32"L	PJS 48SUP-401-05
6	4	8 SQ. ATTACHMENT PLATE	FRA STD-02B








DETAIL A
SCALE 1 : 8





SCALE 1 : 24

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: WE | |

APPROX. WEIGHT 405.3

THIRD ANGLE PROJECTION

TOLERANCES:
FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48 SUPPORT FRAME - TOP FRAME WELDMENT

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48SUP-401

SCALE: 1:16

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	C6 X 8.2 STANDARD C CHANNEL 20'L		74 29/32	MSH-CSW-44C06082



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: CS| |

APPROX. WEIGHT 50.8

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" SUPPORT FRAME - FRAME OUTER MEMBER - 74 29/32"L

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48SUP-401-01

SCALE: 1:8

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	C6 X 8.2 STANDARD C CHANNEL 20'L		62 1/16	MSH-CSW-44C06082



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: CS| |

APPROX. WEIGHT 42.1

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" SUPPORT FRAME - FRAME OUTER MEMBER - 62 1/16"L

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48SUP-401-02

SCALE: 1:8 (DO NOT SCALE DRWG)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	C6 X 8.2 STANDARD C CHANNEL 20'L		62 1/16	MSH-CSW-44C06082



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: CS | FA |

APPROX. WEIGHT 42.1

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" SUPPORT FRAME - FRAME INNER MEMBER - 62 1/16"L

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026


SIZE: B


PART NO.:


DWG. NO.: PJS 48SUP-401-03

SCALE: 1:8 (DO NOT SCALE DRWG)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	C6 X 8.2 STANDARD C CHANNEL 20'L		48 1/2	MSH-CSW-44C06082







SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: CS | FA |

APPROX. WEIGHT 32.9

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" SUPPORT FRAME - FRAME INNER MEMBER - 48 1/2"L

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026


SIZE: B


PART NO.:

DWG. NO.: PJS 48SUP-401-04

SCALE: 1:8

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	C6 X 8.2 STANDARD C CHANNEL 20'L		20 3/32	MSH-CSW-44C06082





SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS					
REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:
CS | FA |

APPROX. WEIGHT
12.9

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" SUPPORT FRAME - FRAME INNER MEMBER - 20 3/32"L

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48SUP-401-05

SCALE: 1:4
DO NOT SCALE DWG.

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	MILD STEEL PLATE 1/4" X 60" X 120"	8.000	8.000	STL-A36-PO601200



SPECIFICATIONS
MAT'L REQ'D: REFER TO MATERIAL LIST
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY
01	-	-	SCRIBE LINE HAS BEEN ADDED	12/18/23	C.M.
02	NONE	.250	ADDED HOLE FOR HEAT DISSIPATION	01/22/2026	B.M.

ROUTING:

APPROX. WEIGHT
4.41

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: SUPPORT FRAME PARTS - 8" SQ. ATTACHMENT PLATE

SHEET NO.: 1 OF 1

DWG. REV.: 02

DRAWN:	CHECKED:	APPROVED:	DATE:
B.P.	C.B.	C.B.	11/05/2020


SIZE: B


PART NO.:

DWG. NO.: FRA STD-02B


SCALE: 1:2
DO NOT SCALE DRAWING


ITEM NO.	QTY.	DESCRIPTION/MATERIAL	DWG NO.
1	2	FRAME LEG	PJS 48SUP-402-01
2	4	7 9/16" X 4 1/2" BRACE ATTACHMENT PLATE	PJS 48SUP-402-02
3	4	12 11/16" X 4 1/2" BRACE ATTACHMENT PLATE	PJS 48SUP-402-03
4	2	ANGLE BAR BRACE - 111 13/32"L	PJS 48SUP-402-04
5	1	6 X 6 BRACE SPACER PLATE	PJS 48SUP-402-05
6	2	8 SQ. ATTACHMENT PLATE	FRA STD-02B
7	2	10" SQ. BASE PLATE	FRA STD-01D







SECTION B-B
SCALE 1 : 8







DETAIL A
SCALE 1 : 8



SECTION C-C
SCALE 1 : 8

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV.	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: WE| |

APPROX. WEIGHT 317.0

THIRD ANGLE PROJECTION

TOLERANCES:
FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3


TITLE: PJS 48" SUPPORT FRAME - SIDE FRAME WELDMENT


SHEET NO.: 1 OF 1
DWG. REV.: 00
SIZE: B
SCALE: 1:24

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026

PART NO.:
DWG. NO.: PJS 48SUP-402

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	HSS TUBE 4" X 4" X .188" X 24'		116	MPT-TSS-04040340





SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: CS | |

APPROX. WEIGHT 93.5

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" SUPPORT FRAME - FRAME LEG

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48SUP-402-01

SCALE: 1:12

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	MILD STEEL PLATE 1/4" X 60" X 120"	4.500	7.532	STL-A36-PO601200



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: CL| |

APPROX. WEIGHT 1.8

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" SUPPORT FRAME - 7 9/16" X 4 1/2" BRACE ATTACHMENT PLATE

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48SUP-402-02

SCALE: 1:2

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	MILD STEEL PLATE 1/4" X 60" X 120"	4.500	12.659	STL-A36-PO601200



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: CL| |

APPROX. WEIGHT 2.7

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" SUPPORT FRAME - 12 11/16" X 4 1/2" BRACE ATTACHMENT PLATE

SHEET NO.: 1 OF 1

REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026

SIZE: B


PART NO.:

DWG. NO.: PJS 48SUP-402-03

SCALE: 1:2

(DO NOT SCALE DWG.)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	HR ANGLE BAR 2 1/2" X 2 1/2" X 1/4"		111 13/32	MSH-AIR-25252500



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: CS | |

APPROX. WEIGHT 36.6

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" SUPPORT FRAME - ANGLE BAR BRACE - 111 13/32"L

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48SUP-402-04

SCALE: 1:12 (DO NOT SCALE DRWG)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	MILD STEEL PLATE 1/4" X 60" X 120"	6.000	6.000	STL-A36-PO601200



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:
CL | |

APPROX. WEIGHT
2.5

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE:
PJS 48" SUPPORT FRAME -
6 X 6 BRACE SPACER PLATE

SHEET NO.: 1 OF 1
DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48SUP-402-05

SCALE: 1:2

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	MILD STEEL PLATE 1/2" X 48" X 96"	10.000	10.000	STL-A42-PO480960



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV. NO.	ORIG.	CHANGE	DESCRIPTION	DATE	REQ. BY
1			CENTER HOLE ADDED FOR HEAT DISSIPATION	05/22/24	B.M.

ROUTING:

APPROX. WEIGHT 13.63

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: SUPPORT FRAME PARTS - 10" SQ. BASE PLATE

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
J.T.	C.B.	C.B.	07/11/22


SIZE: B


PART NO.:


DWG. NO.: FRA STD-01D

SCALE: 1:2 (DO NOT SCALE DWG.)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	HR ANGLE BAR 2 1/2" X 2 1/2" X 1/4"		81 1/2	MSH-AIR-25252500







SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: REFER TO ASSEMBLY DRAWING

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: CS | FA |

APPROX. WEIGHT 26.5

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: PJS 48" SUPPORT FRAME - ANGLE BAR BRACE - 81 1/2"L

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	08/21/2026


SIZE: B

PART NO.:

DWG. NO.: PJS 48SUP-400-01

SCALE: 1:8

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	MILD STEEL PLATE 1/4" X 60" X 120"	6.000	6.000	STL-A36-PO601200



SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING:

APPROX. WEIGHT 2.51

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS ± 1/16"
X.X ± 0.5
X.XX ± 0.15
X.XXX ± 0.05
ANGLES ± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: SUPPORT FRAME STD PARTS -- 6" CROSS BRACE SPACER PLATE

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
B.M.	C.B.	C.B.	01/12/24


SIZE: B


PART NO.:


DWG. NO.: FRA STD-06B

SCALE: 1:1

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	10" OD COLLAR W/BEAD		PJSF 10 RVCCC-00E-1
2	1	10" ANSI PATTERN FLANGE		FLG 10-01







SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: WE

APPROX. WEIGHT 14.03

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: 10" O.D. X 6.5"LG ROTARY AIRLOCK ADAPTOR COLLAR

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
C.M.	C.B.	C.B.	12/16/23


SIZE: B


PART NO.:


DWG. NO.: PJSF 10 RVCCC-00E

SCALE: 1:4

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	PART NO.	DWG NO.
1	1	10" OD COLLAR W/BEAD		PJSF 10 RVCCC-00E-1







SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS

REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: FA-WE

APPROX. WEIGHT 5.95

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: 10" OD COLLAR W/BEAD

SHEET NO.: 1 OF 1

DWG. REV.: 00

DRAWN:	CHECKED:	APPROVED:	DATE:
C.M.	C.B.	C.B.	12/16/23


SIZE: B

PART NO.:

DWG. NO.: PJSF 10 RVCCC-00E-1

SCALE: 1:4 (DO NOT SCALE DWG.)

ITEM NO.	QTY.	DESCRIPTION/MATERIAL	WIDTH	LENGTH	PART NO.
1	1	HRPO SHEET (12 GA.) 48" X 96" X .1046"	6.500	31.070	STL-A12-PO480960



10" OD COLLAR W/BEAD BLANK

SPECIFICATIONS
MAT'L REQ'D:
SIZE REQ'D: AS SHOWN
Q'TY REQ'D: 1 ASSEMBLY

REVISIONS					
REV	ORIG.	CHANGE	DESCRIPTION	DATE	APPROVED

ROUTING: CL

APPROX. WEIGHT 5.95

THIRD ANGLE PROJECTION

TOLERANCES:

FRACTIONS	± 1/16"
X.X	± 0.5
X.XX	± 0.15
X.XXX	± 0.05
ANGLES	± 0.5°

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EUROVAC. ANY REPRODUCTION IN PART OR AS WHOLE WITHOUT THE WRITTEN PERMISSION OF EUROVAC IS PROHIBITED.

EUROVAC
44 MILVAN DRIVE, NORTH YORK, ONTARIO, CANADA M9L1Z3

TITLE: 10" OD COLLAR W/BEAD BLANK

DRAWN:	CHECKED:	APPROVED:	DATE:	PART NO.:	DWG. NO.:	SHEET NO.:	DWG. REV.:	SIZE:	SCALE:
C.M.	C.B.	C.B.	12/16/23		PJSF 10 RVCCC-00E-1F	1 OF 1	00	B	1:4