DK-eij-1b359b3cbd2e · direction D1 · strategy-house · look harbour/cambria-calibri/title-left-low · seed estate-intelligence-eij-1b359b3cbd2e-estatewide/decide/2026-10-02

RMS estate: what is held, what it costs, what to do first

Estate-wide census of databases, object store and file shares, with product priorities

EXECUTIVE SUMMARY

Object storage holds most of the estate, so archive tiering is the first saving to test

SITUATION	The census covers 20 databases, an object store, file shares, a staged audio corpus and written-word archives. The whole estate holds 174.3 TiB. Object storage is 74.8% of it and file shares are 25.0%. Databases are only 0.2%.
COMPLICATION	41.9 TiB of the object store has not been written for over a year, and 7.7 TiB are duplicate candidates. The saving is priced at no more than 1,174.4 USD a month at reference list prices, which is not the owner's invoice. 40 of 106 buckets could not be read, and database condition is uneven.
QUESTION	What should the owner do first, given how certain each saving and each product preparation step is?
ANSWER	Validate before moving anything. Check read patterns and retrieval fees on the write-inactive buckets, confirm duplicates by content hash, and reconcile the unreadable buckets. In parallel, prepare one bounded product from the shortlist. Rights are settled, so product preparation means de-identification or aggregation, not rights clearance.

PLAIN ENGLISH

What the terms in this pack mean

Reclaimable	Space that could be removed or stored more cheaply once the check named beside it has been done. It is not space already freed, and it is not a guaranteed saving — the monthly figures are upper bounds at list prices.
Cold (not written for over a year)	Nothing new has been written to that bucket or table for more than a year, judged by the newest write date we could see. It says nothing about whether anyone still reads it — that was not measured.
Duplicate candidate	Two objects whose size and storage fingerprint (ETag) match inside the same store. For large uploads that fingerprint is not a content hash, so a candidate must be confirmed by hashing before any copy is removed.
Exact duplicate rows	Database rows that are identical in every measured column. 'Normalised' duplicates also match after trimming spaces and case.
Degraded row	A row whose worst column shows damage: text cut short, a placeholder such as 'N/A' or 'test', an invalid format, stray whitespace or garbled characters.
Empty required-	Blank values in columns whose name or pattern suggests they should always be filled (for example an identifier or a

What the terms in this pack mean

Dead column	A column that is empty on practically every row: schema carried without data.
Personal-data marker	A sampled value that looks like an email, phone number, national ID or similar. It is a condition of the data, not a judgement about rights — the owner has declared all rights established.
Archive-class storage	A cheaper storage tier for data that is kept but rarely opened. Retrieval is slower and carries its own fee, which is why the saving is stated as an upper bound.
Proposed destination	Where this pack suggests data should live or how it should be tiered. Every destination here is a proposal for the executive to approve; this pack moved and deleted nothing.
Speech hours (estimate)	Recorded hours multiplied by the share of two-second windows the admitted music detector did not call music. Silence is set aside first.
Agrees with folder	The share of labelled windows (or transcript passages) where the model's language label matched the folder the recording was filed under. It is a model reading, not a human verification.

What the terms in this pack mean

Declined to label	Windows where the language model's confidence fell below its threshold, so it gave no language rather than guess.
Scripted day / bulletin hour	A calendar date on which a station has at least one news script in the archive, and the distinct hour slots scripted that day. The archive does not carry a script for every hour of every day; the tables show exactly which days and hours it


does.

Receipt	The retained Akki record (census run, GPU job or database reading) that every figure in this pack is traced to. The appendix lists them; the workbook carries the row-level evidence.

01 Where the bytes sit

ESTATE BY STORE

The object store and file shares hold almost every byte; databases are a sliver




Manage the estate as a whole: databases are small beside 130.3 TiB of objects and 43.6 TiB of file

[measured] Receipt R01: Estate intelligence census eij-1b359b3cbd2e, digest-verified report (measured 2026-09-29), headline aggregates and per-database measures

OBJECT-STORE CONCENTRATION

One bucket holds most of the object store, so bucket-level decisions carry the weight



The largest bucket is 86.3 TiB, which is 66.2% of the object store, so a few decisions move most of the bytes.

[measured] Receipt R04: OBS bucket enumeration census run cr-f1415e395361 (22,975,591 objects, 130.3 TiB)

WHOLE ESTATE

The estate holds 174.3 TiB and nearly all of it sits outside the databases

01 The whole estate holds 174.3 TiB across databases, object store and file shares, all measured.

02 The object store holds 130.3 TiB, which is 74.8% of the estate, in 106 buckets and 23.0m objects.

03 File shares hold 43.6 TiB, which is 25.0% of the estate, in 16 shares and 1.5m files.

04 Databases hold 0.3 TiB, which is 0.2%, so database tuning alone cannot change the storage picture.

02 What is under review

EXACT SOURCES

Named buckets, tables and shares are under review, each with a proposed destination

01 41.9 TiB of the object store, across 43 buckets, has not been written for over a year. That shows write inactivity, not absence of reads.

02 7.7 TiB, about 5.0% of objects, are duplicate candidates and need a content hash before any removal.

03 40 of 106 buckets returned errors when listed and need reconciling with the provider.

04 File shares are sized and dated but not fingerprinted. Every destination in the tables is a proposal; nothing has moved.

EVIDENCE BY NAME

Exact object-store buckets under review (largest first)

Bucket	Held (TiB)	Last write	Idle days	Duplicate candidates	Classification	Proposed action
2024offairrecs	86.3	2026-09-29	0	16,589	active — keep hot; heavy duplicate candidates	hash-confirm duplicate candidates, keep one copy

music-bucket-rms	4.93	2024-03-26	916	14,696	cold — archive candidate; heavy duplicate candidates	lifecycle rule Standard → Archive after read-log check
na7p43do	4.1	2024-04-04	908	197,528	cold — archive candidate; heavy duplicate candidates	lifecycle rule Standard → Archive after read-log check
na7p43js	3.57	2024-04-02	909	27,187	cold — archive candidate; heavy duplicate candidates	lifecycle rule Standard → Archive after read-log check

Every bucket named here was enumerated object by object; the classification follows from its last write date and its duplicate-candidate count.

[measured] Receipt R04: OBS bucket enumeration census run cr-f1415e395361 (22,975,591 objects, 130.3 TiB)

EVIDENCE BY NAME

Exact object-store buckets under review (largest first)

Bucket	Held (TiB)	Last write	Idle days	Duplicate candidates	Classification	Proposed action
na7p43d3	2.9	2024-03-30	912	1,395	cold — archive candidate	lifecycle rule Standard → Archive after read-log check
na7p4oco	2.86	2024-04-03	908	166,328	cold — archive candidate; heavy duplicate candidates	lifecycle rule Standard → Archive after read-log check
rmsbroadcast	1.49	2024-03-24	918	5,060	cold — archive candidate	lifecycle rule Standard → Archive after read-log check

Every bucket named here was enumerated object by object; the classification follows from its last write date and its duplicate-candidate count.

[measured] Receipt R04: OBS bucket enumeration census run cr-f1415e395361 (22,975,591 objects, 130.3 TiB)

EVIDENCE BY NAME

Exact database tables under review, by finding

Table (database.table)	Finding	Measured detail	Proposed action
viusasa_staging.audits	not written for over a year	666 days · 18.6 GiB	export to compressed object storage with a schema stub (proposed); restore on demand
viusasa_staging.master_payments	not written for over a year	438 days · 4.2 GiB	export to compressed object storage with a schema stub (proposed); restore on demand
razuna.raz1_videos	not written for over a year	1341 days · 3.0 GiB	export to compressed object storage with a schema stub (proposed); restore on demand
viusasa_staging.payment_requests	not written for over a year	664 days · 2.8 GiB	export to compressed object storage with a schema stub (proposed); restore on demand
viusasa_staging.sms	not written for over a year	583 days · 2.7 GiB	export to compressed object storage with a schema stub (proposed); restore on demand

Each row names a table the census measured and the finding that puts it on the list; the bytes column is the strategy total the table belongs

[measured] Receipt R02: Estate intelligence census eij-1b359b3cbd2e, cost_strategies priced at reference list prices, not the owner's invoice: Huawei Cloud RDS for MySQL cloud SSD AF-Johannesburg 0.00015 USD/GB-hour x 730 h; OBS Standard 0.023 USD/GB-month

EVIDENCE BY NAME

Exact database tables under review, by finding

Table (database.table)	Finding	Measured detail	Proposed action
kra_reports.external_credit_notes	repeated rows inside the table	25.0% repeated · 277.8 MiB	de-duplicate in place after a keyed comparison; keep the newest row
viusasa_staging.new_episode_views	repeated rows inside the table	66.1% repeated · 98.7 MiB	de-duplicate in place after a keyed comparison; keep the newest row
viusasa_staging.ussd_hits	repeated rows inside the table	8.5% repeated · 573.0 MiB	de-duplicate in place after a keyed comparison; keep the newest row
iebc_forms/viupay.failed_jobs ↔ viupay/viupay.failed_jobs	two copies of the same table across connections	overlap 78.0% · 31.6 MiB	name one authoritative copy; retire or redirect the other

Each row names a table the census measured and the finding that puts it on the list; the bytes column is the strategy total the table belongs to, not the table alone.

[measured] Receipt R02: Estate intelligence census eij-1b359b3cbd2e, cost_strategies priced at reference list prices, not the owner's invoice: Huawei Cloud RDS for MySQL cloud SSD AF-Johannesburg 0.00015 USD/GB-hour x 730 h; OBS Standard 0.023 USD/GB-month

EVIDENCE BY NAME

Exact file shares (NAS) enumerated

Share	Enumeration	Held (TiB)	Files	Last write	Main formats	Proposed action
channel01	complete	6.87	95,122	2026-09-29	.mp4 95,108, .rmd 6, .mpt 3	fingerprint pass to measure duplication; then tier by channel
channel02	complete	6.87	95,134	2026-09-29	.mp4 95,129, .db 1, .jpg 1	fingerprint pass to measure duplication; then tier by channel
channel16	complete	6.81	94,597	2026-09-29	.mp4 94,592, .db 1, .jpg 1	fingerprint pass to measure duplication; then tier by channel
Channel15	complete	1.91	95,635	2026-09-29	.mp4 95,627, .rmd 3, .db 1	fingerprint pass to measure duplication; then tier by channel
Channel14	complete	1.91	95,615	2026-09-29	.mp4 95,609, .rmd 2, .db 1	fingerprint pass to measure duplication; then tier by channel

Sizes and dates were recorded; content fingerprints were not, so duplication across the channel shares is not yet measured.

[measured] Receipt R05: NAS share enumeration census run cr-cf4eef79995b (1,456,787 files, 43.6 TiB)

EVIDENCE BY NAME

Exact file shares (NAS) enumerated

Share	Enumeration	Held (TiB)	Files	Last write	Main formats	Proposed action
channel05	complete	1.9	95,494	2026-09-29	.mp4 95,490, .db 1, .jpg 1	fingerprint pass to measure duplication; then tier by channel
channel04	complete	1.9	95,475	2026-09-29	.mp4 95,470, .db 1, .jpg 1	fingerprint pass to measure duplication; then tier by channel
channel03	complete	1.9	95,419	2026-09-29	.mp4 95,415, .db 1, .jpg 1	fingerprint pass to measure duplication; then tier by channel

Sizes and dates were recorded; content fingerprints were not, so duplication across the channel shares is not yet measured.

`[measured] Receipt R05: NAS share enumeration census run cr-cf4eef79995b (1,456,787 files, 43.6 TiB)`

EVIDENCE BY NAME

Object-store buckets that could not be read

Bucket	Error returned	Proposed action
apr252017	NoSuchBucket	reconcile with provider; remove from inventory if gone
citizen-vod	NoSuchBucket	reconcile with provider; remove from inventory if gone
elections	ClientError	reconcile with provider; remove from inventory if gone
feb272017	NoSuchBucket	reconcile with provider; remove from inventory if gone
instore-radio-items	ClientError	reconcile with provider; remove from inventory if gone
iso-rms-storage	NoSuchBucket	reconcile with provider; remove from inventory if gone
librarydirectupload2	NoSuchBucket	reconcile with provider; remove from inventory if gone
na7p4100	NoSuchBucket	reconcile with provider; remove from inventory if gone

These names are in the bucket inventory but returned an error when listed; each needs reconciling with the provider — deleted, renamed or access withdrawn.

`[measured] Receipt R04: OBS bucket enumeration census run cr-f1415e395361 (22,975,591 objects, 130.3 TiB)`

EVIDENCE BY NAME

Object-store buckets that could not be read

Bucket	Error returned	Proposed action
na7p419y	NoSuchBucket	reconcile with provider; remove from inventory if gone

na7p41ab	NoSuchBucket	reconcile with provider; remove from inventory if gone
na7p41f4	NoSuchBucket	reconcile with provider; remove from inventory if gone
na7p41j6	NoSuchBucket	reconcile with provider; remove from inventory if gone
na7p41jk	NoSuchBucket	reconcile with provider; remove from inventory if gone
na7p42ry	NoSuchBucket	reconcile with provider; remove from inventory if gone
na7p42s5	NoSuchBucket	reconcile with provider; remove from inventory if gone
na7p42s7	NoSuchBucket	reconcile with provider; remove from inventory if gone

These names are in the bucket inventory but returned an error when listed; each needs reconciling with the provider — deleted, renamed or access withdrawn.

`[measured] Receipt R04: OBS bucket enumeration census run cr-f1415e395361 (22,975,591 objects, 130.3 TiB)`

03 Cost of bytes nobody writes to

COST STRATEGIES

Object-store tiering and duplicate reconciliation dominate the addressable bytes



The three largest strategies address 100.0% of the bytes all strategies reach, but these are estimates and the strategies may overlap.

[estimated] Receipt R02: Estate intelligence census eij-1b359b3cbd2e, cost_strategies priced at reference list prices, not the owner's invoice: Huawei Cloud RDS for MySQL cloud SSD AF-Johannesburg 0.00015 USD/GB-hour x 730 h; OBS Standard 0.023 USD/GB-month

THREE PRICED MOVES

The three priced moves differ sharply in size and in the checks each needs first

	Move buckets not written for over a year to archive-class st	Reconcile duplicate objects across OBS buckets	Move tables not written for over a year to cold storage
Reclaimable gib	42,891.0	7,839.5	54.1
Monthly saving usd	986.5	180.3	5.9


Archive tiering is the largest priced move, duplicate reconciliation needs hash confirmation, and table cold storage is small; the priced total is at most 1,174.4 USD a month.

[estimated] Receipt R02: Estate intelligence census eij-1b359b3cbd2e, cost_strategies priced at reference list prices, not the owner's invoice: Huawei Cloud RDS for MySQL cloud SSD AF-Johannesburg 0.00015 USD/GB-hour x 730 h; OBS Standard 0.023 USD/GB-month

04 Condition of the database rows

ROW CONDITION

Completeness and personal-data markers, not exact duplicates, are the main preparation burden




These ratios overlap and use different samples, so read each on its own and do not add them.

`[estimated] Receipt R01: Estate intelligence census eij-1b359b3cbd2e, digest-verified report (measured 2026-09-29), headline aggregates and per-database measures`

DATABASE FOOTPRINT

One staging database holds nearly all database bytes, so cleanup is a narrow workstream



The largest databases hold 99.7% of database bytes. Concentration of bytes does not show that the same database has the worst quality.

`[measured] Receipt R01: Estate intelligence census eij-1b359b3cbd2e, digest-verified report (measured 2026-09-29), headline aggregates and per-database measures`

ROW CONDITION

Degradation, gaps and personal-data markers are common, so prepare before release

Exact duplicate rows are only 1.5%, but 23.0% of rows are degraded and 81.7% carry empty required-looking fields.

01

02 71.8% of 1.0m sampled rows carry personal-data markers. Prepare by de-identification or aggregation; this is not a rights question.


03 15.4% of database bytes have not been written for over a year, and 368 tables are empty.

04 About 15.2 GiB, or 4.3% of bytes, looks reclaimable in the databases before pricing, far narrower than the estate-wide strategies.

05 Speech audio by language

SPEECH BY LANGUAGE

Estimated speech hours are concentrated in six language folders; two others hold little




Speech hours are estimates after music removal, so use them to scope language preparation, not as a verified corpus.

`[estimated] Receipt R06: Estate language reading m9j-9e8fcb46a809 on akki-vm (2 GPUs, 1.034 GPU-h): audio language model lcj-7128593897d4 sha256 5c1feb8497e8…, music detector m9j-686de001bfe7 sha256 0fea3eee0393…; model readings, not human labels`

LANGUAGE AGREEMENT

Agreement with the folder language varies by folder and is weakest in the smallest



Agreement is a model reading on labelled windows, so aim human validation at the folders where it is lowest.

`[measured] Receipt R06: Estate language reading m9j-9e8fcb46a809 on akki-vm (2 GPUs, 1.034 GPU-h): audio language model lcj-7128593897d4 sha256 5c1feb8497e8…, music detector m9j-686de001bfe7 sha256 0fea3eee0393…; model readings, not human labels`

AUDIO

The staged corpus holds 529.5 recorded hours, of which about 421.4 are speech

01 529.5 hours were recorded across 3958 files in 8 language folders: an estimated 421.4 hours of speech and 108.2 hours of music.

02 The detector called 20.4% of windows music. Music is the majority in 539 files, which are filter candidates.

03 82.3% of labelled windows agree with the folder language, and the model declined to label 10.7% of speech windows.

04 Noise and intelligibility were not scored, so filter music and validate language before packaging.

EVIDENCE BY NAME

Audio held by language folder — what both GPUs read

Language	Files	Hours recorded	Speech hours (est.)	Music hours (est.)	Agrees with folder
Ekegusii (Kisii)	732	92.2	76.7	15.6	86.1%
Kalenjin	295	89.8	73.2	16.6	89.9%
Kiswahili	549	87.7	78.5	9.2	78.7%
Kikamba (Kamba)	1166	85.4	67.8	17.6	70.9%
Gikuyu (Kikuyu)	584	82.1	65.9	16.2	79.8%
Dholuo (Luo)	558	82.1	51.7	30.4	89.5%
Wanga (Luhya)	60	9.2	6.8	2.3	88.7%
Bukusu (Luhya)	14	1.1	0.7	0.3	0.0%

Hours are recorded duration; speech and music hours split those hours by the music detector; agreement is the share of labelled windows whose language matched the folder name.

[measured] Receipt R06: Estate language reading m9j-9e8fcb46a809 on akki-vm (2 GPUs, 1.034 GPU-h): audio language model lcj-7128593897d4 sha256 5c1feb8497e8…, music detector m9j-686de001bfe7 sha256 0fea3eee0393…; model readings, not human labels

EVIDENCE BY NAME

Audio quality signals by language folder

Language	Files	Decode failures	Music-majority files	Mixed-language files	Low-confidence files	Mean confidence
Ekegusii (Kisii)	732	0	46	29	1	0.905
Kalenjin	295	0	18	5	0	0.912
Kiswahili	549	0	26	44	0	0.875
Kikamba (Kamba)	1166	0	192	232	12	0.870
Gikuyu (Kikuyu)	584	0	71	89	32	0.817
Dholuo (Luo)	558	0	169	27	0	0.939
Wanga (Luhya)	60	0	13	3	0	0.922
Bukusu (Luhya)	14	0	4	11	0	0.866


Decode failures, digital silence, music-dominated files, mixed-language files (no language reaches sixty percent of labelled windows) and low-confidence files are the quality signals the reading can measure; noise and intelligibility were not scored.

[measured] Receipt R06: Estate language reading m9j-9e8fcb46a809 on akki-vm (2 GPUs, 1.034 GPU-h): audio language model lcj-7128593897d4 sha256 5c1feb8497e8…, music detector m9j-686de001bfe7 sha256 0fea3eee0393…; model readings, not human labels

06 Written text by language

NEWS SCRIPTS

The news archive is substantial and spread across many stations, but not evenly




248841 live scripts come from 13 stations. Language is the station's broadcast language, since the script text was not read.

[measured] Receipt R08. Aggregate-only database reading etx-81e10bfe6e6e. news_vault.stories (script, title, date, hour_id) → news_vault.hours (station_id, time, type_id) → news_vault.stations (name); news_vault.news (2022 bulletins); local.uploaded_files (language_id, audio_length, status) ← local.transcripts (file_id, start_time, end_time, transcript) ; local.folder_languages (Language, code, station)

BULLETIN COVERAGE

No station averages a full day of bulletin hours on the days it has scripts



The measure counts distinct scripted hour slots on scripted days, not continuous coverage or broadcast duration.

[measured] Receipt key: aggregate-only database reading etx-81e1bdfe6e6d: news_vault.stories (script, title, date, hour_id) → news_vault.hours (station_id, time, type_id) → news_vault.stations (name); news_vault.news (2022 bulletins); local.uploaded_files (language_id, audio_length, status) ← local.transcripts (file_id, start_time, end_time, transcript) ; local.folder_languages (Language, code, station)

WRITTEN TEXT

Three separate text inventories exist and should be prepared separately, not added together

01 The news archive holds 248841 live scripts from 13 stations on 226 dates across 1432 days, which is 15.8% of days.

02 38.0% of script rows are revisions, leaving 159100 distinct texts (63.9% of live rows). 10206 rows are marked deleted.

03 The text model read 399 transcripts; 99.6% of passages agree with the folder language. 3540 transcripts were not reached.

04 The workbench registers 83014 recordings and 12,290.6 hours. It may overlap the staged corpus, so the two are not added.

EVIDENCE BY NAME

Hourly news scripts by station (news_vault.stories)

Station	Broadcast language	Live scripts	Scripted days	Scripts per scripted day	Bulletin hours per scripted day	Characters
Muuga FM	Meru	27467	221	127.53	17.98	14128382
Radio Citizen	Kiswahili	27240	219	126.98	18.18	22231911
Chamgei	Kalenjin	26787	224	130.68	18.75	20538503
Mulembe FM	Luhya	22191	225	102.58	15.0	15496412
Wimwaro FM	Embu	19664	223	90.1	15.76	12408784
Hot 96	English	18136	225	83.18	15.08	12470183

A scripted day is a calendar date with at least one script for the station; bulletin hours are the distinct hour slots scripted that day.

[measured] Receipt key: aggregate-only database reading etx-81e1bdfe6e6d: news_vault.stories (script, title, date, hour_id) → news_vault.hours (station_id, time, type_id) → news_vault.stations (name); news_vault.news (2022 bulletins); local.uploaded_files (language_id, audio_length, status) ← local.transcripts (file_id, start_time, end_time, transcript) ; local.folder_languages (Language, code, station)

EVIDENCE BY NAME

Hourly news scripts by station (news_vault.stories)

Station	Broadcast language	Live scripts	Scripted days	Scripts per scripted day	Bulletin hours per scripted day	Characters
Bahari FM	Kiswahili	16177	222	77.55	16.8	12789664
Inooro FM	Kikuyu	15376	209	75.0	15.03	11946715
Vuuka	Maragoli	15336	222	70.78	14.51	12773790
Ramogi FM	Luo	8013	222	39.8	6.98	8574493
unassigned hour	—	518	31	17.55	3.65	481289

A scripted day is a calendar date with at least one script for the station; bulletin hours are the distinct hour slots scripted that day.

[measured] Receipt R08: Aggregate-only database reading etx-81e10ere6e0: news_vault.stories (script, title, date, hour_id) → news_vault.hours (station_id, time, type_id) → news_vault.stations (name); news_vault.news (2022 bulletins); local.uploaded_files (language_id, audio_length, status) ← local.transcripts (file_id, start_time, end_time, transcript) ; local.folder_languages (Language, code, station)

EVIDENCE BY NAME

Transcripts by language folder — read by the served text language model

Language	Transcripts read	Characters	Words	Agrees with folder	Files whose top label matches
Ekegusii (Kisii)	399	2694168	385453	99.6%	399

Passages of up to fifteen hundred characters were labelled by the admitted text model; agreement is the share of passages whose label matched the folder language.

[measured] Receipt R07: Served text language model m9j-74af7cef0a85 readings of the staged transcripts: jobs m9j-8cf6702f8718 (399 transcripts read, 3939 present)

EVIDENCE BY NAME

Transcription workbench by language (local.uploaded_files, local.transcripts)

Language	Station	Recordings	Audio hours	Transcript segments	Transcribed hours

kiswahili	Radio citizen	4006	836.2	54516	101.0
Bukusu	sulwe	8223	806.4	0	0.0
Kikuyu	Inooro	3640	670.9	11034	20.3
Maragoli	Vuuka	5503	559.7	0	0.0
Embu	wimwaro	2000	504.3	0	0.0
Kalenjin	Chamgei	1280	500.6	59507	129.1
Luo	Ramogi	3693	492.5	44184	711.1
Kisii	Egesa	2503	491.0	44470	75.1

The workbench registers recordings per language with their length and whether a transcript was produced; transcript hours are the summed segment spans.

[measured] Receipt R08: Aggregate-only database reading etx-81e10bfe8e0: news_vault.stories (script, title, date, hour_id) → news_vault.hours (station_id, time, type_id) → news_vault.stations (name); news_vault.news (2022 bulletins); local.uploaded_files (language_id, audio_length, status) ← local.transcripts (file_id, start_time, end_time, transcript) ; local.folder_languages (Language, code, station)

EVIDENCE BY NAME

Transcription workbench by language (local.uploaded_files, local.transcripts)

Language	Station	Recordings	Audio hours	Transcript segments	Transcribed hours
Kikuyu	inooro	853	401.7	2456	9.1
Meru	muuga	3215	384.2	0	0.0
Akamba	musyi	3257	376.9	7815	-26.1
Luhya	mulembe	3344	371.8	13849	21.5
Luo	Ramogi	3228	359.9	22805	320.6
Maragoli	Vuuka	3017	311.6	0	0.0
Kalenjin	Chamgei	841	300.8	22301	18.0
Meru	Muuga	1973	282.6	0	0.0

The workbench registers recordings per language with their length and whether a transcript was produced; transcript hours are the summed segment spans.

[measured] Receipt R08: Aggregate-only database reading etx-81e10bfe8e0: news_vault.stories (script, title, date, hour_id) → news_vault.hours (station_id, time, type_id) → news_vault.stations (name); news_vault.news (2022 bulletins); local.uploaded_files (language_id, audio_length, status) ← local.transcripts (file_id, start_time, end_time, transcript) ; local.folder_languages (Language, code, station)

07 Data products to stand up first

PRODUCTS

Three of 8 candidates are the proposed first specifications, each needing preparation

01 Reference and master-data licensing is graded C. First task: isolate canonical reference fields and check completeness.

02 The content catalogue and recommendation corpus is graded C. First task: reconcile catalogue entries and remove identifiers.

03 Channel and telco engagement analytics is graded C. First task: aggregate by channel and time, then validate the metrics.

04 This shortlist is a recommendation, not a measured commercial ranking. Each needs a buyer-side fit review; no revenue is implied.

08 Decisions requested

DECISIONS

Ten decisions are requested, each resting on named evidence and none yet executed

01 Approve validation of tiering for 41.9 TiB of write-inactive object bytes. The benefit is bounded by 1,174.4 USD a month at list prices.

02 Approve content-hash confirmation of 7.7 TiB of duplicate candidates before any removal.

03 Approve reconciliation of 40 unreadable buckets with the provider.

04 Approve preparation of one bounded product, from the 529.5 staged audio hours or a shortlisted database product, with a named role and acceptance check.

EVIDENCE BY NAME

Executive decisions requested — one row each

No.	Decision requested	Exact source	Proposed destination or rule	Responsible role	Expected benefit
D1	Approve archive tiering of the cold object-store buckets	43 buckets, e.g. music-bucket-rms, na7p43do, na7p43js, na7p434j, na7p41hj	same buckets, archive storage class (proposed)	Head of Technology (storage owner)	up to 986 USD a month at list price
D2	Approve hash confirmation and removal of duplicate objects	na7p43do, na7p4oco, music-bucket-rms, 2024offairrecs (1,139,768 candidates across the store)	keeper stays in its bucket; duplicates removed after confirmation (proposed)	Head of Technology with the content librarian	up to 180 USD a month at list price
D3	Instruct reconciliation of the unreadable buckets	40 buckets, e.g. apr252017, citizen-vod, elections, feb272017, instore-radio-items	inventory register corrected (proposed)	Cloud account owner	an inventory the next census can trust

Each decision names the exact source it rests on, the action, the proposed destination or rule, who carries it, the benefit stated as an upper bound where it is money, the evidence it rests on and what still has to be verified.

[estimated] Receipt R02: Estate intelligence census eij-1b359b3cbd2e, cost_strategies priced at reference list prices, not the owner's invoice: Huawei Cloud RDS for MySQL cloud SSD AF-Johannesburg 0.00015 USD/GB-hour x 730 h; OBS Standard 0.023 USD/GB-month

EVIDENCE BY NAME

Executive decisions requested — one row each

No.	Decision requested	Exact source	Proposed	Responsible	Expected benefit

			destination or rule	role	
D10	Commission the de-identified reference products the census ranks first	the three leading product candidates in the census	product workspace (proposed)	Head of Data	first revenue-bearing use of the estate's data

Each decision names the exact source it rests on, the action, the proposed destination or rule, who carries it, the benefit stated as an upper bound where it is money, the evidence it rests on and what still has to be verified.

```
[estimated] Receipt R02: Estate intelligence census eij-1b359b3cbd2e, cost_strategies priced at reference list prices, not the owner's invoice: Huawei Cloud RDS for MySQL cloud SSD AF-Johannesburg 0.00015 USD/GB-hour x 730 h; OBS Standard 0.023 USD/GB-month
```


09 What remains unmeasured

COVERAGE

Coverage is bounded, and each gap has a specific task that would close it

01 Only 638 of 1006 tables were measured. A complete-pass census would firm up the sampled ratios; one connection awaits a read grant.

02 40 buckets could not be listed. Reconciling the inventory with the provider closes this.

03 43.6 TiB of file shares across 1.5m files lack content fingerprints, so duplication needs a fingerprinting pass.

04 3540 transcripts are unread, script language is unassessed, and workbench overlap needs a hash join.

WHAT TO DO FIRST

Validate the object-store economics first, then close the gaps, then prepare one product

01 First, test archive tiering on the 41.9 TiB of write-inactive buckets. Check read patterns and retrieval fees against the 1,174.4 USD monthly upper bound.

02 Second, confirm the 7.7 TiB of duplicate candidates by content hash. Remove nothing before then.

03 Third, reconcile the 40 unreadable buckets and fingerprint the 43.6 TiB of file shares.

04 Fourth, prepare one shortlisted product by aggregation or de-identification, with a buyer-side review.

05 Keep database cleanup of about 15.2 GiB as a separate, narrower workstream.

LIMITS OF THE EVIDENCE

Coverage, unreadable inventory and estimate quality limit how far the figures can be pushed

01 Only 638 of 1006 tables were measured. Do not extend the sampled 71.8% personal-data marker share to the whole estate.

02 40 buckets are unreadable, so their contents are unknown. Duplicate bytes of 7.7 TiB are candidates only.

03 The 1,174.4 USD monthly figure is a list-price upper bound. It excludes retrieval fees and is not the owner's invoice.

04 Audio and transcript readings are model readings, not human labels, and workbench overlap with the staged corpus is unmeasured.

COVERAGE AND LIMITS

What this pack covers, what it cannot say, and what would close each gap

COVERS

The admitted estate as measured by census eij-1b359b3cbd2e: 20 databases, 1,006 tables (351.3 GiB), the object store, the file shares, the staged language corpus read by both GPUs and the written-word databases read as aggregates. No row value, script or transcript text is in this pack.

CANNOT SAY	WHY	WHAT WOULD CLOSE IT
Duplicate, damage, empty-field and PII ratios on sampled tables	complete passes where the table allowed it, stratified samples elsewhere	a complete-pass census on the sampled tables
Semantic similarity between candidate datasets and the market	not measured; candidates are dimensional readiness only	a buyer-side review of each candidate against its intended use
Connection artists_app	could not be read (MySQL GRANT pending)	owner grants read access; re-census
NAS duplication	the enumeration recorded sizes and dates, not content fingerprints	a fingerprinting pass over the NAS shares
40 of 106 OBS buckets	unreachable (NoSuchBucket / client errors)	bucket inventory reconciled with the provider

APPENDIX

Exhibit index with receipts

R01	Estate intelligence census eij-1b359b3cbd2e, digest-verified report (measured 2026-09-29), headline aggregates and per-database measures
R02	Estate intelligence census eij-1b359b3cbd2e, cost_strategies priced at reference list prices, not the owner's invoice: Huawei Cloud RDS for MySQL cloud SSD AF-Johannesburg 0.00015 USD/GB-hour x 730 h; OBS Standard 0.023 USD/GB-month
R03	Estate intelligence census eij-1b359b3cbd2e, data_products readiness scoring (dimensions, grades, blockers)
R04	OBS bucket enumeration census run cr-f1415e395361 (22,975,591 objects, 130.3 TiB)
R05	NAS share enumeration census run cr-cf4eef79995b (1,456,787 files, 43.6 TiB)
R06	Estate language reading m9j-9e8fcb46a809 on akki-vm (2 GPUs, 1.034 GPU-h): audio language model lcj-7128593897d4 sha256 5c1feb8497e8…, music detector m9j-686de001bfe7 sha256 0fea3eee0393…; model readings, not human labels
R07	Served text language model m9j-74af7cef0a85 readings of the staged transcripts: jobs m9j-8cf6702f8718 (399 transcripts read,