

## Artifact manifest

### # Artifact Manifest v1 · Filed-Artifact Register

Owner ruling 2026-07-27: registers belong in the registers directory. One row per filed artifact. `.docx`` files are canonical; `.md`` mirrors are derived (marked as such). The wayfinding index at ``docs/mandates/MANIFEST.md`` and the generated YAML at ``docs/generated/mandate_specs/MANIFEST.yaml`` are NOT artifact registers and are not tracked here.

### ## Filed artifacts

| # | Path | SHA-256 | Byte size | Line count | Date filed | Filing dispatch reference | Class |
|---|------|---------|-----------|------------|------------|---------------------------|-------|
|---|------|---------|-----------|------------|------------|---------------------------|-------|

| --- | --- | --- | --- | --- | --- | --- | --- |
|-----|-----|-----|-----|-----|-----|-----|-----|
|-----|-----|-----|-----|-----|-----|-----|-----|

|   |                                                                          |                                                                                 |       |     |            |                                                                                     |        |
|---|--------------------------------------------------------------------------|---------------------------------------------------------------------------------|-------|-----|------------|-------------------------------------------------------------------------------------|--------|
| 1 | <code>`docs/rulings/owner_brief_blinded_assessment_2026-07-25.md`</code> | <code>`c5026ff4c6662877e198440278fd576ab63f846aa84d0cd40f2b87a0eea7dc17`</code> | 10671 | 110 | 2026-07-27 | Emission 1 blinding-brief filing rider · orchestrator dispatch d9jps7dmb8cc739sh9c0 | Ruling |
|---|--------------------------------------------------------------------------|---------------------------------------------------------------------------------|-------|-----|------------|-------------------------------------------------------------------------------------|--------|

|   |                                                      |                                                                                 |       |                |            |                                                                  |                     |
|---|------------------------------------------------------|---------------------------------------------------------------------------------|-------|----------------|------------|------------------------------------------------------------------|---------------------|
| 2 | <code>`docs/mandates/akki_role_register.docx`</code> | <code>`837f04ffa965d3a4d678660331bd14710cbc0e7d2c17823dc4a9541dc781d634`</code> | 22637 | (N/A — binary) | 2026-07-27 | Emission 1B Doc 1/3 · orchestrator dispatch d9jqs5cem9is739rsa2g | Mandate · canonical |
|---|------------------------------------------------------|---------------------------------------------------------------------------------|-------|----------------|------------|------------------------------------------------------------------|---------------------|

|   |                                                    |                                                                                 |       |     |            |                                                           |                          |
|---|----------------------------------------------------|---------------------------------------------------------------------------------|-------|-----|------------|-----------------------------------------------------------|--------------------------|
| 3 | <code>`docs/mandates/akki_role_register.md`</code> | <code>`471e1f4e578ec7aadf6edff11e898f44c459bfccdf7d63ddd3ee283fc0b65bd7`</code> | 29319 | 340 | 2026-07-27 | Emission 1B Doc 1/3 · header prepend d9jrebui4ous73fisdig | Mandate · derived mirror |
|---|----------------------------------------------------|---------------------------------------------------------------------------------|-------|-----|------------|-----------------------------------------------------------|--------------------------|

|   |                                                                          |                                                                                 |       |                |            |                                                                 |                     |
|---|--------------------------------------------------------------------------|---------------------------------------------------------------------------------|-------|----------------|------------|-----------------------------------------------------------------|---------------------|
| 4 | <code>`docs/mandates/akki_operating_model_product_spec_v2.0.docx`</code> | <code>`4c9301643bd8f37d3c62e998cf2f4531a4125a0da686f4a258827b7ec118b38e`</code> | 31288 | (N/A — binary) | 2026-07-27 | Emission 1B Doc 2/3 · orchestrator dispatch d9jqsa2dhbc738i7m80 | Mandate · canonical |
|---|--------------------------------------------------------------------------|---------------------------------------------------------------------------------|-------|----------------|------------|-----------------------------------------------------------------|---------------------|

|   |                                                                        |                                                                                 |       |     |            |                                                           |                          |
|---|------------------------------------------------------------------------|---------------------------------------------------------------------------------|-------|-----|------------|-----------------------------------------------------------|--------------------------|
| 5 | <code>`docs/mandates/akki_operating_model_product_spec_v2.0.md`</code> | <code>`20b4d305c26c1054c6c5cf49ae4d542a16e3579b2eddea1bdc04ec6450ceee4f`</code> | 42275 | 446 | 2026-07-27 | Emission 1B Doc 2/3 · header prepend d9jrebui4ous73fisdig | Mandate · derived mirror |
|---|------------------------------------------------------------------------|---------------------------------------------------------------------------------|-------|-----|------------|-----------------------------------------------------------|--------------------------|

|   |                                                                          |                                                                                 |       |                |            |                                                                  |                     |
|---|--------------------------------------------------------------------------|---------------------------------------------------------------------------------|-------|----------------|------------|------------------------------------------------------------------|---------------------|
| 6 | <code>`docs/mandates/akki_analyze_codebase_acquisition_v1.0.docx`</code> | <code>`9e33f832679daaf32eeb288b0943de56e32e501225c1447ae4e9b66b8f3e508e`</code> | 15513 | (N/A — binary) | 2026-07-27 | Emission 1B Doc 3/3 · orchestrator dispatch d9jqse36622c73d31f50 | Mandate · canonical |
|---|--------------------------------------------------------------------------|---------------------------------------------------------------------------------|-------|----------------|------------|------------------------------------------------------------------|---------------------|

| 7 | `docs/mandates/akki\_analyze\_codebase\_acquisition\_v1.0.md` |  
`76b2998e7b9075efd703fbd246d1dd048a4bfe6c5af7d1818973fe3e2a2ebd7d` | 8766 | 110 |  
2026-07-27 | Emission 1B Doc 3/3 · header prepend d9jrebui4ous73fisdig | Mandate · derived  
mirror |

| 8 | `docs/mandates/akki\_source\_condition\_spec.docx` | NOT PRESENT | NOT PRESENT |  
NOT PRESENT | pending | orchestrator dispatch d9jre5cem9is739rsen0 · fetch completed to  
`/tmp` in prior turn · superseded by later dispatch before .docx move | Mandate · canonical  
(pending) |

| 9 | `docs/mandates/akki\_source\_condition\_spec.md` | NOT PRESENT | NOT PRESENT |  
NOT PRESENT | pending | orchestrator dispatch d9jre5cem9is739rsen0 · pending .docx move  
+ python-docx conversion + header prepend | Mandate · derived mirror (pending) |

| 10 | `docs/mandates/akki\_condition\_coverage\_amendment\_v1.0.docx` | NOT PRESENT |  
NOT PRESENT | NOT PRESENT | pending | orchestrator dispatch d9jre7r6622c73d31khg ·  
fetch not initiated | Mandate · canonical (pending) |

| 11 | `docs/mandates/akki\_condition\_coverage\_amendment\_v1.0.md` | NOT PRESENT | NOT  
PRESENT | NOT PRESENT | pending | orchestrator dispatch d9jre7r6622c73d31khg · pending  
full pipeline | Mandate · derived mirror (pending) |

| 12 | `docs/handoff/frontend\_uiux\_brief\_v1\_2026-07-27.docx` |  
`2242631548ae5f6edc9401d8470ab61567aa88ba3c9d4ca11f01b5f1e7a11b08` | 60723 | (N/A  
— binary) | 2026-07-27 | Frontend UI/UX brief v1 · doc-only atomic · orchestrator dispatch  
d9mb-uiux-brief-v1-2026-07-27 | Handoff · canonical |

| 13 | `docs/handoff/frontend\_uiux\_brief\_v1\_2026-07-27.md` |  
`4cae46edb9b2e2ed4da2364154c344abf835bae3a0d49fa3e430ec34e07f7001` | 52346 | 721 |  
2026-07-27 | Frontend UI/UX brief v1 · doc-only atomic · orchestrator dispatch  
d9mb-uiux-brief-v1-2026-07-27 | Handoff · derived mirror |

## Backfill · SHAs harvested from close reports

Backfill scope: on-disk artifacts whose SHAs are cited in existing close reports at  
`docs/close\_reports/\*.md` and `docs/rulings/\*.md`. Each row's SHA has been re-hashed live via  
`sha256sum` and reflects current on-disk bytes. Where the on-disk SHA diverges from a  
close-report-cited SHA, the on-disk SHA is authoritative (register anchors to live bytes, not to  
legacy report citations); divergences are called out in the drift note at row-tail.

| # | Path | SHA-256 | Byte size | Line count | Date filed | Filing dispatch reference | Class |

|---:|---|---|---:|---|---|---|

| B-1 | `docs/rulings/owner\_change\_order\_2026-07-25.md` |  
`33b16441025ac0bc757fd92f770252d30f0e63de4e4609c635be3ce9252fa568` | 17141 | 138 |

2026-07-25 | Owner change order landing 2026-07-25 · sanction anchor for A1..A8 amendments | Ruling |

| B-2 | `docs/close\_reports/change\_order\_2026\_07\_25.md` |  
`8def7256f1be9768bcd3fe93106056a7e83fe62e46f8824e0f95d664dc8ec539` | 19443 | 136 |  
2026-07-25 | Change order execution close · appends 7 rows to  
`docs/mandates/MANIFEST.md` | Close report |

| B-3 | `docs/close\_reports/g\_13.md` |  
`962de8859b9d35971df6998c43e0f31d24f45cc3d31fe997a0d8987854a7d613` | 25452 | 336 |  
2026-07-25 | G-13 execution atomic close (post-G-13 · Parity 33→34 seal at MandateSpec@v0  
· UI-1 forward instruction) | Close report |

| B-4 | `docs/close\_reports/g2\_registry\_maintenance.md` |  
`7713146daa3e855fbc9df0d14f274ca33b0b1901dc10a508911bfbc8d537ca8` | 17282 | 213 |  
2026-07-14 | G2 registry maintenance close · Registry v1 §M sidecar-pattern authority | Close  
report |

| B-5 | `docs/close\_reports/g3\_operating\_values\_v1\_1.md` |  
`0a91e1b4b72b00593a8c3a770615efae0ef150e1016bbaf906bbe62d9853ce3e` | 19489 | 214 |  
2026-07-15 | G3 operating values v1.1 close | Close report |

| B-6 | `docs/close\_reports/phase\_8\_b\_3.md` |  
`a31b5a9d43c0563140a73762789f765390187052ebd4e24b47d9bb6a528f7215` | 14349 | 176 |  
2026-07-04 | Phase 8 Stage B-3 close · engineer key-grant ledger machinery. \*\*Drift note:\*\*  
close-report body cites self-SHA  
`c2863974bf52f69ff8b7256ad1bae07854a546526672c2d099305a98d01bec22` at line 139;  
current on-disk SHA differs · expected post-close-append drift per §7 Stage-A convention ·  
register anchors to live on-disk bytes. | Close report |

| B-7 | `docs/registry/function\_promise\_registry\_v1.md` |  
`d6ad136f65426c0f86df2227a540aac8142b24dd0cbb015b71ef2991a7a6718a` | 133379 | 671 |  
2026-07-14 | G2 registry maintenance close · foreign-key anchor for R4 sidecars · byte-identical  
to close-report-cited SHA (zero drift) | Registry |

| B-8 | `docs/registers/phase\_ledger\_v1.md` |  
`0dc8705ed83123fa8a0da0d6fc6d3fa1f38ed8a0b065a15149310acfcf32a95c` | 52877 | 174 |  
2026-07-25 (latest transition · UI-1 Stage A landing) | Phase ledger v1 · §1 closed (42) · §2  
open (1 · UI-1) · §3 defined-undispatched (2) · §4 terminal figure 42/46 = 91.3% | Register |

| B-9 | `docs/registers/owner\_decisions\_v1.md` |  
`e3ac235e90e2f6ded40f8e21ea19fa2b401eaf091d56e4bcccfa278dd85506e8` | 10755 | 112 |  
2026-07-24 (latest append) | Owner decision register v1 (OD-\* entries) | Register |

| B-10 | `backend/tests/invariants/admission\_refusal.contract\_snapshot.json` |  
`99381316dc71bf8f97acb36706bdfb057cb14c2da9ef1d32639aa788d72d67fb` | 2995 | 68 |

2026-07-04 | Phase 4a Stage B close · AdmissionRefusal@v0 snapshot · byte-identical to close-report-cited SHA (zero drift) | Contract snapshot |

| B-11 | `backend/tests/invariants/composed\_conclusion.contract\_snapshot.json` |  
`a85eaf95349befdacdaf6d88804474df137299a6250cc5e8cababb2670fb00fb` | 3325 | 64 |  
2026-07-04 | Phase 4b close · ComposedConclusion@v0 snapshot · byte-identical to close-report-cited SHA (zero drift) | Contract snapshot |

| B-12 | `backend/services/service\_1/admission\_refusal\_reasons.v0.json` |  
`81b56ddff72bedb8cc0f2111e3a03474080e9c7e268a780f4717275ae62f1a59` | 665 | 11 |  
2026-07-04 | Phase 4a Stage B close · admission-refusal reasons registry v0 · byte-identical to close-report-cited SHA (zero drift) | Data registry |

## Backfill · candidates not on disk (surfaced for Owner attention)

The following SHAs are cited in close reports but the referenced paths are NOT PRESENT on disk. Recorded here for Owner-side reconciliation (they may have been moved, renamed, or shaved subsequent to the citing close report):

| Cited SHA | Cited path | Source close report | Status |

|---|---|---|---|

| `0d3f6de687c1543a61822e460cda93e0fb1d7208be39cc9a9518005abd24b1a7` |  
`backend/contracts/mandate\_spec.py` (inferred from G-13 close report §12 · MandateSpec@v0 contract SHA) | `docs/close\_reports/g\_13.md:112` | NOT PRESENT at expected path · file may have been renamed or relocated post-G-13; parity-34 seal event referenced this contract, so the contract exists somewhere under `/app/backend/contracts/` but path resolution is beyond this dispatch's read scope · flagged for Owner reconciliation |

| `5eb216b93d20264338e31a00c3615a985e3cc38bd8aa28a66b01e19ea34ac1e3` |  
`backend/tests/invariants/mandate\_spec.contract\_snapshot.json` (inferred) |  
`docs/close\_reports/g\_13.md:113` | NOT PRESENT at expected path · same reconciliation note as above |

## Register discipline notes

1. **Path convention:** All paths in this register are repo-relative (starting from `docs/` or `backend/`), matching the convention in `docs/mandates/MANIFEST.md`. Absolute `/app/` prefix is stripped for portability.
2. **Byte size for .docx entries:** `.docx` files are OOXML/ZIP binaries. "Line count" is not meaningful; marked `(N/A — binary)`. Byte size (`wc -c`) is authoritative for `.docx`; SHA-256 is the canonical fingerprint.

3. **\*\*Line count for .md entries:\*\*** `wc -l` is authoritative for `.md` files. Post-header-prepend rows (3, 5, 7) reflect current line counts (338→340, 444→446, 108→110 · +2 per file for the mandated `> Derived searchable mirror. The .docx is canonical.` header + blank separator).

4. **\*\*Register-append discipline:\*\*** New artifact filings append rows to this table; existing rows are never rewritten in-place. Any SHA change to an already-registered artifact requires a Standing Owner Disposition on whether to (a) append a supersession row, (b) close the artifact under a rollback event, or (c) treat the change as byte-identical restoration with attest.

5. **\*\*Wayfinding-index cross-reference:\*\*** `docs/mandates/MANIFEST.md` (SHA `c11af311b23b1251e5c7a4c7a93abfd6068fb8082bc70f6b5397365ce2752bce` · 96 lines · authored under the Substrate-Drop v2 authoring-direction-inverted rule) is a wayfinding index scoped to mandate/spec `.md` files under `/app/docs/mandates/\*.md`. It is NOT an artifact register and is NOT tracked here. The generated YAML at `docs/generated/mandate\_specs/MANIFEST.yaml` (SHA `1b62012b06ae8decacd4f64bdc2a32c48b716a04800e5c84b74559ba0b8e72f3` · 12 lines · `# GENERATED · DO NOT EDIT`) is auto-derived from the wayfinding index and is likewise NOT tracked here.

6. **\*\*Owner dispatch references:\*\*** The "Filing dispatch reference" column carries orchestrator dispatch IDs where supplied by Owner in the filing dispatch. For backfilled rows, the reference points to the close report that authoritatively cited the SHA.

UI\_1...

# UI-1 · Stage A · Use Data Module Surface at Designer-Brief Depth (post-A1 supersession of Extraction Console)

**\*\*Sequence position:\*\*** ITEM 7 sequence position 6 of 7.

**\*\*Landing date:\*\*** 2026-07-25.

**\*\*D-9 auto-proceed:\*\*** from G-13 execution atomic close 2026-07-25

(`docs/close\_reports/g\_13.md` · SHA `962de8859b9d35971df6998c43e0f31d24f45cc3d31fe997a0d8987854a7d613`). Owner ruling `docs/rulings/g\_13\_e1\_e2\_e3\_2026\_07\_25.md` §Motion verbatim: **\*\*then D-9 to UI-1 Stage A under the forward instruction above.\*\***

**\*\*Sanction anchors:\*\*** `docs/mandates/RMS\_UI\_Specification\_v2\_2.md` §2.1 + §3 (Extraction Console) — filed canon SHA

`d681c6cd399dd5691d7516015f5fe12d1251414efef6290bb008658c22e40cda`; **\*\*superseded at surface layer by\*\*** `docs/mandates/module\_specs/use\_data\_module\_v1\_2026\_07\_25.md` — filed canon SHA `4bb725703652cf11a569d53118339c79c607e1f0e66fa5703821768b130ee6bd` (Change Order A1 · 2026-07-25).

**\*\*Standing Rule v3:\*\*** held. **\*\*Parity 34:\*\*** held byte-identical this Stage A (Stage A landing is doc-only; any contract touch executes at execution atomic under Owner ruling).

---

## §1 · Purpose + scope (Owner-verbatim absorption of A1 + UI-Spec v2.2 · filed-canon-only)

### §1.1 · UI-1 dispatch scope verbatim (Owner)

Owner UI-1 STAGE A DISPATCH §2 verbatim:

> "Original UI-Spec v2.2 §2.1 named 'Extraction Console → Designer Brief depth.' Change Order A1 **\*\*supersedes Extract surface layer with Use Data Module Specification\*\***. UI-1 Stage A must reconcile scope against the A1 landing:

> - Original: Extraction Console designer-brief-depth landings

> - **\*\*Post-A1 filed canon\*\***: Use Data Module surface layer at designer-brief depth · scope = whatever A1 defines as the Use Data surface (D-11 read A1 verbatim at §1 body).

> Any spec vs A1 divergence surfaces as CONFLICT row at §5 · silent resolution forbidden."

### §1.2 · A1 · Use Data Module verbatim absorption (D-11 read of  
`use\_data\_module\_v1\_2026\_07\_25.md` · SHA `4bb725703652cf11...`)

**\*\*A1.1 Nav restructure (verbatim):\*\*** **\*\*"**The module formerly named Extract is renamed Use Data. Nav order: Connect · Registry · Use Data · Govern · Prove · Team. The Use Data landing is an intent router with exactly three doors: 1. Integrate an App — applications and agent workflows on governed intelligence. 2. Export / License Data — produce and ship datasets under the rights they carry. 3. Train a Model — train on the estate; use the result in an app or export it. There is no fourth door. Below the doors, the landing shows the shared pipeline in user language per A1.4.**\*\*"**

**\*\*A1.2 Conversational wizard (verbatim ruled 2026-07-25):\*\*** **\*\*"**All three doors open the same conversational wizard, schema pre-seeded per door. One dialogue surface; the former stages are the schema behind the conversation, not screens. Split view once substance exists: conversation right (~60%), live cards left (~40%): Reflection card · Intel cards · Plan preview card · Sample results card · Commission card. Governance line (verbatim, binding): conversation shapes; the card commits. Every governed value — evidence floor, rights posture, budget ceiling, price/acceptance — is confirmed on the structured Commission card; none is inferred from dialogue and silently committed. Entries unchanged: Registry opportunity and Prove gap-queue entries open the same conversation pre-seeded, Reflection card partial.**\*\*"**

**\*\*A1.3 Test Bench (verbatim):\*\*** **\*\*"**The Test Bench is not a door and not a screen. Its capability lands as a conversation branch: the agent offers parameter testing on a sample; accepting opens a Test card (parameters → observed quality and cost per 1,000); every test run receipted; a winning configuration promotes into the Reflection card in one action.**\*\*"**

**\*\*A1.4 User-facing pipeline vocabulary (verbatim):\*\*** **\*\*"**General users see two sections: In progress (commissioned work: plain status, cost against ceiling, holds rendered as 'Held for a check' with plain-language reason — quarantine honesty preserved verbatim) and Ready

(finished artifacts, each carrying Use in an app / Export, rights-checked at the point of click; blocked attempts state 'this attempt is receipted'). The Train-a-Model output fork lives at the Ready artifact, not in the wizard. Internal vocabulary (My Objectives, Run Tracking, Extracted Intel) is retired from the general-user surface; the underlying objects and their detail views persist beneath the new vocabulary."

**\*\*A1.5 Role gating (verbatim):\*\*** "Model Acceptance decisions (and the A2 hold-resolution surface) are approver/DPO-role surfaces, absent from the general-user nav. Govern remains DPO-scoped; Public Receipt generation remains DPO-only."

**\*\*A1.6 Developer Surface (verbatim):\*\*** "The Developer Surface is the post-commission management view of an Integrate-an-App item (scoped key · webhook · event type · status · usage strip · 'every call lands in the record the DPO reads'), reached from the item's row — not a nav module."

**\*\*A1.7 Reference renames (verbatim):\*\*** "'Shape this objective' → 'Put this to work' (Registry opportunity CTA). 'Queue this gap' retains its name (already user-language). 'Extend scope' retains its behavior: re-opens the conversation on scope; additions always generate a new quote cycle. Cancel: no reason required; references quote cancellation terms; completed work retained."

**\*\*A1.8 UI-2 grammar binding (verbatim · out-of-scope this atomic · attested at §7):\*\*** "The split-view conversational grammar and the shapes/commits line extend to any commissioning dialogue in the Integration Console at UI-2; key issuance, webhook, and event configuration remain structured surfaces. Specifics ruled at UI-2 Stage A."

### §1.3 · UI-1 in-scope surface inventory (post-A1 supersession applied · filed canon only)

| # | Surface | Class | A1 anchor | UI-Spec v2.2 predecessor (SUPERSEDED at surface layer) | Motion (SJM v1) |

|---|---|---|---|---|

| 1 | Use Data landing (intent router · 3 doors + In progress + Ready sections) | Frontend page + backend read | A1.1 + A1.4 | §3.1 Home (Extraction Console) | E · Exploration |

| 2 | Conversational wizard (split view · Reflection + Intel + Plan preview + Sample + Commission cards) | Frontend page + backend endpoints | A1.2 | §3.2 Commission (chat + draft rail) | C · Consumption |

| 3 | Test Bench conversation branch (Test card · promote to Reflection) | Frontend inline component | A1.3 | (nil — new surface layer) | C · Consumption |

| 4 | Commission card admissibility gate render (rights · privacy floor · PII posture · budget · scope resolvability · refusal specific-rule-named · Held-for-a-check flag pass) | Frontend component + backend admissibility evaluator surface | A2.2 (co-consumed) + A1.2 | §3.3 Freeze (superseded — no separate freeze screen; Commission card is the freeze surface) | C · Consumption |

| 5 | Held-for-a-check DPO/approver surface (single-person resolve pattern per A2.2) | Frontend

page + backend read | A1.5 + A2.2 verbatim: **""Held for a check,' resolved by the single-person pattern (Quarantine's), by the DPO or delegate""** | (nil — approver/DPO route · absent from general-user nav) | V · Verification |  
| 6 | Ready artifacts view (Use in an app · Export · Train-a-Model output fork · blocked-attempt receipt banner) | Frontend page | A1.4 verbatim | §3.6 Quality observation (existing extraction elements re-named as Ready-artifact rows) | E · Exploration |  
| 7 | Developer Surface (post-commission management view of Integrate-an-App item · scoped key · webhook · event type · status · usage strip) | Frontend component + backend read | A1.6 verbatim | §5.3 Integration Console Administer (integration-substrate surface — re-entered per A1.6 as post-commission item row · UI-2 finalizes) | C · Consumption |  
| 8 | Ceiling-countersign UI state ("Pending policy check" chip per A2.3) | Frontend chip component | A2.3 verbatim + A8.2 verbatim: **""the 'Pending policy check' chip's flow = A2.3 countersign; UI builds the state per A2.3; no other semantics attach""** | (nil — A2 amendment surface) | C · Consumption |  
| 9 | Reference renames + Cancel flow ("Put this to work" · "Queue this gap" retained · "Extend scope" reopens conversation · Cancel no-reason-required) | Frontend copy + interaction | A1.7 verbatim | §3.2 CTA copy (superseded) | C · Consumption |

**\*\*Out-of-builder-scope (fences carried at §7):\*\***

\* **\*\*UI-2 · Integration Console + S1 memory plane\*\*** (sequence position 7 · Owner UI-2 forward instruction pending) — A1.8 UI-2 grammar binding is **""specifics ruled at UI-2 Stage A""**; UI-1 does not enact UI-2 surfaces.

\* **\*\*Connect · Registry · Govern · Prove · Team modules\*\*** — nav-siblings to Use Data · out-of-scope this atomic per A1.1 nav enumeration only (no re-authoring).

\* **\*\*Model Acceptance surface\*\*** — approver/DPO-role surface per A1.5 · UI-1 renders it only as a link-out from Ready-artifact rows for trained models · no in-console composition.

\* **\*\*Public Receipt generation\*\*** — DPO-only per A1.5 · out-of-scope.

\* **\*\*Change-a-Rule ceremony\*\*** (A2.3 above-ceiling countersign uses a related but distinct DPO countersign; the Change-a-Rule two-approval + waiting-period ceremony itself lives at Govern · Lane 2b).

\* **\*\*Second Owner Change Order pending\*\*** (Connect landing restructure · mapping relocation to source profiles · infrastructure/governance surface separation · other post-A1 product decisions) — **\*\*NOT filed canon\*\*** · zero consumption · zero anticipation · zero reconciliation · collisions surfaced as CONFLICT rows at §5.

**### §1.4 · Post-amendment canon reconciliation (A1..A8 disposition against UI-1 scope)**

Per Change Order 2026-07-25 (`docs/rulings/owner\_change\_order\_2026-07-25.md` · SHA `33b16441025ac0bc757fd92f770252d30f0e63de4e4609c635be3ce9252fa568`):

| Amendment | UI-1 scope contact | Disposition |

|---|---|---|

| **\*\*A1 · Use Data (module spec)\*\*** — SHA `4bb725703652cf11...` | Direct supersession of UI-Spec v2.2 §3.2 Commission surface + §3.1 Home + §3.3 Freeze layer; adds A1.6 Developer



Surface, A1.5 role-gated Held queue, A1.4 In-progress/Ready vocabulary | **\*\*Consumed verbatim as UI-1 primary source of truth\*\*** — every UI-1 surface at §1.3 traces to an A1 sub-clause. |

| **\*\*A2 · Approval Inversion (module spec)\*\*** — SHA `14fc3b22171bb086...` | Commission card admissibility 5-gate render (A2.2 verbatim); "Held for a check" surface + single-person resolve pattern (A2.2); Ceiling-countersign UI state (A2.3 · "Pending policy check" chip per A8.2 verbatim) | **\*\*Consumed verbatim\*\*** — no Change-a-Rule ceremony authoring (Lane 2b · Govern module out-of-scope). |

| **\*\*A3 · Rules Taxonomy (governance)\*\*** — SHA `63862a0375263e0b...` | Every UI-1 parameter classified per A3.4; every gate cell classified Class S; every DEFAULT-class UI parameter Class E; admissibility rule identifiers (A2.2 five gates) surfaced as Class O rule-record refs (rendered · not authored) | **\*\*Applied at §4 + §5.5 · Rules Taxonomy classification table lands per Critic-pass / G-13 precedent.\*\*** |

| **\*\*A4 · Govern module amendments\*\*** | UI-1 does not enact Govern surfaces | **\*\*No conflict\*\*** — Lane 2b · Govern out-of-scope. |

| **\*\*A5 · Connect module amendments\*\*** | UI-1 does not enact Connect surfaces (nav-sibling only) | **\*\*No conflict\*\*** — Lane 2b · Connect out-of-scope. |

| **\*\*A6 · Prove module (cross-reference only)\*\*** | Prove gap-queue entries open the UI-1 conversational wizard pre-seeded (A1.2 verbatim) — UI-1 surfaces the entry-point handoff but does not enact Prove surfaces themselves | **\*\*Applied · handoff-only\*\*** — DB-1/DB-2 items remain Prove Lane 2b · out-of-scope. |

| **\*\*A7 · User Stories Delta\*\*** — SHA `2f15ab2bade87bc3...` | 8 new stories directly bind UI-1 surfaces: (1) three-door entry through same governed conversation · (2) rule-violation refusal at Commission card with specific rule named · (3) DPO resolves held commissions from one surface · (4) ceiling countersign wait · (5) protection-registry upload via diff (Lane 2b) · (6) registry-version-in-force stamp · (7) engine-setting version-bump discipline · (8) trained model at Ready with inherited rights | **\*\*Consumed\*\*** — user stories (1)-(4), (6), (8) drive UI-1 surfaces; (5), (7) out-of-scope (Lane 2b / engineering). |

| **\*\*A8 · Cross-Cutting Record\*\*** — SHA `7e364ed98912aafa...` | A8.1 (prototype/design-brief consumed as NOTHING) + A8.2 (Pending-policy-check chip = A2.3 countersign · no other semantics) + A8.3 (Commercial Thesis Owner-side · out-of-UI-1 scope) + A8.5 (Provisional-anchor label discipline on all bands) | **\*\*Applied\*\*** — A8.1 attested at §7 · A8.2 attested at §1.3 row 8 + gate G-10 · A8.5 applied to every band figure at §2. |

**\*\*Zero HAZARD-STOP against filed canon.\*\*** Unfiled second Change Order collisions surfaced as CONFLICT rows at §5.

### §1.5 · Filed-canon-only discipline attest (Owner G-13 forward instruction · binding NOW)

**\*\*Owner G-13 ruling verbatim (SHA `6abdde0072affbe4...`):\*\***

> "UI-1 consumes filed canon only — the change order's A1 Use Data supersession as landed, with the §0-CAL gate-cell roster firing as you note. Be aware a second Owner change order is pending covering post-A1 product decisions (Connect landing restructure, mapping relocation to

source profiles, infrastructure/governance surface separation, among others) that exist in Owner-side session record but are not yet filed canon. UI-1's Stage A must not consume them, anticipate them, or reconcile against them; where its scope visibly collides with an unfiled pending decision, it surfaces the collision as a CONFLICT row for ruling rather than guessing in either direction. Extraction-Console scope should collide little, but the rule is stated so zero ambiguity survives contact."

**\*\*Attest carried this Stage A:\*\***

**\* \*\*Files read as filed canon\*\*** (see §9 read log for SHAs): A1 Use Data module spec · A2 Approval Inversion · A3 Rules Taxonomy · A7 User Stories Delta · A8 Cross-Cutting Record · UI Spec v2.2 · UX Architecture v2 · Surface Journey Map v1 · Registry v1 · tiered ruling model (§23 §0-CAL) · Owner G-13 ruling · G-13 close report · G-13 Stage A precedent · EAB-3 Stage A precedent · Critic-pass Stage A precedent.

**\* \*\*Files NOT consumed\*\*** (unfiled canon fence): any Owner-side session record content re: Connect landing restructure · mapping relocation to source profiles · infrastructure/governance surface separation · other post-A1 pending decisions. **\*\*Zero read · zero anticipation · zero reconciliation\*\*** of unfiled decisions.

**\* \*\*Collision-surfacing discipline:\*\*** where a UI-1 scope requirement plausibly collides with a pending unfiled decision the builder is aware of by mere mention in the Owner UI-1 DISPATCH text, the collision is surfaced as a **\*\*CONFLICT row at §5.6\*\*** for Owner ruling · zero guess in either direction.

**### §1.6 · No-split rationale + Tier-2 threshold-adjacent disclosure**

Per phase-ledger sequence discipline · UI-1 co-lands the 9 in-scope surfaces at §1.3 as **\*\*one Stage A → Owner ruling → execution atomic → close\*\***.

**\*\*Tier-2 threshold-adjacent disclosure** (per `docs/governance/tiered\_ruling\_model.md` §2.1 · §4.2 pre-authorized split threshold: 1,500 LoC / 60 cells): **\*\*the aggregate band at §2 is 1,240–2,000 LoC (band-high above threshold) · 44–64 cells (band-high above threshold). \*\***If at execution-atomic time the implementation exceeds 1,500 LoC or 60 cells, pre-authorized split fires: **\*\*Split A = Use Data landing + Conversational wizard + Commission card + Reference renames/Cancel + Ceiling-countersign chip (surfaces 1, 2, 4, 8, 9 · Motion C acquisition + Motion E landing). \* Split B = Held-for-a-check DPO surface + Ready-artifacts view + Developer Surface + Test Bench branch (surfaces 3, 5, 6, 7 · Motion V governance + Motion C post-commission integration). \* Per Tier-2 discipline (§9` verbatim: "a miss is a line in the close, not a halt") — \*\*no Owner ruling required this Stage A\*\***. Split executes automatically at execution atomic if threshold hit; disclosure line lands in close report either way.

**\*\*Verbatim tag applied to threshold figures too:\*\*** 1,500 LoC / 60 cells · **\*\*Provisional planning anchor — not a commitment. Relative weight only.\*\***

---

## §2 · Band (Owner-verbatim tag on every figure · no exceptions · A8.5 Provisional-anchor discipline)

Per `docs/governance/tiered\_ruling\_model.md` §9 (raw LoC verdict-unit ruling) and §2.1 / §4.2 (pre-authorized split threshold: 1,500 LoC / 60 cells · Tier 2 · disclosure-not-blocking). Rate ledger applied (12 LoC/cell backend Pytest · 9 LoC/cell Playwright · 16 LoC/cell frontend Jest).

**\*\*Every LoC figure · cell-count figure · band figure below carries the Owner-mandated verbatim tag\*\*** (Owner Configuration Dispatch §4.STEP-5 + Owner HAZARD-STOP ruling §5.5 + Owner UI-1 STAGE A DISPATCH §8): **\*\*\*Provisional planning anchor — not a commitment. Relative weight only.\*\*\*** No exceptions.

| Surface | LoC low | LoC high | Cell count low | Cell count high | Note |  
|---|---|---|---|---|---|  
| Use Data landing (intent router · 3 doors + In progress + Ready) | 200 | 350 | 4 | 7 |  
`frontend/src/pages/use\_data/UseDataLandingPage.jsx` + In-progress + Ready row-list components · Jest + Playwright cells |  
| Conversational wizard (split view · 5 card family · commit) | 400 | 600 | 8 | 14 |  
`frontend/src/pages/use\_data/ConversationalWizardPage.jsx` +  
`frontend/src/pages/use\_data/cards/{Reflection,Intel,PlanPreview,SampleResults,Commission}Card.jsx` + backend session state endpoint |  
| Test Bench branch (Test card · promote-to-Reflection action) | 100 | 180 | 2 | 4 |  
`frontend/src/pages/use\_data/cards/TestCard.jsx` + inline promote-handler cell |  
| Commission card admissibility gate render (5-gate + refusal specific-rule-name + Held-for-a-check flag) | 120 | 200 | 4 | 7 | Component cells + backend admissibility evaluator surface (surface layer only — machinery per A2.2 rides existing backend gates) |  
| Held-for-a-check DPO surface (single-person resolve · role-gated) | 150 | 250 | 3 | 6 |  
`frontend/src/pages/use\_data/HeldForCheckPage.jsx` + role-guard hook + backend read endpoint · **\*\*CR-3 collision surface (see §5.6)\*\*** |  
| Ready artifacts view (Use in an app · Export · Train-a-Model fork · blocked-attempt receipt) | 100 | 180 | 3 | 6 |  
`frontend/src/pages/use\_data/ReadyArtifactsPage.jsx` + row component + rights-check-at-click gate cell |  
| Developer Surface (post-commission Integrate-an-App item view) | 100 | 180 | 2 | 4 |  
`frontend/src/pages/use\_data/DeveloperSurfaceView.jsx` (component-level per A1.6 · reached from row · not a nav module) |  
| Ceiling-countersign chip ("Pending policy check" per A2.3 + A8.2) | 40 | 80 | 2 | 4 |  
`frontend/src/components/PendingPolicyCheckChip.jsx` + AST-guard cell for A8.2 no-other-semantics discipline |  
| Reference renames + Cancel flow ("Put this to work" · Extend scope re-opens · Cancel no-reason) | 30 | 60 | 2 | 4 | BINDING COPY cells (charCodeAt AST guards) + Cancel-flow route + Extend-scope re-open handler |  
| Backend admissibility-evaluator surface layer (thin wrapper over existing gate machinery) | — | — | 4 | 8 |  
`backend/services/use\_data/admissibility\_surface.py` — surface layer only · consumes existing A2.2 gate primitives · new endpoints for wizard-driven commission (contract

touch = \*\*Tier-1 surface E1 at \$5.1\*\* |  
 | Backend held-queue read endpoint | — | — | 3 | 5 |  
 `backend/routers/use\_data.py::list\_held\_commissions` + role-gate service call |  
 | Backend LoC subtotal (routers + service layer + surface glue) | 260 | 460 | — | — | Included in  
 per-row cell counts above |  
 | Frontend LoC subtotal (pages + components + BINDING COPY guards) | 1,240 | 2,000 | — |  
 — | Included in per-row cell counts above |  
 | \*\*Total band estimate\*\* | \*\*1,500\*\* | \*\*2,460\*\* | \*\*37\*\* | \*\*69\*\* | \*\*Provisional planning anchor  
 — not a commitment. Relative weight only.\*\* |

\*\*Verbatim per-figure tags (explicit inline · no exceptions):\*\*

\* Use Data landing LoC low 200 · high 350 · cells 4..7 · \*\*Provisional planning anchor — not a  
 commitment. Relative weight only.\*\*  
 \* Conversational wizard LoC low 400 · high 600 · cells 8..14 · \*\*Provisional planning anchor —  
 not a commitment. Relative weight only.\*\*  
 \* Test Bench branch LoC low 100 · high 180 · cells 2..4 · \*\*Provisional planning anchor — not a  
 commitment. Relative weight only.\*\*  
 \* Commission card admissibility render LoC low 120 · high 200 · cells 4..7 · \*\*Provisional  
 planning anchor — not a commitment. Relative weight only.\*\*  
 \* Held-for-a-check DPO surface LoC low 150 · high 250 · cells 3..6 · \*\*Provisional planning  
 anchor — not a commitment. Relative weight only.\*\*  
 \* Ready artifacts view LoC low 100 · high 180 · cells 3..6 · \*\*Provisional planning anchor — not  
 a commitment. Relative weight only.\*\*  
 \* Developer Surface LoC low 100 · high 180 · cells 2..4 · \*\*Provisional planning anchor — not a  
 commitment. Relative weight only.\*\*  
 \* Ceiling-countersign chip LoC low 40 · high 80 · cells 2..4 · \*\*Provisional planning anchor — not  
 a commitment. Relative weight only.\*\*  
 \* Reference renames + Cancel flow LoC low 30 · high 60 · cells 2..4 · \*\*Provisional planning  
 anchor — not a commitment. Relative weight only.\*\*  
 \* Backend admissibility-evaluator surface layer cells 4..8 · \*\*Provisional planning anchor — not  
 a commitment. Relative weight only.\*\*  
 \* Backend held-queue read endpoint cells 3..5 · \*\*Provisional planning anchor — not a  
 commitment. Relative weight only.\*\*  
 \* Frontend LoC subtotal 1,240..2,000 · \*\*Provisional planning anchor — not a commitment.  
 Relative weight only.\*\*  
 \* Backend LoC subtotal 260..460 · \*\*Provisional planning anchor — not a commitment. Relative  
 weight only.\*\*  
 \* Total band 1,500..2,460 LoC · 37..69 cells · \*\*Provisional planning anchor — not a  
 commitment. Relative weight only.\*\*

\*\*Split threshold disclosure (Tier 2 · pre-authorized · §2.1 / §4.2 tiered ruling model ·  
 one-paragraph "if X, then split" statement per §2.2):\*\*

Total band high 2,460 LoC \*\*exceeds\*\* 1,500 LoC threshold; total band high 69 cells

**\*\*exceeds\*\*** 60-cell threshold. **\*\*If** at execution-atomic time the implementation exceeds 1,500 LoC or 60 cells, pre-authorized split fires automatically per §4.2 tiered ruling discipline: Split A = surfaces 1, 2, 4, 8, 9 (Motion C acquisition + Motion E landing · Use Data landing + Conversational wizard + Commission card + Ceiling-countersign chip + Reference renames/Cancel · aggregate band 790–1,290 LoC · 20–36 cells); Split B = surfaces 3, 5, 6, 7 + backend surfaces (Motion V governance + Motion C post-commission · Test Bench + Held-for-a-check + Ready artifacts + Developer Surface + admissibility-evaluator surface layer + held-queue endpoint · aggregate band 710–1,170 LoC · 17–33 cells).**\*\* No Owner ruling required (Tier-2 threshold-adjacent · pre-authorized) · disclosure line lands in close report either way. \*\*Provisional planning anchor — not a commitment. Relative weight only.\*\***

---

**## §3 · Registry v1 + Contracts citations (D-11 canon-before-attest)**

`docs/registry/function\_promise\_registry\_v1.md` · SHA  
`d6ad136f65426c0f86df2227a540aac8142b24dd0cbb015b71ef2991a7a6718a`.

**\*\*Foreign-key promise attachments proposed at §6 sidecar landing (aggregate row cite count: 12):\*\***

| Registry v1 promise ID | Row-count expected in sidecar | Surface attachment |  
|---|---:|---|  
| `PROM-S1-frozen-wire-contract` | 2 | Wizard session state envelope (contingent on E1 ruling · §5.1) · Commission-card admissibility-refusal shape (existing frozen contract reuse per E4 ruling · §5.4) |  
| `PROM-S1-honesty-grammar-source-labels` | 2 | Agent-assumed amber-chip discipline (every agent-supplied value carries source label) · "Held for a check" plain-language reason discipline (A1.4 verbatim: quarantine honesty preserved) |  
| `PROM-S1-refusal-taxonomy-closed` | 1 | Commission-card admissibility refusal render (specific-rule-named · 4 response classes never conflated per UI Spec §1) |  
| `PROM-S1-class-with-claim` | 1 | Every claim on Ready-artifact rows renders with defensibility class inline (UI Spec §1 verbatim) |  
| `PROM-S1-runtime-transient-never-refusal` | 1 | Loading-state discipline (loading is transient · never refusal · never conflated with empty-state · gate G-5 at §5.5) |  
| `PROM-S3-append-only-ledger` | 1 | Commission verdict receipting (every pass/refuse/hold receipted per A2.2 verbatim) — surfaces read-only |  
| `PROM-S3-audit-trail-immutable` | 1 | Blocked-attempt receipt render on Ready-artifact rows (A1.4 verbatim: "this attempt is receipted") |  
| `PROM-S3-mechanical-audit-of-promotion` | 1 | Test-card winning-configuration promote-to-Reflection action (A1.3 verbatim: "promotes into the Reflection card in one action") — promotion is mechanical audit |  
| `PROM-S1-additive-versioning` | 1 | Wizard session state contract additive-versioning (contingent on E1 (a) ruling) |

| Registry v1 §M sidecar-pattern authority | 1 | Reflexive sidecar-carrier row (this Stage A's sidecar file itself) |

Total: 12 R4 rows enumerated at §6 (+ 1 reflexive-sidecar-carrier row per Registry v1 §M discipline).

**\*\*Zero new promises minted.\*\*** Conservation-not-authorship posture per Registry v1 §M.

**\*\*Existing frozen contracts UI-1 consumes (Parity 34 held byte-identical this Stage A):\*\***

\* `MiningPlan` (`backend/contracts/targeta\_plan.py` · SHA-16 `4dfb8177d60900d5`) — commissioned-work envelope for In-progress row rendering.

\* `AsyncDeliveryAccepted\_v1` (`backend/contracts/async\_delivery\_accepted\_v1.py`) — commission acceptance envelope.

\* `OuterGateReceipt\_v1` (`backend/contracts/outer\_gate\_receipt\_v1.py`) — Ready-artifact receipt envelope (Use in an app · Export click-time rights-check).

\* `Service1Refusal\_v1` (`backend/contracts/service\_1\_refusal\_v1.py` · SHA-16 `3d5d9845e03d8419`) — Commission-card admissibility-refusal render envelope (existing 4-reason enum + 11-field superset · UI reads only).

\* `WizardCommitState` (`backend/contracts/wizard\_commit\_state.py`) — existing operator-wizard state (candidate for reuse or supersession per E1 ruling · §5.1).

---

**## §4 · Fold enumeration · row-by-row (Class S/O/E/D per A3.4 · §23.1 vs §23.2 boundary per fold)**

Per `docs/governance/tiered\_ruling\_model.md` §23.1: **\*\*Per-line discretionary enumeration remains MANDATORY for: backend/contracts/\*\*, backend/services/\*\*, backend/routers/\*\*, any migration/tool that touches persistent state, and any test file asserting an invariant (AST cells, snapshot cells, gate cells, isolation cells).\*\*** §23.2: **\*\*Component-level enumeration applies to frontend presentation files (frontend/src/\*\* excluding test files): one enumeration row per component.\*\*** §23.1 exception: **\*\*any frontend line implementing a gate-asserted behavior (refusal rendering, class badges, trace-link retention, receipt-safe-field filtering, and equivalents) reverts to per-line.\*\***

**### §4.A · Surface 1 · Use Data landing (intent router · 3 doors + In progress + Ready sections)**

**\*\*Mandate verbatim (A1.1 + A1.4):\*\*** **\*\*The Use Data landing is an intent router with exactly three doors: 1. Integrate an App. 2. Export / License Data. 3. Train a Model. There is no fourth door. Below the doors, the landing shows the shared pipeline in user language per A1.4.\*\***

| # | Fold | Mandate anchor | §23.1/§23.2 | Class per A3.4 |

|---|---|---|:---|:---|

| L.UDL.1 | `UseDataLandingPage.jsx` — top-level page component (renders 3 doors + In

progress + Ready) · (a) renders 3-door router grid + In-progress section + Ready section · (b) serves A1.1 + A1.4 · (c) gate cells G-2 (class-with-claim on Ready rows) + G-5 (loading discipline) + G-11 (BINDING COPY) cover it | A1.1 + A1.4 | §23.2 component-level | **S** · Rails |

| L.UDL.2 | 3-door button components (Integrate an App · Export/License Data · Train a Model) — one component row · gate G-11 (BINDING COPY verbatim "Integrate an App" · "Export / License Data" · "Train a Model") covers per §23.1 exception clause | A1.1 verbatim door labels | §23.1 per-line for label strings (§23.1 exception: BINDING COPY = gate-asserted behavior) | **S** · Rails |

| L.UDL.3 | In-progress row-list component — renders commissioned-work rows with plain status + cost-against-ceiling + "Held for a check" reason (A1.4 verbatim quarantine honesty preserved) · gate G-6 (Held-for-a-check plain-language reason) covers per §23.1 exception | A1.4 verbatim In-progress section | §23.1 per-line for G-6 gate lines · §23.2 component-level otherwise | **S** · Rails |

| L.UDL.4 | Ready row-list component — renders finished artifacts with "Use in an app" / "Export" buttons + rights-check-at-click gate + Train-a-Model output fork for trained-model rows · gate G-3 (trace-link retention) + G-11 (BINDING COPY) cover per §23.1 exception | A1.4 verbatim Ready section | §23.1 per-line for G-3/G-11 gate lines · §23.2 component-level otherwise | **S** · Rails |

| L.UDL.5 | Blocked-attempt receipt banner — renders "this attempt is receipted" plain copy when a rights-check click fails · gate G-11 (BINDING COPY) covers per §23.1 exception | A1.4 verbatim: **"blocked attempts state 'this attempt is receipted'"** | §23.1 per-line for BINDING COPY | **S** · Rails |

| L.UDL.6 | Nav-order render (Connect · Registry · Use Data · Govern · Prove · Team) — 6-item nav strip render (component-level) · nav-item Team = general-user role-gate (A1.5) | A1.1 nav order verbatim | §23.2 component-level | **S** · Rails |

#### ### §4.B · Surface 2 · Conversational wizard (split view · 5 card family · commit)

**Mandate verbatim (A1.2):** **"All three doors open the same conversational wizard, schema pre-seeded per door. One dialogue surface; the former stages are the schema behind the conversation, not screens. Split view once substance exists: conversation right (~60%), live cards left (~40%): Reflection card · Intel cards · Plan preview card · Sample results card · Commission card. Governance line (verbatim, binding): conversation shapes; the card commits."**

| # | Fold | Mandate anchor | §23.1/§23.2 | Class per A3.4 |

|---:|---|---|:---:|:---:|

| [W.CW.1](#) | `ConversationalWizardPage.jsx` — top-level page · schema pre-seeded from route params (door type) · split-view layout · gate G-12 (split-view grammar) covers per §23.1 exception | A1.2 verbatim | §23.1 per-line for G-12 layout constants · §23.2 component-level otherwise | **S** · Rails |

| [W.CW.2](#) | `ReflectionCard.jsx` — need · scope · evidence floor · rights · output form fields · each field renders `set` / `open` / `assumed default` state marker (A1.2 verbatim) · gate G-8



(agent-assumed amber chip) covers per §23.1 exception | A1.2 verbatim Reflection card | §23.1 per-line for G-8 (agent-assumed) markers · §23.2 component-level otherwise | **S** · Rails | [W.CW.3](#) | `IntelCard.jsx` — holdings · condition · languages · reusable stock · projected coverage · gaps rendered plainly (A1.2 verbatim: "gaps stated plainly") | A1.2 verbatim Intel cards | §23.2 component-level | **S** · Rails | [W.CW.4](#) | `PlanPreviewCard.jsx` — volume range · expected coverage · non-coverable scope · cost range · editable budget-ceiling field · BINDING COPY: "the run halts at the ceiling; nothing past it is billed" · gate G-11 (BINDING COPY) covers per §23.1 exception | A1.2 verbatim Plan preview | §23.1 per-line for BINDING COPY string · §23.2 component-level otherwise | **S** · Rails | [W.CW.5](#) | `SampleResultsCard.jsx` — observed vs planned rendering (A1.2 verbatim) | A1.2 verbatim Sample results | §23.2 component-level | **S** · Rails | [W.CW.6](#) | `CommissionCard.jsx` — governed-value confirm surface (A1.2 verbatim: "conversation shapes; the card commits" + "every governed value is confirmed on the structured Commission card; none is inferred from dialogue and silently committed") · gate G-7 (Commission-card admissibility 5-gate render) + gate G-12 (shapes/commits binding) cover per §23.1 exception | A1.2 verbatim Commission card + A2.2 verbatim admissibility | §23.1 per-line for G-7/G-12 gate lines · §23.2 component-level otherwise | **S** · Rails | [W.CW.7](#) | Backend wizard session state endpoint — pre-seeded schema per door · turn-by-turn state · agent-assumed value tracking · **contract touch** (`WizardCommitState` reuse vs new envelope) = Tier-1 surface E1 at \$5.1 · A1.2 verbatim · schema-behind-conversation | §23.1 per-line MANDATORY (backend/services + backend/routers) | **S** · Rails (pending E1 ruling) | [W.CW.8](#) | Entries-unchanged handoff — Registry opportunity + Prove gap-queue entries open the same conversation pre-seeded, Reflection card partial (A1.2 verbatim) | A1.2 verbatim entries-unchanged | §23.1 per-line for handoff-URL scheme · §23.2 component-level for renderer | **S** · Rails |

#### ### §4.C · Surface 3 · Test Bench conversation branch

**Mandate verbatim (A1.3):** "The Test Bench is not a door and not a screen. Its capability lands as a conversation branch: the agent offers parameter testing on a sample; accepting opens a Test card (parameters → observed quality and cost per 1,000); every test run receipted; a winning configuration promotes into the Reflection card in one action."

| # | Fold | Mandate anchor | §23.1/§23.2 | Class per A3.4 |

|---:|---|---|:---:|:---:|

| T.TB.1 | `TestCard.jsx` — parameters + observed quality + cost per 1,000 render (A1.3 verbatim) | A1.3 verbatim | §23.2 component-level | **S** · Rails |

| T.TB.2 | Promote-to-Reflection action handler — writes winning parameters into Reflection card in one action · gate cell asserts the mechanical audit `PROM-S3-mechanical-audit-of-promotion` fires (receipt row emitted) | A1.3 verbatim: "promotes into the Reflection card in one action" + PROM-S3-mechanical-audit | §23.1 per-line for promote handler | **S** · Rails |



### ### §4.D · Surface 4 · Commission card admissibility gate render

**\*\*Mandate verbatim (A2.2):\*\*** **""**Every commission is evaluated at the Commission card, machine-checked, fail-closed, verdict receipted: 1. Rights compatibility. 2. Privacy floor. 3. PII posture. 4. Budget ceiling. 5. Scope resolvability. Outcomes: all-pass → runs immediately ('In progress'). Any fail → refused at the card, in dialogue, specific rule named (a refusal, not a queue). Pass-with-flag (declared flag conditions only) → 'Held for a check,' resolved by the single-person pattern (Quarantine's), by the DPO or delegate. Anything unclassifiable → holds. Every verdict (pass/refuse/hold) is receipted."**\*\***

| # | Fold | Mandate anchor | §23.1/§23.2 | Class per A3.4 |

|---:|---|---|:---:|:---:|

| [AD.CA.1](#) | Admissibility 5-gate render (rights · privacy floor · PII posture · budget · scope resolvability) — component rows each with pass/refuse/hold state · specific-rule-name string on refuse · gate G-7 covers per §23.1 exception | A2.2 verbatim 5 gates | §23.1 per-line for G-7 gate lines · §23.2 component-level otherwise | **\*\*S\*\*** · Rails |

| [AD.CA.2](#) | Refusal outcome-discriminator body — specific rule named on refuse (A2.2 verbatim) · reuses `Service1Refusal\_v1` shape or extends via new outcome subclass · **\*\*Tier-1 surface E4 at §5.4\*\*** | A2.2 verbatim: **""**refused at the card, in dialogue, specific rule named**""** + UI Spec §1 4-classes-never-conflated | §23.1 per-line MANDATORY (backend/contracts touch) | **\*\*S\*\*** · Rails (pending E4 ruling) |

| [AD.CA.3](#) | Held-for-a-check flag state render — "Held for a check" chip on Commission card + link-out to Held-queue surface (surface 5) | A2.2 verbatim Pass-with-flag | §23.1 per-line for G-6 gate lines · §23.2 component-level otherwise | **\*\*S\*\*** · Rails |

| [AD.CA.4](#) | Ceiling-countersign hold state render — "Pending policy check" chip on Commission card + A8.2 no-other-semantics AST guard | A2.3 verbatim + A8.2 verbatim | §23.1 per-line for A8.2 AST guard · §23.2 component-level for chip render | **\*\*S\*\*** · Rails |

| [AD.CA.5](#) | Backend admissibility-evaluator surface layer — thin wrapper over existing A2.2 gate primitives · returns 5-gate verdict envelope for Commission-card render · verdict receipting rides existing ledger machinery | A2.2 verbatim + existing gate primitives | §23.1 per-line MANDATORY (backend/services + backend/routers) | **\*\*S\*\*** · Rails |

### ### §4.E · Surface 5 · Held-for-a-check DPO/approver surface

**\*\*Mandate verbatim (A1.5 + A2.2):\*\*** **""**Model Acceptance decisions (and the A2 hold-resolution surface) are approver/DPO-role surfaces, absent from the general-user nav."**\*\*** + **""**Held for a check,' resolved by the single-person pattern (Quarantine's), by the DPO or delegate."**\*\***

| # | Fold | Mandate anchor | §23.1/§23.2 | Class per A3.4 |

|---:|---|---|:---:|:---:|

| H.HFC.1 | `HeldForCheckPage.jsx` — DPO/approver-role-gated page · lists held commissions · single-person resolve UI (Quarantine's pattern) · gate G-13 (role gating) covers per §23.1 exception | A1.5 + A2.2 verbatim | §23.1 per-line for G-13 role-guard · §23.2 component-level otherwise | **\*\*S\*\*** · Rails |

| H.HFC.2 | Backend held-queue read endpoint (`GET /api/use\_data/held\_commissions`) — role-gated read of Pass-with-flag or Anything-unclassifiable commissions · returns list envelope | A2.2 verbatim + Quarantine single-person pattern | §23.1 per-line MANDATORY (backend/routers + role-gate service call) | **S** · Rails |

| H.HFC.3 | Held-queue resolve action (surface-only; existing Quarantine machinery per EAB-2 `backend/services/service\_1/batch` [quarantine.py](#) provides the mechanics) — thin surface wrapper only · **CR-3** collision surface at §5.6\*\* (Held-queue LOCATION vs unfilled infra/governance surface separation) | A2.2 verbatim single-person pattern + EAB-2 machinery reuse | §23.1 per-line MANDATORY | **S** · Rails |

#### ### §4.F · Surface 6 · Ready artifacts view

**Mandate verbatim (A1.4):** **"Ready (finished artifacts, each carrying Use in an app / Export, rights-checked at the point of click; blocked attempts state 'this attempt is receipted'). The Train-a-Model output fork lives at the Ready artifact, not in the wizard."**

| # | Fold | Mandate anchor | §23.1/§23.2 | Class per A3.4 |  
|---|---|---|:---|:---|  
| R.RA.1 | `ReadyArtifactsPage.jsx` — top-level page · lists finished artifacts · row-per-artifact rendering | A1.4 verbatim | §23.2 component-level | **S** · Rails |

| R.RA.2 | Artifact row component — renders artifact + class badge (G-2) + trace-link (G-3) + "Use in an app" + "Export" buttons + Train-a-Model fork chip (if trained model) | A1.4 verbatim + UI Spec §1 class-with-claim | §23.1 per-line for G-2/G-3 gate lines · §23.2 component-level otherwise | **S** · Rails |

| R.RA.3 | Rights-check-at-click gate — click handler on "Use in an app" / "Export" fires rights check server-side · on refuse renders blocked-attempt receipt banner (L.UDL.5 shared component) · gate G-4 (receipt-safe-field filtering) covers per §23.1 exception | A1.4 verbatim: **"rights-checked at the point of click"** | §23.1 per-line for G-4 gate lines | **S** · Rails |

| R.RA.4 | Train-a-Model output fork — for trained-model artifacts, row carries "Use in an app" + "Export" (inheriting model's training-data rights per A2.2) — **NOT** a new nav path · lives at the Ready artifact row per A1.4 verbatim\*\* | A1.4 verbatim + A7 user story 8 | §23.2 component-level | **S** · Rails |

#### ### §4.G · Surface 7 · Developer Surface

**Mandate verbatim (A1.6):** **"The Developer Surface is the post-commission management view of an Integrate-an-App item (scoped key · webhook · event type · status · usage strip · 'every call lands in the record the DPO reads'), reached from the item's row — not a nav module."**

| # | Fold | Mandate anchor | §23.1/§23.2 | Class per A3.4 |  
|---|---|---|:---|:---|  
| D.DS.1 | `DeveloperSurfaceView.jsx` — post-commission Integrate-an-App item detail component · reached from In-progress or Ready row · not a nav module · renders scoped-key

info + webhook + event-type + status + usage-strip | A1.6 verbatim | §23.2 component-level |  
\*\*S\*\* · Rails |  
| D.DS.2 | BINDING COPY: "every call lands in the record the DPO reads" — gate G-11  
covers per §23.1 exception | A1.6 verbatim | §23.1 per-line for BINDING COPY | \*\*S\*\* · Rails |  
| D.DS.3 | Identical-terms doctrine attest — no lighter-weight path for machines vs internal use  
(A1.6 verbatim: preserved verbatim) · doctrine surfaced via display · no runtime privileged path  
(existing UI Spec §5.5 rule reused) | A1.6 verbatim + UI Spec §5.5 | §23.2 component-level |  
\*\*S\*\* · Rails |

#### ### §4.H · Surface 8 · Ceiling-countersign chip

\*\*Mandate verbatim (A2.3 + A8.2):\*\* "Commissions at/under the ceiling auto-run when  
rule-clean; above it, the commission holds for a single DPO countersign (the reserved 'Pending  
policy check' state)." + "the 'Pending policy check' chip's flow = A2.3 countersign; UI builds the  
state per A2.3; no other semantics attach."

| # | Fold | Mandate anchor | §23.1/§23.2 | Class per A3.4 |  
|---|---|---|---|---|  
| P.PP.1 | `PendingPolicyCheckChip.jsx` — chip component rendering "Pending policy check"  
copy + A2.3 countersign link · gate G-10 covers per §23.1 exception | A2.3 verbatim + A8.2  
verbatim | §23.1 per-line for G-10 (A8.2 no-other-semantics AST guard) · §23.2  
component-level otherwise | \*\*S\*\* · Rails |  
| P.PP.2 | A8.2 AST guard cell — asserts chip references A2.3 countersign flow ONLY · no other  
semantic references (BINDING semantic-quarantine) | A8.2 verbatim: "no other semantics  
attach" | §23.1 per-line for AST guard test cell | \*\*S\*\* · Rails |

#### ### §4.I · Surface 9 · Reference renames + Cancel flow

\*\*Mandate verbatim (A1.7):\*\* "Shape this objective' → 'Put this to work' (Registry opportunity  
CTA). 'Queue this gap' retains its name (already user-language). 'Extend scope' retains its  
behavior: re-opens the conversation on scope; additions always generate a new quote cycle.  
Cancel: no reason required; references quote cancellation terms; completed work retained."

| # | Fold | Mandate anchor | §23.1/§23.2 | Class per A3.4 |  
|---|---|---|---|---|  
| N.RR.1 | "Put this to work" CTA label — Registry opportunity CTA copy rename · gate G-11  
covers per §23.1 exception | A1.7 verbatim | §23.1 per-line for BINDING COPY | \*\*S\*\* · Rails |  
| N.RR.2 | "Queue this gap" retained label — Prove gap-queue CTA copy · gate G-11 covers per  
§23.1 exception (unchanged copy attest cell) | A1.7 verbatim retained | §23.1 per-line for  
BINDING COPY | \*\*S\*\* · Rails |  
| N.RR.3 | "Extend scope" re-open handler — action re-opens conversational wizard on scope ·  
additions generate new quote cycle (linked to existing quote-cycle machinery) | A1.7 verbatim |  
§23.1 per-line for re-open handler | \*\*S\*\* · Rails |  
| N.RR.4 | Cancel-flow route — no-reason-required · references quote cancellation terms ·

completed work retained | A1.7 verbatim | §23.1 per-line for route + BINDING COPY | **\*\*S\*\*** · Rails |

### ### §4.J · Fold family tally

| Fold family | Count | Class distribution |  
|---|---:|---|  
| Surface 1 (Use Data landing) | 6 | 6 S |  
| Surface 2 (Conversational wizard) | 8 | 8 S (1 pending E1 ruling) |  
| Surface 3 (Test Bench branch) | 2 | 2 S |  
| Surface 4 (Commission card admissibility) | 5 | 5 S (1 pending E4 ruling) |  
| Surface 5 (Held-for-a-check DPO surface) | 3 | 3 S (1 CR-3 collision surface at §5.6) |  
| Surface 6 (Ready artifacts view) | 4 | 4 S |  
| Surface 7 (Developer Surface) | 3 | 3 S (1 pending E3 ruling at §5.3 · component-vs-route) |  
| Surface 8 (Ceiling-countersign chip) | 2 | 2 S |  
| Surface 9 (Reference renames + Cancel) | 4 | 4 S |  
| **\*\*Total (code-level folds)\*\*** | **\*\*37\*\*** | **\*\*37 S\*\*** (3 pending Tier-1 rulings + 1 CR collision surface) |  
|

### ### §4.K · Rules Taxonomy classification tally (A3.4 · code-level folds only · pending Tier-1 resolution)

| Class per A3.4 | Count (code-level) | Nature |  
|:---:|---:|---|  
| **\*\*S\*\*** · Rails | 37 | Every fold at Rung-1 Deterministic · bound by hard-fail cell at execution atomic (A3.1 verbatim: **"a rail without a hard-fail cell does not exist"**) |  
| **\*\*O\*\*** · Rules | 0 (live · this atomic) | UI-1 **\*\*renders\*\*** Class O rule-record refs (A2.2 five admissibility gates · A2.3 ceiling) — the rules themselves are authored at Connect/Govern (Lane 2b · out-of-scope); zero new Class O authored this atomic. |  
| **\*\*E\*\*** · Engine settings | 0 | Zero engine-settings parameters this atomic. |  
| **\*\*D\*\*** · Registries | 0 | Zero new registries. |  
| Pending Tier-1 ruling | 3 | E1 (wizard session state contract shape) · E3 (Developer Surface component-vs-route) · E4 (admissibility refusal envelope shape) — all resolve to Class S once ruled |

---

### ## §5 · Tier-1 escalation surfaces (pre-named) + CONFLICT rows for unfiled second Change Order

#### ### §5.1 · E1 · Conversational wizard session state · contract-shape surface · **\*\*Tier-1\*\*** (Parity impact contingent)

**\*\*Surface:\*\*** A1.2 verbatim: **"schema pre-seeded per door · One dialogue surface · former**

stages are the schema behind the conversation, not screens · Every governed value is confirmed on the structured Commission card; none is inferred from dialogue and silently committed.\*\* The conversational-wizard schema-behind-conversation requires a persisted session-state shape (governed values traced across turns · agent-assumed markers · Commission-card commit boundary). The SHAPE is builder-open with 3 postures.

**\*\*Builder analysis (does NOT resolve):\*\*** 3 structurally distinct posture options; Owner rules.

**\*\*Owner ruling surface:\*\***

- **\*\* (a) Reuse `WizardCommitState` (existing frozen contract at `backend/contracts/wizard\_commit\_state.py`)\*\*** — extend by additive field per PROM-S1-additive-versioning if fields insufficient · or reuse byte-identical if fields sufficient.
  - Byte-level: existing contract extended additively OR reused unchanged; if extended, snapshot rewrite required.
  - Parity impact: **\*\*Parity 34 held byte-identical\*\*** if reused unchanged · **\*\*Parity 34 held byte-identical with additive-field snapshot bump\*\*** if additive field added (v0 first-issue additive versioning per Critic-pass precedent).
  - Standing Rule v3 impact: PRESERVED — Critic-pass precedent for additive-field on existing frozen contract (Standing Rule v3 held via snapshot-diff attest).
  - Trade-off: reuses existing contract machinery · matches Critic-pass (a1) additive-fields-on-existing-frozen-contract pattern.
  - Precedent alignment: matches Critic-pass execution atomic (a1) additive-field posture.
- **\*\* (b) New `UseDataWizardSession@v0` frozen contract\*\*** — new envelope covering door type · schema seed · turn-by-turn state · agent-assumed markers · Commission-card commit boundary.
  - Byte-level: `UseDataWizardSession@v0` at `backend/contracts/use\_data\_wizard\_session\_v0.py` + snapshot; Parity 34→35 seal at execution atomic.
  - Parity impact: **\*\*Parity 34→35 seal\*\***.
  - Standing Rule v3 impact: PRESERVED (additive · v0 first-issue per PROM-S1-additive-versioning · 34 prior contracts byte-identical).
  - Trade-off: heaviest ceremony; cleanest separation from existing operator-wizard machinery; matches G-13 (a) / EAB-3 (a1) single-contract landing pattern.
  - Precedent alignment: matches G-13 execution atomic Parity 33→34 seal at MandateSpec@v0.
- **\*\* (c) Service-layer dataclass only (no frozen contract)\*\*** — session state as `@dataclass` inside `backend/services/use\_data/wizard\_session.py`.
  - Byte-level: service-layer dataclass · no wire boundary crossed for governed-value confirmation (governed values write through existing endpoint-level contracts on Commit).
  - Parity impact: NO SEAL (no contract touch).
  - Standing Rule v3 impact: PRESERVED.

- Trade-off: lightest ceremony; ephemeral (session-scoped); governed-value confirmation still rides existing contracts at Commit boundary.
- Precedent alignment: matches Critic-pass archive `ArchiveLedgerRow` dataclass pattern.

**\*\*Builder Tier-3 recommendation: (a)\*\*** — reuse `WizardCommitState` with additive field if needed. Rationale:

1. Lightest ceremony · Parity 34 held byte-identical.
2. Existing operator-wizard machinery (`CommissionWizardPage.js` at `frontend/src/pages/operator/`) is the surface-layer precedent per A1.2 verbatim: *"the schema is the same schema"* — the schema behind the operator wizard and the schema behind the Use Data wizard are the same substrate; contract reuse honors that discipline byte-for-byte.
3. D-6-cleanest linear-additive progression: G-13 (Parity 33→34) → UI-1 (Parity 34 held) → future phase seal if needed.
4. Precedent alignment with Critic-pass (a1) posture where the format-gate was on the artifact (schema-additive · not a new envelope).

**\*\*Fence carried:\*\*** if Owner rules (a) additive-only, Parity 34 held byte-identical with snapshot bump for extended contract. If Owner rules (a) unchanged-reuse, Parity 34 held byte-identical zero snapshot touch. If Owner rules (b), Parity 34→35 seal at UI-1 execution atomic. If Owner rules (c), Parity 34 held byte-identical zero contract touch. Zero contract file created this Stage A.

**### §5.2 · E2 · Held-for-a-check queue surface LOCATION · \*\*Tier-1\*\***  
(governance-surface-mapping · potential unfiled-canon collision surfaced as CR-3)

**\*\*Surface:\*\*** A1.5 verbatim: *"Model Acceptance decisions (and the A2 hold-resolution surface) are approver/DPO-role surfaces, absent from the general-user nav. Govern remains DPO-scoped."* The Held-for-a-check queue must live somewhere accessible to DPO/approver role · absent from general-user nav · with the single-person Quarantine resolve pattern (A2.2 verbatim). The LOCATION is builder-open across 2 postures **\*\*AND\*\*** collides with an unfiled second Change Order pending decision on "infrastructure/governance surface separation" (CR-3 at §5.6).

**\*\*Builder analysis (does NOT resolve):\*\*** 2 postures; Owner rules · **\*\*collision surface with unfiled canon disclosed at CR-3\*\***.

**\*\*Owner ruling surface:\*\***

- **\*\* (a) DPO-scoped route within Use Data module\*\*** — `/use-data/held-for-check` · role-gated · DPO/approver only · consistent with Use Data nav position (Use Data owns the commission lifecycle end-to-end).
- Byte-level: `frontend/src/pages/use\_data/HeldForCheckPage.jsx` + role-guard hook.
- Standing Rule v3 impact: PRESERVED.
- Trade-off: nav-consistent with Use Data module; role-gated absence-from-general-user-nav

(A1.5) honored.

- **(b) Compliance Console surface** — `/compliance/hold-for-check`` · lives in Compliance Console alongside prove-a-run + retention + rulebook.
  - Byte-level: `frontend/src/pages/compliance/HeldForCheckPage.jsx`` + role-guard hook.
  - Standing Rule v3 impact: PRESERVED.
  - Trade-off: aligns held-queue with governance-surface concentration; may collide with unfiled infra/governance separation decision (**CR-3**).

**Builder Tier-3 recommendation: (a)** — DPO-scoped route within Use Data module.

Rationale:

1. A2.2 verbatim resolves the hold *at the Commission card* — routing back into Use Data preserves the resolution-locality discipline.
2. A1.5 says the hold-resolution surface is *"absent from the general-user nav"* — role-gating from within Use Data (not module reassignment) is the minimal-surface-change interpretation.
3. Compliance Console (§4 UI Spec v2.2) is *"read-only · the record itself"* — Held-for-check is an *action* surface (single-person resolve), not a record surface. Placing action in a read-only console is a class conflict.
4. **CR-3 exposure:** the unfiled second Change Order pending "infrastructure/governance surface separation" may rule differently on where governance action-surfaces live. Owner ruling required · builder does not guess.

**Fence carried:** if Owner rules (a), Use Data module owns Held-queue. If Owner rules (b), Compliance Console owns Held-queue. **If unfiled second Change Order lands before UI-1 execution atomic with a superseding surface-separation decision, HAZARD-STOP fires and UI-1 execution atomic re-authors.** Zero surface committed this Stage A.

### §5.3 · E3 · Developer Surface routing · **Tier-1** (posture-choice · no Parity impact)

**Surface:** A1.6 verbatim: *"The Developer Surface is the post-commission management view of an Integrate-an-App item (scoped key · webhook · event type · status · usage strip · 'every call lands in the record the DPO reads'), reached from the item's row — not a nav module."* The routing shape (route-per-item vs modal/drawer vs UI-2-Integration-Console pre-alignment) is builder-open across 2 live postures.

**Builder analysis (does NOT resolve):** 2 live postures.

**Owner ruling surface:**

- **(a) Nested route per Integrate-an-App item** — `/use-data/integrate/<item_id>/developer`` · reached from In-progress or Ready row `Manage`` action.
  - Byte-level: `frontend/src/pages/use_data/DeveloperSurfaceView.jsx`` at nested route; `item_id` URL param.
  - Standing Rule v3 impact: PRESERVED.

- Trade-off: route-first pattern; matches existing engineer/register + engineer/first-call routing (UI Spec §5) for continuity into UI-2.

- **(b) Drawer/modal component overlaid on Use Data landing row** — no route change; drawer opens on row `Manage` click.

- Byte-level: `frontend/src/pages/use\_data/DeveloperSurfaceDrawer.jsx` composed into `UseDataLandingPage`.

- Standing Rule v3 impact: PRESERVED.

- Trade-off: heavier-weight component composition; matches A1.6 verbatim **"reached from the item's row — not a nav module"** more literally (no route-nav suggestion).

**Builder Tier-3 recommendation: (a)** — nested route per item. Rationale:

1. A1.8 verbatim: **"The split-view conversational grammar and the shapes/commits line extend to any commissioning dialogue in the Integration Console at UI-2; key issuance, webhook, and event configuration remain structured surfaces."** — UI-2 will finalize the Integration Console surfaces; UI-1 route establishes a routing pattern UI-2 can extend without re-plumbing.

2. Route-based pattern gives trace-link and receipt-view direct URL discipline (G-3 gate assertion easier per §23.1 exception clause).

3. A1.6 **"not a nav module"** refers to top-level nav absence · nested-route sub-URL under Use Data satisfies "not a nav module" while preserving route-based state.

**Fence carried:** if Owner rules (a), nested route. If Owner rules (b), drawer/modal. No Parity impact either way. Zero component created this Stage A.

**§5.4 · E4 · Commission card admissibility refusal envelope · Tier-1** (Parity impact contingent)

**Surface:** A2.2 verbatim: **"refused at the card, in dialogue, specific rule named (a refusal, not a queue)."** + UI Spec v2.2 §1 verbatim: **"Four response classes, never conflated: governed refusal (outcome discriminator in body) · validation error · infrastructure fault · access-control denial."** The refusal envelope shape (extend existing `Service1Refusal\_v1` vs new admissibility-refusal subclass) is builder-open across 2 postures.

**Builder analysis (does NOT resolve):** 2 postures; Owner rules.

**Owner ruling surface:**

- **(a) Reuse `Service1Refusal\_v1`** (SHA-16 `3d5d9845e03d8419` · EAB-2 · 11-field superset + 4-reason enum). Add admissibility-rule-name field as additive per PROM-S1-additive-versioning if needed.

- Byte-level: existing contract; specific-rule-name string carried in existing `detail` field OR added as new additive field.

- Parity impact: **Parity 34 held byte-identical** if additive-field OR unchanged reuse.

- Standing Rule v3 impact: PRESERVED — Critic-pass precedent for additive-field on existing



frozen contract.

- Trade-off: lightest ceremony; unified refusal-taxonomy per `PROM-S1-refusal-taxonomy-closed`; EAB-2 ( $\epsilon + \alpha + \gamma$ ) envelope precedent honored.
- Precedent alignment: matches EAB-2 ( $\epsilon$ ) hazard-stop-A ruling · matches Critic-pass (a1) additive-field pattern.

- **(b) New `AdmissibilityRefusal@v0` frozen contract** — separate envelope for admissibility-gate refusals (5-gate rule name + verdict shape).
- Byte-level: `backend/contracts/admissibility\_refusal\_v0.py` + snapshot; Parity 34→35 seal.
- Parity impact: **Parity 34→35 seal**.
- Standing Rule v3 impact: PRESERVED (additive · v0 first-issue).
- Trade-off: strongest discipline; **but** proliferates refusal-envelope count (D-5 defect surface risk per Critic-pass §5.5 unbounded-parity-count discipline · Owner G-13 §5.3 (b) rejection precedent verbatim: **"a Parity cascade unbounded by mandate count converts the seal registry from a discipline into a counter, and D-5 flags it correctly"**).
- Precedent alignment: **NONE** — no phase has landed a domain-specific refusal envelope. Owner G-13 §5.3 (b) rejection precedent applies.

**Builder Tier-3 recommendation: (a)** — reuse `Service1Refusal\_v1` with additive field for admissibility rule name. Rationale:

1. Owner G-13 §5.3 (b) verbatim precedent rejects unbounded-parity-count posture with prejudice: **"D-5 flags it correctly."**
2. `PROM-S1-refusal-taxonomy-closed` mandates one refusal envelope; per-domain envelope proliferation violates the promise.
3. EAB-2 ( $\epsilon + \alpha + \gamma$ ) Owner ruling verbatim already sanctioned `Service1Refusal\_v1` as the refusal envelope; UI-1 extends discipline without seal ceremony.
4. Precedent alignment with Critic-pass (a1) additive-fields-on-existing-frozen-contracts pattern (Parity 33 held byte-identical · additive `manifest\_entries` field added).

**Fence carried:** if Owner rules (a), Parity 34 held byte-identical (with snapshot bump for extended contract if additive field added). If Owner rules (b), Parity 34→35 seal at UI-1 execution atomic (Owner disclosure required per G-13 §5.3 (b) unbounded-parity-count concern). Zero contract file created this Stage A.

**§5.5 · GATE-CELL ROSTER** (G5b Gate 1/2/3 class · §23.2 load-bearing) — 13 named testable UI invariants

Per `docs/governance/tiered\_ruling\_model.md` §23.2 verbatim: **"every UI-bearing phase must land its gate-cell roster at Stage A — named, testable invariants of the G5b Gate 1/2/3 class — before execution is sanctioned. A UI phase with component-level enumeration and no gate roster is incomplete at Stage A; do not proceed to execution."**

**§23.1 exception clause per gate (verbatim):** **"any frontend line implementing a gate-asserted behavior (refusal rendering, class badges, trace-link retention, receipt-safe-field**

filtering, and equivalents) reverts to per-line."\* Every gate cell below implies per-line enumeration for the frontend lines implementing it.

| # | Gate cell name | Testable predicate | Which spec § serves it | Where cell lands | §23.1  
exception clause |  
|---:|---|---|---|---|---|  
| G-1 | **\*\*Refusal render class distinctness\*\*** | Four response classes (governed refusal · validation error · infrastructure fault · access-control denial) render as visually + structurally distinct components; no cross-render (a governed refusal never renders as an error toast; a 500 never renders through the refusal card) | UI Spec v2.2 §1 verbatim: **\*\*Four response classes, never conflated\*\*** + A2.2 refusal specific-rule-named |  
`frontend/src/\_\_tests\_\_/gate\_g1\_refusal\_class\_distinctness.test.jsx` · Jest component-render test | Per-line for refusal-render component discriminator logic |  
| G-2 | **\*\*Class-with-claim\*\*** | Every claim on Ready-artifact rows AND every intelligence element in Intel-card renders its defensibility class inline in the headline position (never buried) | UI Spec v2.2 §1 verbatim + `PROM-S1-class-with-claim` |  
`frontend/src/\_\_tests\_\_/gate\_g2\_class\_with\_claim.test.jsx` + AST scan for claim-render sites without class-badge sibling | Per-line for class-badge sibling assertion in every claim-render site |  
| G-3 | **\*\*Trace-link retention\*\*** | Every intelligence element on Ready-artifact rows AND every artifact in In-progress rows links to `/trace/{trace\_id}` (data-testid `trace-link-<artifact\_id>` renders href-resolving) | UI Spec v2.2 §1 verbatim: **\*\*One trace thread\*\*** + UX v2 §5 verbatim |  
`frontend/src/\_\_tests\_\_/gate\_g3\_trace\_link\_retention.test.jsx` · Playwright resolves link end-to-end | Per-line for trace-link href assertion in row components |  
| G-4 | **\*\*Receipt-safe-field filtering\*\*** | Blocked-attempt receipt banner and Commission-card verdict receipt render ONLY receipt-safe fields (no raw-content bytes · no PII leak · no reconstruction hints); AST scan asserts no `content` / `raw` / `pii` / `bytes` field render in receipt components | UI Spec v2.2 §1 + A2.2 verbatim: **\*\*Every verdict (pass/refuse/hold) is receipted\*\*** + UX v2 §5 verbatim: **\*\*the outer-gate receipt renders fact and fingerprint of the transform only — nothing that could aid reversal\*\*** |  
`frontend/src/\_\_tests\_\_/gate\_g4\_receipt\_safe\_field\_filtering.test.jsx` + AST scan of receipt components | Per-line for field-filter assertion in receipt-render components |  
| G-5 | **\*\*Loading-state / empty-state / refusal-state distinctness\*\*** | Loading state renders as `` or `` primitive (never as refusal-card · never as empty-state message); empty state renders as plain "No {resource} yet" (never as refusal); refusal renders through refusal-card only. AST + snapshot assertions | UI Spec v2.2 §1 four-response-classes + `PROM-S1-runtime-transient-never-refusal` |  
`frontend/src/\_\_tests\_\_/gate\_g5\_state\_distinctness.test.jsx` · Jest snapshot per state per surface | Per-line for state-discriminator logic in page components |  
| G-6 | **\*\*"Held for a check" plain-language reason render (quarantine honesty preserved verbatim)\*\*** | Every "Held for a check" chip renders a plain-language reason string (never enum · never opaque hash · never "system reason"); the reason string is sourced from server response and rendered verbatim | A1.4 verbatim: **\*\*Held for a check' with plain-language reason — quarantine honesty preserved verbatim\*\*** + `PROM-S1-honesty-grammar-source-labels` |

`frontend/src/\_\_tests\_\_/gate\_g6\_held\_for\_check\_plain\_language.test.jsx` · Jest + Playwright | Per-line for reason-render code path in chip + In-progress row + Commission card |

| G-7 | **\*\*Commission-card admissibility 5-gate render\*\*** | Commission-card component renders all 5 admissibility gates (rights compatibility · privacy floor · PII posture · budget ceiling · scope resolvability) with pass/refuse/hold state; on refuse the specific rule name renders inline (a2.2 verbatim: **"specific rule named"**); on Pass-with-flag the Held-for-a-check chip renders inline linked to §4.E surface | A2.2 verbatim 5 gates + UI Spec v2.2 §1 |

`frontend/src/\_\_tests\_\_/gate\_g7\_commission\_admissibility\_5\_gate.test.jsx` · Jest snapshot per verdict shape (all-pass · 5 refuse types · pass-with-flag) | Per-line for 5-gate discriminator logic in CommissionCard.jsx |

| G-8 | **\*\*Agent-assumed amber-chip marking\*\*** | Every agent-supplied value on Reflection card carries the amber agent-assumed chip; Commit review (Commission card) separates "You supplied" from "Agent assumed — confirm or change"; AST scan asserts no agent-provided value rendered without chip sibling | UI Spec v2.2 §1 verbatim + A1.2 verbatim: **"each field `set` / `open` / `assumed default`"** | `frontend/src/\_\_tests\_\_/gate\_g8\_agent\_assumed\_chip.test.jsx` + AST scan of Reflection + Commission cards | Per-line for chip-sibling assertion in Reflection + Commission card render sites |

| G-9 | **\*\*Advisory-marker inseparability\*\*** (deferred applicability — active only if UI-1 renders Opportunity Briefs surface) | If Opportunity-Brief content renders anywhere in UI-1 (grounding-line render in Intel card OR Reflection card), the BINDING COPY **"Advisory — not a governed claim."** renders verbatim on every render path; no render path drops the marker. **\*\*Attest.\*\*** UI-1 does NOT render Opportunity Briefs directly (that lives at `/opportunity-briefs` per existing routing); UI-1 may receive brief-pre-seed via Registry-opportunity entry per A1.2. Gate G-9 stays declared but predicated on Opportunity-Brief content appearing in UI-1 surfaces. | UI Spec v2.2 §3.7 verbatim: **"BINDING COPY, verbatim on every row and every brief: 'Advisory — not a governed claim.' ... No render path drops the advisory marker."** |

`frontend/src/\_\_tests\_\_/gate\_g9\_advisory\_marker.test.jsx` · guarded by presence of Opportunity-Brief content · falls through if UI-1 renders none | Per-line for advisory-marker render in Opportunity-Brief content paths (if any) |

| G-10 | **\*\*Ceiling-countersign "Pending policy check" no-other-semantics AST guard\*\*** | AST scan asserts `PendingPolicyCheckChip.jsx` references A2.3 countersign flow ONLY; no other semantic references (no rule-name · no Change-a-Rule · no Compliance-Console · no arbitrary state) | A8.2 verbatim: **"the 'Pending policy check' chip's flow = A2.3 countersign; UI builds the state per A2.3; no other semantics attach"** |

`frontend/src/\_\_tests\_\_/gate\_g10\_pending\_policy\_check\_no\_other\_semantics.test.jsx` + AST scan | Per-line AST assertion for A8.2 no-other-semantics discipline |

| G-11 | **\*\*BINDING COPY verbatim (charCodeAt AST guard)\*\*** | All BINDING COPY strings from UI Spec v2.2 §10 + A1 verbatim door labels + A1.4 verbatim In-progress/Ready copy + A1.7 verbatim CTA renames + A1.6 verbatim developer-surface copy + A1.2 verbatim shapes/commits + A2.2 verbatim refusal copy render byte-identical (charCodeAt-per-character assertion where BINDING COPY appears) | UI Spec v2.2 §10 verbatim cross-surface binding + Owner charCodeAt anti-slop precedent (Tier-1 governance from tiered ruling §1) |

`frontend/src/\_\_tests\_\_/gate\_g11\_binding\_copy\_verbatim.test.jsx` · charCodeAt loop per BINDING COPY string per render site | Per-line charCodeAt assertion for every BINDING

COPY string |

| G-12 | **\*\*Split-view conversation grammar (~60/40 · conversation-shapes / card-commits)\*\*** |

Wizard split-view renders conversation right (~60%) + cards left (~40%); governance line

`conversation shapes; the card commits` renders verbatim below or above the split;

Commission card is the sole commit surface for governed values (no other card commits

governed values) | A1.2 verbatim + G-11 BINDING COPY |

`frontend/src/\_\_tests\_\_/gate\_g12\_split\_view\_grammar.test.jsx` · Playwright viewport check +

AST commit-source assertion | Per-line for split-view layout constants + commit-source

assertion in Commission card |

| G-13 | **\*\*Role gating (Model Acceptance + A2 hold-resolution absent from general-user nav)\*\*** |

`HeldForCheckPage.jsx` + Model-Acceptance surface link render ONLY if user has DPO or

approver role; role-guard hook asserted at route level; general-user render omits

Model-Acceptance nav item entirely (no disabled render · no visibility toggle · route-level gate) |

A1.5 verbatim: **\*\*Model Acceptance decisions (and the A2 hold-resolution surface) are**

approver/DPO-role surfaces, absent from the general-user nav. Govern remains DPO-scoped.**\*\***

| `frontend/src/\_\_tests\_\_/gate\_g13\_role\_gating.test.jsx` · Jest role-mock + Playwright

route-guard | Per-line for role-guard hook + route-level guard assertion |

**\*\*Gate roster tally: 13 named + testable UI invariants · all G5b Gate 1/2/3 class · all §23.1**

**exception-clause per-line for gate-asserted behavior · §23.2 load-bearing satisfied.\*\***

**\*\*Rules Taxonomy classification of gate roster (A3.4):\*\***

| Gate | Class per A3.4 | A3.4 register entry citation |

|---|:---|:---|

| G-1..G-13 | **\*\*S\*\*** · Rails | A3.4 verbatim: **\*\*"masking-before-AI-call · fault-never-refusal ·**

single-ingress · fail-closed license default · five\_rings zero-mutation · admissibility evaluator

machinery (A2.2)"\*\* — every gate cell is a Rails-class discipline · every gate carries a hard-fail

cell per A3.1 verbatim: **\*\*"a rail without a hard-fail cell does not exist"** |

**\*\*Additional Class-S/O rendering classification:\*\***

| Rendered rule reference | Class per A3.4 | Nature |

|:---|:---|:---|

| A2.2 admissibility 5 rules (rights compatibility · privacy floor · PII posture · budget ceiling ·

scope resolvability) | **\*\*O\*\*** · Rules | UI-1 **\*\*renders\*\*** the rule-record refs (not authors) — Class

O rules per A3.4 verbatim: **\*\*"the six Connect rules · both waiting periods · the A2.3 ceiling ·**

admissibility thresholds". UI-1 renders their names + verdicts; authoring lives at Connect (Lane

2b · out-of-scope). |

| A2.3 auto-run ceiling | **\*\*O\*\*** · Rules | Class O per A3.4 verbatim: **\*\*"the A2.3 ceiling"**. UI-1

renders the "Pending policy check" state · rule authoring at Connect. |

**### §5.6 · CONFLICT rows for unfiled second Change Order collisions**

Per Owner G-13 forward instruction verbatim: **"where its scope visibly collides with an unfiled pending decision, it surfaces the collision as a CONFLICT row for ruling rather than guessing in either direction."**

| # | Collision surface | Unfiled canon item (per Owner-side session record · NOT filed) | UI-1 stance | Resolution required |

|---:|---|---|---|---|

| **\*\*CR-1\*\*** | Connect landing restructure — UI-1 renders nav item "Connect" (A1.1 verbatim nav order) but does not restructure Connect landing itself | Owner-side pending decision on "Connect landing restructure" | **\*\*No collision surfaced in UI-1 code paths\*\*** — UI-1 nav-item render carries current UI Spec v2.2 §5 Connect Console filed canon only; nav item render is a leaf reference · zero content consumed from unfiled restructure. **\*\*Attest: clean.\*\*** | None required · attested clean. |

| **\*\*CR-2\*\*** | Mapping relocation to source profiles — UI-1 does NOT render source-profile mapping (mapping lives at Connect / Registry · Lane 2b out-of-scope) | Owner-side pending decision on "mapping relocation to source profiles" | **\*\*No collision surfaced in UI-1 code paths\*\*** — Intel-card render pulls census facts (already-filed via Registry v1 verbatim) · zero source-profile mapping render. **\*\*Attest: clean.\*\*** | None required · attested clean. |

| **\*\*CR-3\*\*** | **\*\*Held-for-a-check DPO surface LOCATION\*\*** (Use Data module vs Compliance Console · surface 5 · §5.2 E2 posture surface) | Owner-side pending decision on "infrastructure/governance surface separation" | **\*\*COLLISION SURFACED\*\*** — UI-1 §5.2 E2 asks Owner to rule between (a) DPO-scoped route within Use Data OR (b) Compliance Console surface. Unfiled second Change Order may supersede this ruling with a surface-separation-specific decision. **\*\*UI-1 does not guess.\*\*** If unfiled decision lands as filed canon before UI-1 execution atomic, HAZARD-STOP fires and UI-1 re-authors per new filed canon. If unfiled decision does NOT land before execution atomic, Owner rules E2 at this Stage A ruling · execution atomic proceeds with ruled posture · any subsequent unfiled-decision landing that supersedes E2 ruling requires phase re-opening under Owner amendment. | **\*\*Owner rules at UI-1 §5.2 E2 ruling round\*\*** — with the CR-3 collision surfaced. |

**\*\*Additional collision-monitoring surfaces (attested clean · zero code-path collision surfaced this Stage A):\*\***

\* Developer Surface routing (§5.3 E3) does not collide with unfiled canon — A1.6 filed verbatim covers the surface completely.

\* Wizard session state contract shape (§5.1 E1) does not collide with unfiled canon — A1.2 filed verbatim covers the schema-behind-conversation discipline completely.

\* Admissibility refusal envelope shape (§5.4 E4) does not collide with unfiled canon — A2.2 filed verbatim + UI Spec §1 filed verbatim cover the refusal-envelope discipline completely.

**\*\*Total CONFLICT rows surfaced: 1 (CR-3).\*\*** CR-1 + CR-2 attested clean · surfaced only for zero-ambiguity discipline per Owner G-13 forward instruction.

---

## §6 · R4 sidecar enumerated (proposed path · NOT created this Stage A)

**\*\*Proposed path (landing at execution atomic):\*\***

`docs/registry/function\_promise\_registry\_v1\_ui\_1\_`[sidecar.md](#)`

**\*\*Row enumeration (12 R4 rows + 1 reflexive-sidecar-carrier row per Registry v1 §M discipline):\*\***

| # | Sidecar row | Rung | Promise attachment |

|---:|---:|---:|---:|

| 1 | `akki.use\_data.landing\_intent\_router` — L.UDL.1 + L.UDL.2 + L.UDL.6 (3-door intent router · nav-order render) | 1 · Deterministic | `PROM-S1-frozen-wire-contract` (existing wizard state contract reuse per §5.1 E1 recommendation) |

| 2 | `akki.use\_data.in\_progress\_row\_list\_with\_held\_for\_check\_reason` — L.UDL.3 | 1 · Deterministic | `PROM-S1-honesty-grammar-source-labels` (Held-for-a-check plain-language reason) |

| 3 | `akki.use\_data.ready\_artifacts\_row\_list\_with\_rights\_check\_at\_click` — L.UDL.4 + R.RA.1..R.RA.4 | 1 · Deterministic | `PROM-S1-class-with-claim` + `PROM-S1-frozen-wire-contract` (existing OuterGateReceipt\_v1 reuse) |

| 4 | `akki.use\_data.blocked\_attempt\_receipt\_banner` — L.UDL.5 | 1 · Deterministic | `PROM-S3-audit-trail-immutable` (A1.4 verbatim: **""this attempt is receipted""**) |

| 5 | `akki.use\_data.conversational\_wizard\_split\_view` — [W.CW.1..W.CW.8](#) (split-view · 5-card family · commit · schema-behind-conversation · entries-unchanged handoff) | 1 · Deterministic | `PROM-S1-frozen-wire-contract` (existing `WizardCommitState` reuse per §5.1 E1 recommendation) |

| 6 | `akki.use\_data.reflection\_card\_agent\_assumed\_marker` — [W.CW.2](#) | 1 · Deterministic | `PROM-S1-honesty-grammar-source-labels` (agent-assumed amber chip discipline) |

| 7 | `akki.use\_data.commission\_card\_admissibility\_5\_gate\_render` — [W.CW.6](#) + [AD.CA.1..AD.CA.5](#) (Commission-card admissibility render · refusal specific-rule-name · Held-for-a-check flag · ceiling-countersign chip · backend admissibility surface layer) | 1 · Deterministic | `PROM-S1-refusal-taxonomy-closed` (Service1Refusal\_v1 reuse per §5.4 E4 recommendation) + `PROM-S3-append-only-ledger` (verdict receipting) |

| 8 | `akki.use\_data.test\_bench\_promote\_to\_reflection` — T.TB.1 + T.TB.2 (Test card + promote-to-Reflection action with mechanical-audit receipt) | 1 · Deterministic | `PROM-S3-mechanical-audit-of-promotion` (A1.3 verbatim: **""promotes into the Reflection card in one action""**) |

| 9 | `akki.use\_data.held\_for\_check\_dpo\_surface` — H.HFC.1..H.HFC.3 (DPO/approver-role-gated held-queue page · single-person Quarantine resolve pattern · backend held-queue read endpoint · CR-3 collision surface at §5.6) | 1 · Deterministic | `PROM-S1-refusal-taxonomy-closed` + Registry v1 §M sidecar-pattern authority (governance-surface authority) |

| 10 | `akki.use\_data.developer\_surface\_post\_commission\_view` — D.DS.1..D.DS.3 (post-commission management view · nested route or drawer per §5.3 E3 ruling · BINDING

COPY discipline) | 1 · Deterministic | `PROM-S1-frozen-wire-contract` (existing key/webhook/event contracts) |  
| 11 | `akki.use\_data.pending\_policy\_check\_chip\_a8\_2\_no\_other\_semantics` — P.PP.1 + P.PP.2 (ceiling-countersign chip · A8.2 AST guard · no other semantics attach) | 1 · Deterministic | Registry v1 §M sidecar-pattern authority (BINDING semantic-quarantine per A8.2 discipline) |  
| 12 | `akki.use\_data.reference\_renames\_and\_cancel\_flow` — N.RR.1..N.RR.4 ("Put this to work" rename · "Queue this gap" retained · "Extend scope" re-opens conversation · Cancel no-reason-required) | 1 · Deterministic | Registry v1 §M sidecar-pattern authority (BINDING COPY discipline per G-11 gate) |

**\*\*Reflexive sidecar-file row (per EAB-1/EAB-2/EAB-3/Critic-pass/G-13 precedent · Registry v1 §M):\*\***

| # | Sidecar row | Rung | Promise attachment |  
|---|---|---|---|  
| 13 | `akki.registry.ui\_1\_sidecar\_reflexive\_row` — this sidecar file itself · lands at UI-1 execution atomic · attaches to Registry v1 §M sidecar-pattern authority | 1 · Deterministic | Registry v1 §M sidecar-pattern authority |

**\*\*Total rows: 12 R4 rows + 1 reflexive = 13 rows. Zero new promises minted.\*\***  
Conservation-not-authorship posture per Registry v1 §M.

**\*\*Sibling sidecar precedents (byte-identical citation only · not read for content this Stage A):\*\***

\* EAB-1 sidecar: `docs/registry/function\_promise\_registry\_v1\_eab1\_[sidecar.md](#)` · SHA-16  
`8437894f7c72143b`

\* EAB-2 sidecar: `docs/registry/function\_promise\_registry\_v1\_eab2\_[sidecar.md](#)` · SHA-16  
`ddf89929ee072f7c`

\* EAB-3 sidecar: `docs/registry/function\_promise\_registry\_v1\_eab3\_[sidecar.md](#)` · SHA-16  
`6368f3a1007492e2`

\* Critic-pass sidecar: `docs/registry/function\_promise\_registry\_v1\_critic\_pass\_[sidecar.md](#)` · SHA-16  
`a46e41f94359d575`

\* G-13 sidecar: `docs/registry/function\_promise\_registry\_v1\_g\_13\_[sidecar.md](#)` · SHA-16  
`a3e1e892d8567500`

---

**## §7 · D-7 fence attestation (explicit fences · zero content from named surfaces)**

| Fence surface | Attest |  
|---|---|  
| **\*\*Unfiled second Owner Change Order\*\*** (Connect landing restructure · mapping relocation to source profiles · infrastructure/governance surface separation · other post-A1 pending decisions) | **\*\*Zero read · zero consumption · zero anticipation · zero reconciliation.\*\*** Collisions surfaced as CONFLICT rows at §5.6 (1 surfaced: CR-3 · 2 attested clean: CR-1 + CR-2). Per

Owner G-13 forward instruction. |  
 | UI-2 · Integration Console + S1 memory plane (sequence position 7) | Zero content · out-of-scope · A1.8 verbatim: **"Specifics ruled at UI-2 Stage A"** · UI-1 renders no UI-2 surface. |  
 | Connect module surfaces (Lane 2b · nav-sibling only) | Zero content · nav-item name render only · zero Connect surface authored. |  
 | Registry module surfaces (Lane 2b · nav-sibling only) | Zero content · nav-item name render only + Registry-opportunity handoff URL per A1.2 · zero Registry surface authored. |  
 | Govern module surfaces (Lane 2b · nav-sibling only + Change-a-Rule ceremony) | Zero content · nav-item name render only · Change-a-Rule ceremony out-of-scope. |  
 | Prove module surfaces (Lane 2b · nav-sibling only + gap-queue handoff) | Zero content · nav-item name render only + Prove-gap-queue handoff URL per A1.2 · zero Prove surface authored. |  
 | Team module surface (Lane 2b · nav-sibling only) | Zero content · nav-item name render only. |  
 | Model Acceptance surface (A1.5 approver/DPO-role · full surface) | Zero content · UI-1 renders link-out only from Ready-artifact trained-model rows · zero surface composition. |  
 | Public Receipt generation (A1.5 DPO-only) | Zero content · out-of-scope. |  
 | DB-1 + DB-2 (Prove Lane 2b items · A6 cross-reference only) | Zero content · early landing = D-5 defect · fence carried. |  
 | Lane 1 GPU scope | Zero content · Lane 1 zero-builder-motion held. OD-8/9/10 blocking Lane 2b · NOT blocking UI-1. |  
 | **\*\*Frontend prototype + design brief (A8.1 reference-artifact discipline)\*\*** —  
 `Akki\_v2\_Standalone.html` + UI-v3 design brief | **\*\*Consumed as NOTHING · zero content · zero read\*\*** · A8.1 verbatim: **"Prototype/design-brief status: `Akki\_v2\_Standalone.html` and the UI-v3 design brief are reference artifacts; normative force lives in filed canon only."** |  
 | Commercial Thesis (Owner-side per Change Order A8.3) | Zero content · out-of-UI-1-scope · Owner-side reassignment attested at G-13 close report §11. |  
 | Sales Service surface (UI Spec §12 stub) | Zero content · commercial application-layer out-of-scope · UI Spec §5.5 verbatim: extractor has no notion of buyer. |  
 | STEP-2 Loci 1/2/3 · EAB-2 Loci 1/2/3 · STEP-2 Surfaces 1/2/3 · EAB-3 E1 · G-13 (b·a·a)+B-1/B-2/B-3 · Critic-pass E1 (a1)+B-1 · Change Order amendments · LT-1 · Canonical Name Register · Product Doc v3.1 | Zero re-surfacing · all FINAL · byte-identical. |

**\*\*Parity fence:\*\*** Parity 34 held byte-identical this Stage A · any seal event (contingent on §5.1 E1 (b) ruling OR §5.4 E4 (b) ruling) lands at UI-1 execution atomic only.

---

**## §8 · D-10 self-audit table (D-1..D-11 + D-12 heavy-weight)**

| # | Defect | Verdict | Note |

|---|---|---|---|

| D-1 | Orphan surface | PASS | Every §4 fold traces to A1 sub-clause verbatim + UI Spec v2.2 § verbatim + Registry v1 promise attachment at §6 sidecar. Nav-siblings (Connect · Registry ·



Govern · Prove · Team) surfaced as nav-item names only per A1.1 nav enumeration; no orphan sub-surface authored. |

| D-2 | NL-only enforcement | PASS | Every §4 fold enters as executable component/service module + accompanying hard-fail gate cell at §5.5 (G-1..G-13). Every gate cell is hard-fail (Jest assertion / Playwright assertion / AST-scan hard-fail). Zero NL-only rules. A3.1 verbatim: **"a rail without a hard-fail cell does not exist"** — 37 rails · 13 gate cells cover them by mapping in §5.5 predicate col + §4 gate-anchor cols. |

| D-3 | Curated verdict | PASS | 37 code-level folds enumerated (37 S · 3 pending Tier-1 → S) · 13 gate cells enumerated · 4 Tier-1 rule options with a/b/c format per EAB-3 / Critic-pass / G-13 precedent (E1 3-option · E2 2-option + CR-3 · E3 2-option · E4 2-option). Zero curated selection · zero curated fold enumeration. |

| D-4 | Rung inflation | PASS | All 37 rails-class folds at Rung-1 Deterministic. No fold placed at rung above what A1 / A2 / UI Spec v2.2 requires. UI-1 renders governance rules (Class O per A3.4 rendering-only) · does not author them. |

| D-5 | Meta-spiral / cross-phase content leakage | PASS | Zero content from UI-2 / Lane 2b modules (Connect · Registry · Govern · Prove · Team beyond nav-item names) / Lane 1 / Commercial Thesis (Owner-side) / DB-1 / DB-2 / A8.1 reference artifacts / unfiled second Change Order. Fence explicit at §7. Model-Acceptance + Public Receipt (A1.5 DPO-only surfaces) attested link-out only · zero composition. |

| D-6 | Silent scope drift · service conflation | PASS | Single-atomic execution matches phase-ledger sequence position 6 of 7 · UI-1. **\*\*Pre-authorized split threshold (1,500 LoC / 60 cells · Tier 2 · governance canon) IS HIT at band-high\*\*** — Tier-2 threshold-adjacent disclosure landed at §1.6 + §2 verbatim per §2.2 discipline (one-paragraph "if X, then split" statement). Disclosure-not-blocking per §9 tiered ruling model verbatim. |

| D-7 | Invented schedule or scope | PASS | Every fold verbatim from A1 sub-clause / A2 sub-clause / UI Spec v2.2 §. Zero fold from unfiled second Change Order (per Owner G-13 forward instruction attest at §1.5). Zero fold from post-UI-1 phases. Zero fold from A8.1 reference artifacts. |

| D-8 | Silent drift | PASS | Parity 34 attest carried (Stage A landing is doc-only). Standing Rule v3 attest carried (governance stack §§ 1..23 byte-identical · all prior rulings + close reports byte-identical). Post-amendment canon A1..A8 reconciliation attested at §1.4 (zero conflict against filed canon · 1 CONFLICT row surfaced at §5.6 for unfiled canon per Owner forward instruction). |

| D-9 | Testing-agent invocation | PASS | Banned; not invoked. Native testing only at execution atomic per D-9 discipline (`make ci` + `pytest` + `Jest` + `Playwright`). |

| D-10 | Menu emission | PASS | Zero permission-menu emitted this Stage A. Tier-1 surfaces §5.1 (E1) · §5.2 (E2) · §5.3 (E3) · §5.4 (E4) state ruling options (a/b/c format with Standing Rule v3 preservation attest per option) as **\*Owner ruling surface enumeration\***, not builder menu — pre-named per EAB-1/EAB-2/EAB-3/Critic-pass/G-13 Stage A §5 precedents. |

| D-11 | Canon-before-ruling / LLM-memory recall | PASS | Full canon reads performed this session: UI Spec v2.2 (SHA `d681c6cd399dd569...` verified live · 223 lines) · A1 (SHA `4bb725703652cf11...` verified live · 47 lines) · A2 (SHA `14fc3b22171bb086...` verified live) · A3 (SHA `63862a0375263e0b...` verified live) · A7 (SHA `2f15ab2bade87bc3...` verified live) · A8 (SHA `7e364ed98912aafa...` verified live) · UX v2 (SHA `e072fd307e00b207...` verified live)

· SJM v1 (SHA `3b18aef81b606f29...` verified live) · Registry v1 (SHA `d6ad136f65426c0f...` verified live) · Tiered ruling model §§ 1..23 including §23 §0-CAL (SHA `9b3c56c14a1159af...` verified live) · Owner G-13 ruling (SHA `6abdde0072affbe4...` verified live) · G-13 close report (SHA `962de8859b9d3597...` verified live) · G-13 Stage A precedent (SHA `128f27e2377e6c69...` verified live) · EAB-3 Stage A precedent (SHA `907ac439f05dd7b0...` verified live) · Critic-pass Stage A precedent (SHA `e249a75e31ef2cb6...` verified live). Unfiled canon NOT read (per Owner forward instruction fence at §1.5). |

| **\*\*D-12\*\*** | **\*\*Experimentation at system level only\*\*** | PASS | Every fold in §4 deploys IN FORCE with known parameters at execution atomic: (i) Use Data landing + Conversational wizard + Commission card + Held-queue + Ready + Developer Surface + Ceiling-countersign chip + Reference renames land in force at execution atomic (no observe-first · no shadow surface · no A/B toggle); (ii) 13 gate cells fire hard-fail at execution atomic (no warn · no soft-gate); (iii) BINDING COPY renders verbatim via charCodeAt AST guards at execution atomic (no interim placeholder copy); (iv) A8.2 no-other-semantics AST guard on Pending-policy-check chip fires at execution atomic (no relaxed semantic quarantine); (v) role gating on Held-for-check + Model-Acceptance link-out fires at route level at execution atomic (no view-layer-only filtering); (vi) any contract change per E1 (b) or E4 (b) ruling lands sealed at execution atomic with hard-fail snapshot cell (no half-sealed contract). **\*\*Zero observe-first · zero shadow surface · zero trial modes · zero staged proving.\*\*** |

---

## §9 · D-11 canon-before-ruling read log

| Path | SHA-256 | Line ranges consumed | Purpose |

|---|---|---|---|

| `docs/mandates/RMS\_UI\_Specification\_v2\_2.md` |

`d681c6cd399dd5691d7516015f5fe12d1251414efef6290bb008658c22e40cda` | §1 global rules · §2.1 four consoles · §3 Extraction Console (§3.1-3.7) · §5 Integration Console + §5.5 governed-extract API + §5.6 dual-actor · §10 cross-surface bindings | Primary UI-canon source of truth · pre-A1 baseline for surface layer supersession · BINDING COPY set for G-11 gate |

| `docs/mandates/module\_specs/use\_data\_module\_v1\_2026\_07\_25.md` |

`4bb725703652cf11a569d53118339c79c607e1f0e66fa5703821768b130ee6bd` | A1.1..A1.8 (all sub-clauses verbatim) | **\*\*A1 primary supersession source\*\*** — UI-1 surface inventory at §1.3 traces to A1 sub-clauses one-to-one |

| `docs/mandates/module\_specs/approval\_inversion\_v1\_2026\_07\_25.md` |

`14fc3b22171bb086670aa89c29d2ec1211be7c7cf4faca824a940a3303a5549a` | A2.1..A2.5 (all sub-clauses) | Commission-card admissibility 5-gate render source · Held-for-a-check surface source · Ceiling-countersign UI state source |

| `docs/governance/rules\_taxonomy\_v1.md` |

`63862a0375263e0b7c6d727c427c4c04aeb5785c401d8a2be06000fdd97f6758` | A3.1..A3.4 (all sub-clauses) | S/O/E/D four-class model applied to gate roster + rendered-rule refs · Class E DEFAULT-parameter discipline (zero this atomic) · Class D lifecycle (zero this atomic) |

| `docs/mandates/module\_specs/user\_stories\_delta\_v1\_2026\_07\_25.md` |

`2f15ab2bade87bc3fd6a95d24d5bf4c72bde897b547cfb074bb0a82e5e2e9e6e` | 8 new stories + amended tracking stories | UI-1 surface derivation (stories 1-4, 6, 8 drive UI-1 surfaces) |  
| `docs/mandates/module\_specs/cross\_cutting\_record\_v1\_2026\_07\_25.md` |  
`7e364ed98912aafa0e7f4f9194a3c6c7013da5118161c5b242771a2e16c49fe7` | A8.1  
(reference-artifact discipline) · A8.2 (Pending-policy-check chip semantics) · A8.3 (Commercial Thesis Owner-side) · A8.5 (Provisional-anchor label) | A8.1 fence at §7 · A8.2 AST guard at G-10 · A8.3 out-of-UI-1-scope · A8.5 Provisional-anchor label applied to every band figure at §2  
|  
| `docs/mandates/RMS\_UX\_Architecture\_v2.md` |  
`e072fd307e00b207cd2a451791bc3650ad59f5f71b28ac5d4c04b1144b841d59` | §1 what experience delivers · §3 users & promises · §4 objective grammar · §5 trust model · §6 per-surface experience principles · §9 invariants (all 10) | Experience-rule cross-reference · four-response-classes discipline (invariant #4) · trace-thread discipline (invariant #4) · governance-felt-not-operated (invariant #3) — all cited at gate cells G-1..G-13 |  
| `docs/mandates/surface\_journey\_map\_v1.md` |  
`3b18aef81b606f296691324aabe863abee401970622f329a0e29dad963a8c1e` | §1 design law · §3 three motions (V · E · C) · §4 surface inventory · §5 sequencing rules (SJ-1..SJ-5) | Motion classification of UI-1 surfaces at §1.3 (Motion column) · SJ-1 (one motion per screen) attest |  
| `docs/governance/tiered\_ruling\_model.md` |  
`9b3c56c14a1159af35c382e1a68368fcf673a381f77cd4734e51a85cd57e51c4` | §1 Tier-1 (client-promise) · §2 Tier-2 (cost/rework) · §3 Tier-3 (hygiene) · §9 raw-LoC verdict-unit · §23 §0-CAL §23.1 + §23.2 + §23.3 + §23.4 | Tier-1 discipline for §5 escalations · Tier-2 threshold-adjacent disclosure at §1.6 + §2 · §23.1/§23.2 boundary per fold at §4 · \*\*§23.2 load-bearing gate-cell roster at §5.5\*\* |  
| `docs/rulings/g\_13\_e1\_e2\_e3\_2026\_07\_25.md` |  
`6abdde0072affbe48758922330aa627ccd25767ac0674f44b1e89a51f49a64f7` | §Motion verbatim (D-9 to UI-1 · forward instruction) · UI-1 forward instruction body verbatim | D-9 auto-proceed authorization + \*\*filed-canon-only forward instruction\*\* attested at §1.5 |  
| `docs/close\_reports/g\_13.md` |  
`962de8859b9d35971df6998c43e0f31d24f45cc3d31fe997a0d8987854a7d613` | §11 Commercial Thesis Owner-side annotation · §13 phase ledger transition · §14 UI-1 forward instruction attest · §15 D-9 auto-proceed notice | Predecessor-close closure evidence + D-9 auto-proceed target citation |  
| `docs/rulings/owner\_change\_order\_2026-07-25.md` |  
`33b16441025ac0bc757fd92f770252d30f0e63de4e4609c635be3ce9252fa568` | Preamble interpretation rule · A1..A8 sanction anchors | Post-amendment canon baseline sanction citation for §1.4 reconciliation table |  
| `docs/registers/phase\_ledger\_v1.md` |  
`8671ebacd605161f36742a37c4c597cbdb32936d8e3c8e4f108afaebf9ef3936` | §1 closed (42) · §2 open (0 · post-G-13 close) · §3 defined-undispatched (3 · UI-1 + UI-2 + Prove) · §4 terminal figure (42/46 = 91.3%) · §7 L-9 close row (G-13) | Post-G-13-close phase ledger baseline · UI-1 sequence position 6 of 7 · defined-undispatched → open transition at §11 |  
| `docs/registry/function\_promise\_registry\_v1.md` |  
`d6ad136f65426c0f86df2227a540aac8142b24dd0cbb015b71ef2991a7a6718a` | §2 promise IDs

(foreign-key attachment) · §M sidecar-pattern authority | R4 sidecar foreign-key attachment (§6)  
· conservation-not-authorship posture · reflexive-sidecar-carrier discipline |  
| `docs/stage\_a\_proposals/g\_13\_stage\_a.md` |  
`128f27e2377e6c697bc3228d2d7782af232527c233bde1206a5f61fd4718e444` | §1..§11  
(structural template) · §5 layout precedent · §5.5 §23.2 gate-cell-roster load-bearing precedent  
(G-13 landed 20-parameter Rules Taxonomy classification table at §5.5) | Structural precedent  
for §1..§11 layout · §5.5 §23.2 load-bearing gate-cell-roster + Rules-Taxonomy hybrid pattern |  
| `docs/stage\_a\_proposals/critic\_pass\_stage\_a.md` |  
`e249a75e31ef2cb6ebf77e3534db77582b582845a1cb9102ca729cb7e4fda8e4` | §5 layout  
(§5.1 E1 live · §5.5 Rules Taxonomy classification table pattern) |  
Additive-field-on-existing-frozen-contract precedent for §5.1 E1 (a) recommendation + §5.4 E4  
(a) recommendation |  
| `docs/stage\_a\_proposals/eab\_3\_stage\_a.md` |  
`907ac439f05dd7b00985ce568228bc24e0e903f40c2d5986dfaa73d592d642c7` | §5.1  
(single-contract landing pattern) · §5.5 (Class E parameter table pattern) |  
Single-contract-landing precedent for §5.1 E1 (b) posture + §5.4 E4 (b) posture rejection |

**\*\*Files NOT read (fence attest):\*\***

\* \*\*Any Owner-side session record content re: Connect landing restructure · mapping relocation  
to source profiles · infrastructure/governance surface separation · other post-A1 pending  
decisions\*\* — unfiled canon fence per Owner G-13 forward instruction · attested at §1.5 · zero  
read.

\* `Akki\_v2\_Standalone.html` + UI-v3 design brief — A8.1 reference-artifact discipline ·  
consumed as NOTHING · zero read.

\* Held D7 file `docs/stage\_a\_proposals/sequencing\_harness\_stage\_a.md` — pre-existing  
HELD-D7 fence · G-13-scope citation only · not relevant to UI-1 scope.

---

## §10 · QA-1..QA-7 attest (Critic Seam Spec v1.0 §5/§8 gates + TQ §7 QA-7 custody  
boundary)

Critic-pass execution atomic landed the QA-1..QA-6 rubric at `backend/services/critic\_pass/`;  
G-13 landed QA-7 inheritance. UI-1 Stage A inherits and attests continuing binding:

| Gate | Attest for UI-1 Stage A |

|---|---|

| QA-1 · detect never decide | PASS — Stage A doc-only landing · zero build execution ·  
findings not surfaced (nothing to detect); Tier-1 surfaces §5.1-§5.4 state options + Tier-3  
recommendations without deciding · Owner rules. |

| QA-2 · format gate (RV-4 schema-completeness) | PASS — §1..§11 sections all present · §5.5  
§23.2 gate-cell roster present + load-bearing · §5.6 CONFLICT rows section present. |

| QA-3 · no self-review | PASS — Stage A authored fresh · not by any critic instance. |

| QA-4 · findings carry honesty grammar | PASS — every §5 rule option carries source-anchor +

evidence-class discipline (fact/recalled/inferred at execution atomic); every CONFLICT row (§5.6) carries unfiled-canon status label verbatim. |  
| QA-5 · the layer pays rent | PASS — every §4 fold traces to A1 / A2 / UI Spec v2.2 verbatim; every §5.5 gate cell traces to a spec § + a testable predicate + a landing path per §23.2 required tuple. |  
| QA-6 · self-audit audit | PASS — D-10 self-audit table §8 covers D-1..D-11 + D-12 heavy-weight (12 rows · all PASS · no defect surfaced). |  
| \*\*QA-7 · custody boundary\*\* (TQ §7 line 125 RULED) | Inherits from Critic-pass + G-13 close · protection-quality escalates as governance (Service 1 refusal per EAB-2 `backend/services/service\_1/batch\_[quarantine.py](#)` machinery consumed by UI-1 Held-for-a-check surface at H.HFC.3) · product-quality routes as findings. Zero conflict with UI-1 scope. |

---

## §11 · Phase Ledger update (Stage A landing transition)

Phase ledger `docs/registers/phase\_ledger\_[v1.md](#)` (SHA `8671ebacd605161f36742a37c4c597cbdb32936d8e3c8e4f108afaebf9ef3936`) transitions on this Stage A landing:

**\*\*Part A transitions:\*\***

\* §2 (open) N=0 → \*\*N=1\*\* (UI-1 transitions defined-undispatched → open at Stage A landing per row-schema convention).

\* §3 (defined-undispatched) N=3 → \*\*N=2\*\* (UI-1 removed from defined-undispatched · row-lifecycle annotation `OPEN 2026-07-25 · Stage A landed docs/stage\_a\_proposals/ui\_1\_stage\_[a.md](#)` added for sequence traceability).

\* \*\*§4 (Terminal figure)\*\* — `closed 42 · open 1 · defined-undispatched 2 · HELD-D7 1 · denominator 46 · \*\*figure `42/46 = 91.3%`\*\*` — figure holds at 42/46 = 91.3% (denominator unchanged; open/defined-undispatched shuffle inside denominator per row-schema note). Stage A landing is not a phase closure.

\* §7 · append L-10 row: Stage A landing anchor with SHA + Owner ruling pending on §5 Tier-1 surfaces (E1 · E2 · E3 · E4) + CR-3 CONFLICT row surface.

**\*\*UI-1 forward instruction discipline carried inline (per Owner G-13 §Motion verbatim):\*\***

> "UI-1 consumes filed canon only — the change order's A1 Use Data supersession as landed, with the §0-CAL gate-cell roster firing as you note. ... UI-1's Stage A must not consume them, anticipate them, or reconcile against them; where its scope visibly collides with an unfiled pending decision, it surfaces the collision as a CONFLICT row for ruling rather than guessing in either direction."

**\*\*Attest carried at:\*\***

\* §1.5 (filed-canon-only discipline attest · unfiled canon fence).

\* §5.6 (CONFLICT rows for unfiled second Change Order collisions · 1 surfaced CR-3 · 2

attested clean CR-1 + CR-2).

\* §7 (D-7 fence carries unfiled second Change Order fence explicitly).

\* §9 (canon read log lists files-read and files-not-read).

---

\*UI-1 · Stage A Proposal · Landed 2026-07-25 · D-9 auto-proceed authorization from G-13 close · post-A1 Use Data Module supersession of UI Spec v2.2 §2.1 Extraction Console surface layer · filed-canon-only discipline attested at §1.5 · Owner rules Tier-1 escalations §5.1 (E1 · Conversational wizard session state contract shape · 3 ruling options a-live · b-live · c-live · builder Tier-3 recommendation = (a) reuse WizardCommitState with additive field per PROM-S1-additive-versioning · Parity 34 held byte-identical), §5.2 (E2 · Held-for-a-check queue surface LOCATION · 2 ruling options a-live · b-live · \*\*CR-3 collision surface with unfiled second Change Order infrastructure/governance separation\*\* · builder Tier-3 recommendation = (a) DPO-scoped route within Use Data · CR-3 discloses collision · Owner rules), §5.3 (E3 · Developer Surface routing · 2 ruling options a-live · b-live · builder Tier-3 recommendation = (a) nested route per Integrate-an-App item · no Parity impact), §5.4 (E4 · Commission card admissibility refusal envelope · 2 ruling options a-live · b-live-rejected-with-prejudice per Owner G-13 §5.3 D-5 verbatim precedent · builder Tier-3 recommendation = (a) reuse Service1Refusal\_v1 with additive field · Parity 34 held byte-identical) · \*\*§5.5 §23.2 load-bearing GATE-CELL ROSTER\*\* landed with 13 named + testable G5b Gate 1/2/3 class invariants (G-1 refusal render class distinctness · G-2 class-with-claim · G-3 trace-link retention · G-4 receipt-safe-field filtering · G-5 loading/empty/refusal state distinctness · G-6 Held-for-check plain-language reason · G-7 Commission-card admissibility 5-gate render · G-8 agent-assumed amber-chip marking · G-9 advisory-marker inseparability · G-10 A8.2 no-other-semantics AST guard · G-11 BINDING COPY charCodeAt verbatim · G-12 split-view conversation grammar · G-13 role gating) · \*\*§5.6 CONFLICT rows\*\* surfaced (CR-3 collision · CR-1 + CR-2 attested clean per Owner G-13 forward instruction discipline). §5.5 Rules Taxonomy classification lands 37 code-level folds (37 S · 0 O live · 0 E · 0 D · 3 pending Tier-1 resolution → Class S once ruled) plus rendered-rule refs (A2.2 five admissibility rules + A2.3 ceiling as Class O rendered · not authored · authoring at Connect Lane 2b out-of-scope). Companion to: UI Spec v2.2 · UX v2 · SJM v1 · A1..A8 amendments · Owner G-13 ruling · Rules Taxonomy A3.4 · Registry v1 §M · tiered ruling model §§ 1..23 · §0-CAL §23.1 + §23.2. Under D-12: every surface deploys in force with known parameters at execution atomic; 13 gate cells fire hard-fail at execution atomic (no warn · no soft-gate); BINDING COPY renders verbatim via charCodeAt AST guards; A8.2 no-other-semantics AST guard on Pending-policy-check chip fires at execution atomic; role gating on Held-for-check + Model-Acceptance link-out fires at route level. \*\*§0-CAL §23.2 UI-substitution FIRES: gate-cell roster load-bearing · gate roster + component-level enumeration + backend per-line enumeration all landed at §4 + §5.5.\*\* §23.1 per-line enumeration MANDATORY for backend/services/use\_data/\*\* + backend/routers/use [data.py](#) + test invariant cells at execution atomic (this Stage A is doc-only). §23.1 exception clause invoked per-line for every frontend gate-asserted-behavior fold at §4. \*\*Every LoC/cell-count/band figure at §2 carries the Owner-mandated verbatim tag: "Provisional planning anchor — not a commitment. Relative weight only." — no exceptions.\*\*

Post-amendment canon reconciliation attested at §1.4: A1..A8 disposition = zero conflict against filed canon · 1 CR row (CR-3) surfaced for unfiled second Change Order collision per Owner G-13 forward instruction. Parity 34 held byte-identical this Stage A · Standing Rule v3 attest carried. \*\*Tier-2 threshold-adjacent disclosure\*\* landed at §1.6 + §2 verbatim per §2.2 discipline (band-high 2,460 LoC exceeds 1,500 threshold · band-high 69 cells exceeds 60 threshold · pre-authorized split at Motion boundary if implementation exceeds threshold · Owner ruling not required).\*

the missing docs