

India Post / CEPT — Sandbox (UAT) API Test Report

Integrator: PostBus | **Application:** <https://postbus.vachat.in> | **Date of test:** 20 September 2026

Purpose. Proof of sandbox API testing from the live PostBus application server, for Department of Posts production-access review. No India Post production endpoints were called. Passwords, access tokens, refresh tokens and Authorization headers are not included.

1. Test environment

Item	Value
Integrator / product	PostBus (shipping / booking / tracking SaaS)
Public host	https://postbus.vachat.in
Application server	Hostinger KVM VPS, public IPv4 89.116.34.166 (whitelisted by CEPT)
Execution point	Inside the live PostBus application container (not a developer laptop)
OS / runtime	Ubuntu 24.04.2 LTS, Node.js v22.11.0, curl 8.5.0
Sandbox base URL	https://test.cept.gov.in/beextcustomer
Official UAT customer ID	3000064781
Login used for API calls	Documented CEPT sample UAT login (credentials not printed)
Test window	20 September 2026, approximately 04:26–04:28 UTC (connectivity, auth, tariff, pincode, tracking, events)

Reference	India Post External Integrations – Approach Document (updated 25.05.2026)
-----------	---

2. Overall result

Question	Result
Was sandbox testing performed from the live application server?	YES
Connectivity (DNS, TCP 443, TLS, HTTPS)	PASS
Authentication (login + token issue)	PASS
Speed Post tariff	PASS
Business Parcel tariff	PASS
Bulk tracking (documented sample article)	PASS
Error handling (auth / tariff validation)	PASS
Pin Code Search	FAIL (CEPT UAT HTTP 500)
Booking / bulk booking	BLOCKED — no office IDs from pincode API; office IDs were not invented
Event download API	FAIL (HTTP 204 empty body)
24 / 48 Speed Post tariff	NOT TESTED — official path unpublished
Token refresh	NOT TESTED — official refresh URL unpublished

Inbound event webhooks	URLs configured in sandbox portal; PostBus receive endpoint verified HTTP 200. CEPT Test POST not yet observed.
------------------------	---

3. Connectivity

Check	Result
DNS test.cept.gov.in	PASS — 103.244.127.150
TCP 443	PASS
TLS	PASS — TLS 1.3; certificate CN *.cept.gov.in
HTTPS reachability	PASS (host reachable; root path returns 404 JSON, which is not a connectivity failure)

Login and tariff APIs returned application JSON, not IP-block pages. Server IP whitelist is working.

4. Authentication

Endpoint: POST /beextcustomer/v1/access/login

Case	HTTP	Result
Valid sample UAT login	200	PASS — success true; access_token received; expires_in 900 seconds; token_type Bearer. Token not printed.
Invalid password (one attempt)	400	Expected failure — “Invalid user credentials”
Token refresh	—	NOT TESTED — refresh URL is unpublished in the approach document ([Link] only). Path was not guessed.

5. Speed Post tariff

Endpoint: GET /beextcustomer/v1/speed-post/tariffs | Source 400001 → destination 110001

Case	HTTP	Product	Weight / chargeable	Final amount	Result
250 g document	200	SP_INLAND_DOC	250 / 250	84 INR	PASS
500 g document	200	SP_INLAND_DOC	500 / 500	102 INR	PASS
1500 g parcel	200	SP_INLAND_PARCEL	1500 / 1800 (volumetric)	166 INR	PASS

Documented sample with INS/POD (250 g Mumbai→Delhi) also returned HTTP 200, final amount 166 INR, delivery type Inter-city, distance 1166 km.

24 Speed Post tariff: NOT TESTED — query parameters published; path unpublished; not guessed.

48 Speed Post tariff: NOT TESTED — same reason.

6. Business Parcel tariff

Endpoint: GET /beextcustomer/v1/business-parcel-tariff/calculate

Case	HTTP	Product	Weight / chargeable	Final amount	Result
Documented sample 550 g (141010 → 110057, INS 1000)	200	BUSINESS_PARCEL	550 / 550	129 INR	PASS
550 g (400001 → 700001)	200	BUSINESS_PARCEL	550 / 1800	118 INR	PASS
1 kg	200	BUSINESS_PARCEL	1000 / 1800	118 INR	PASS
2 kg	200	BUSINESS_PARCEL	2000 / 2000	118 INR	PASS

7. Pin Code Search — FAIL (CEPT UAT)

Endpoint: GET /beextcustomer/v1/pincode-search

Pincode	Parameters	HTTP	Offices	Body (sanitized)
570001	office-type=post	500	0	{"success":false,"error":{"message":"Internal server error"}}
570001	none	500	0	same
400001	office-type=post / none	500	0	same
110001	office-type=post / none	500	0	same

Documented alternate path GET /beextcustomer/v1/details?pincode=570001&limit=50&office-type=post returned HTTP **404** "Route not found".

No office_id, office_type_code or delivery_office_flag was returned. Pickup/drop-off office IDs were **not invented**.

8. Booking — BLOCKED

Booking requires a pickup/drop-off office that satisfies delivery_office_flag = true and office_type_code != BPO. That data was not available from UAT pincode APIs.

- POST /process-articles/{customerId} was **not called**.
- Bulk booking was **not called**.
- UAT AWB range ET21433001XIN–ET21434000XIN was **not used**.
- No real or production shipment was created.

9. Tracking

Path	HTTP	Result
POST /beextcustomer/tracking/bulk	404	Route not found
POST /beextcustomer/v1/tracking/bulk	200	PASS — documented sample article RK775227016IN; del_status delivered; 9 tracking events

This sample is not a PostBus-created article. End-to-end tracking of a PostBus UAT booking is blocked until booking is possible.

10. Event download API

Documented test body: Cust_Id 0000000000, Event_Code IB, Event_Date 01032026.

Path	HTTP	Result
POST /beextcustomer/event/download	404	Route not found
POST /beextcustomer/v1/event/download	204	Empty body — not XML; no event fields

11. Error handling (non-destructive)

Test	HTTP	Result
Invalid login	400	Invalid user credentials
Speed Post missing weight	400	Weight is required
Speed Post weight 0 / -10	400	Must be whole number greater than 0
Invalid product code	422	Product not found
Business Parcel weight 0	400	Weight must be 1–35000 g
Invalid / malformed pincode	404	Generic “page not found” (not JSON)

12. Event webhooks (sandbox portal)

Sandbox Event Configuration is set to Webhook. PostBus inbound URLs (kerlaz workspace):

- Booking: <https://postbus.vachat.in/api/v1/webhooks/india-post/f4a01ee7-80bb-433d-abc7-2d928fedcb07/booking>

- Other events: <https://postbus.vachat.in/api/v1/webhooks/india-post/f4a01ee7-80bb-433d-abc7-2d928fedcb07/events>

Independent POST to these URLs from the integrator returned HTTP 200 with accepted=true. The sandbox portal currently shows “Events are pre-configured”. A CEPT-originated Test POST has not yet been observed in the PostBus inbox.

13. Issues for CEPT / India Post (sandbox)

1. **Pin Code Search HTTP 500** on /v1/pincode-search for 570001, 400001 and 110001. Blocks booking UAT because office_id cannot be obtained.
2. **GET /v1/details?pincode=...** returns 404 Route not found. Please confirm the live UAT pincode path.
3. **Event download** POST /v1/event/download returns 204 empty (document expects XML).
4. **Tracking path:** /tracking/bulk is 404; /v1/tracking/bulk is 200. Please confirm /v1 is required on all resources.
5. **24/48 tariff and token-refresh URLs** are unpublished ([Link] only) and were not guessed.

14. Remaining sandbox tests (after CEPT restores pincode / office IDs)

1. Re-test pincode search until a delivery office is returned.
2. One controlled UAT booking: customer 3000064781, Speed Post contract 41585456, AWB from ET21433001XIN–ET21434000XIN, office ID from API.
3. Smallest bulk booking (2 articles).
4. Track the booked article on /v1/tracking/bulk.
5. Event download / portal webhook Test for that article.
6. 24/48 tariff and token refresh once paths are published.

15. Declaration

I confirm that the tests above were executed against the India Post **sandbox / UAT** environment only, from the live PostBus server whose IP has been whitelisted, on 20 September 2026. No production India Post APIs were called. No production shipments were created. Secrets are omitted from this report.

Organisation	PostBus
Application URL	https://postbus.vachat.in
Server IP	89.116.34.166
Report date	20 September 2026

Document: PostBus-India-Post-UAT-API-Test-Report-2026-09-20. Prepared from live-container test logs. Tokens and passwords redacted.