



# CoGrammar

## Iteration



**SKILLS  
FOR LIFE**

**SKILLS BOOTCAMPS**



Department  
for Education

# SE Lecture – Housekeeping

- ❑ The use of disrespectful language is prohibited in the questions. This is a supportive learning environment for all. Please engage accordingly.
  - ❑ Fundamental British Value: **Mutual Respect**
  - ❑ Please review Code of Conduct (in Student Undertaking Agreement) if unsure
- ❑ No question is daft or silly – **ask them!**
- ❑ There are Q/A sessions midway and at the end of the session, should you wish to ask any follow-up questions.
- ❑ Should you have any questions after the lecture, please post them to <https://forms.gle/G4wZytpMYYn9viuY7>
- ❑ For all non-academic questions, please submit a query: [www.hyperiondev.com/support](http://www.hyperiondev.com/support)
- ❑ Report a safeguarding incident: <http://hyperiondev.com/safeguardreporting>
- ❑ We would love your feedback on lectures: <https://hyperiondev.wufoo.com/forms/zsgv4m40ui4i0g/>

# Lecture Objectives

1. Define for loops as a means for automating repetitive tasks.
2. Implement for loops to solve problems that require dynamic iteration based on changing conditions.
3. Recall the purpose of using a for loop in Python.



**Poll:**


**Assessment**



# CoGrammar

Recap on Conditionals

# Iteration



# For Loop

- ★ **For loops** are used when we need code to run a **specified number** of times.
- ★ Think of it making the task of creating ten print statements much easier.

```
# No need to do this
```

```
print('!!!')  
print('!!!')  
print('!!!')  
print('!!!')  
print('!!!')  
print('!!!')  
print('!!!')
```

# for Loop Syntax

```
for item in iterable_object:  
    # Logic goes here
```

- ★ **iterable\_object**: a list of numbers, a string of characters, a range etc.
- ★ **item**: temporary variable used inside the for loop to reference the current position of our iterator.





**Question:**

**Can a for loop iterate over a String?**



# For Loop Example

```
string = "coffee"  
for letter in string:  
    print(letter)
```

- ★ The above loop will iterate over the **string** "coffee".
- ★ This entails the temporary variable **letter** being continuously updated with each letter found in "coffee".
- ★ This results in the following output:

# Example Continued

```
string = "coffee"  
for letter in string:  
    print(letter)
```

```
c  
o  
f  
f  
e  
e
```

As **letter** will iterate over every instance of **string**, we get the output of “coffee” spelled out on separate lines.

# Break and Continue

- ★ **Break:** The break keyword allows you to stop a loop at any time. We can combine it with a conditional statement to stop a loop at a given condition.
- ★ **Continue:** The continue keyword allows you to stop a loop at any time and start the next iteration. We can combine it with a conditional statement to start the next iteration at a given condition.



Poll:

**Assessment**



# Wrapping Up

---

## Iteration

Process for repeating a set of instructions.

## For Loop

Important and useful for automating repetitive tasks.

# CoGrammar

Questions around Iteration and For Loops



# CoGrammar

**Thank you for joining**

