



BRAND IDENTITY

The IAQ Book

The governing manual for the IAQ brand. It fixes how the group positions, speaks, looks and behaves across every market and touchpoint: the controlled-environment specialist delivering mission-critical facilities end to end, presented with the restraint and precision of a listing-grade engineering group.

THE CAMPUS

Controlled environments,
end to end

Delivered class	ISO CLASS 1
Certification	9001 · 14001 · 45001
Grade	CIDB G7
Projects	250+ SINCE 1994

0M

16M

32M

ENGINEERING & CONSTRUCTION

CONTROLLED ENVIRONMENTS

BRAND OS V3.1

EDITION 1.0 · 2026

CONTROLLED ENVIRONMENTS | END TO END

SECTION 0.0 · HOW THIS BOOK IS READ

NAVIGATION

Five governed sections, one order of operations. Strategy sets the position, verbal identity sets the voice, the visual system builds the surfaces, applications put them to work, and governance keeps them honest.

01 · 03

Contents & map

04

Brand OS alignment

HOW TO USE

This book wins any dispute



Navigation & contents

 1.0 · FOUNDATION

Foundation & story

Who IAQ is, what it owns, who it speaks to and the arc every asset tells.

06	At a glance
08	Three pillars
09	The buying group
10	The client journey
13	The pitch

Pages05 – 13

StatusSTRATEGY LOCKED · 15 JUL 2026

 2.0 · VERBAL

Verbal identity

The Trusted Engineer: register, vocabulary, channels and the messaging framework.

15	The voice
16	Vocabulary · keep and ban
17	Channel by channel
18	Messaging framework
19	Proof, governed

Pages14 – 19

StatusLOCKED

 3.0 · VISUAL

Visual identity

Logo system, colour, typography, the blueprint graphic language, icons and photography.

21	Logo system
26	Colour
28	Typography
32	The blueprint system
35	System don’ts

Pages20 – 35

StatusAS BUILT · DIGITAL FLAGSHIP

 4.0 · APPLIED

Applications

Website, documents, stationery, site, fleet, wearables and the feed.

37	The digital flagship
39	Stationery
41	Site, fleet & wearables
42	LinkedIn
43	Touchpoints in priority order

Pages36 – 43

StatusWEBSITE LIVE · TEMPLATES ROLLING

 5.0 · GOVERNED

Assets & governance

Master library, naming, trademark, subsidiary architecture and sign-off.

45	Assets & file naming
46	Trademark & legal
47	Subsidiary architecture
52	Governance & sign-off
53	Close

Pages44 – 53

StatusQ2 IN PROGRESS

 HOW TO USE THIS BOOK

This book wins

When a rule in this book and a live surface disagree, the book wins and the surface is corrected. Anything not covered here routes through the brand sign-off owner before it ships.

SINGLE SOURCE OF TRUTH

VERSIONED

Where this book sits in the system

THREE LAYERS
ONE OPERATING SYSTEM

LAYER 01 · THIS DOCUMENT

Brand Book

The foundational manual defining who IAQ is: strategy, verbal identity, visual language and the rules that keep them consistent.

01 Foundation & positioning	INCLUDED
02 Verbal identity & messaging	INCLUDED
03 Logo, colour, type & graphics	INCLUDED
04 Applications & governance	INCLUDED

LAYER 02 · ACTIVATION

Brand Operations

The systems that activate the brand at scale: the digital flagship, tender and investor templates, and the content rhythm on LinkedIn.

01 Corporate website · iaqtechnology.com	BUILT
02 Tender & company profile templates	ROLLING OUT
03 Investor deck system	ROLLING OUT
04 LinkedIn content frames	ROLLING OUT

LAYER 03 · PROTECTION

Brand Companions

Supporting resources that extend and protect the brand through the listing journey and global expansion.

01 Editable brand assets & masters	LIVE
02 Brand strategy card system	LIVE
03 Subsidiary architecture	Q2
04 Trademark & legal coverage	UNDER REVIEW

SECTION 1.0 · STRATEGY LOCKED · 15 JUL 2026

FOUN DATION

The position the whole system defends. Thirty years of controlled-environment delivery, one dual position, one audience map, and the story arc every asset repeats without ever raising its voice.

06

The brand at a glance

07

Vision · mission · principles

08 – 09

Pillars & audience

10 – 11

Journey & positioning

12 – 13

Story arc & the pitch



The brand at a glance

1994 → TODAY
THE SPECIALIST STANDARD


01 THE STORY · 1994 TO TODAY

Founded in 1994 by Mr. Tiew Soon Aik in Malaysia, IAQ began as a cleanroom specialist and became a Total Facility Solutions Provider: engineering design and consultation, procurement, construction, testing and commissioning, and lifetime maintenance, delivered as one accountable partner.

Today the group serves semiconductor, data centre, EV and life-science owners across seven countries, has delivered to the highest cleanroom class, and is preparing for listing. The brand carries that record: **the specialist proven to deliver the environments that cannot fail.**

- EPCM & EPCC
- CLEANROOM SYSTEMS
- PROCESS UTILITIES
- TOOL HOOKUP
- TESTING & COMMISSIONING
- ENERGY FACILITY MANAGEMENT

Certified **ISO 9001 · ISO 14001 · ISO 45001 · CIDB G7**. Listing-bound, governed and audited: the brand behaves the way the group builds.



02 THE DUAL POSITION · LOCKED

GLOBALLY

The Cleanroom Specialist

The controlled-environment specialist for MNCs building mission-critical facilities, proven to the highest cleanroom class.

REGIONALLY

Total Solutions / Turnkey Provider

The turnkey specialist that builds stringent-spec facilities end to end: one accountable partner from first drawing to lifetime care.

THE LANE THE RECORD OWNS

Above the general contractors without the record, below the global giants priced out of reach: global-standard delivery at a competitive regional cost. The specialist standard.



1994

FOUNDED IN MALAYSIA

250+

PROJECTS DELIVERED

7

COUNTRIES · MY SG DE FR IN SE PL

450+

ENGINEERS & STAFF

RM1B

GROUP REVENUE SCALE

ISO 1

HIGHEST CLEANROOM CLASS DELIVERED

Vision, mission, principles

THE FIXED INTENT
UNCHANGED SINCE THE SESSION

VISION

01

Regional facility solutions leadership

To be the regional facility solutions provider with engineering excellence, facilitating technological innovation and the advancement of quality of life.

MISSION

02

Innovative, sustainable facility solutions

Provide innovative and sustainable facility and engineering solutions that benefit clients and stakeholders, driven by our leadership, employees and partners globally.

PRINCIPLES

03

Safety and quality before speed

Safety commitment. Quality consistency. Honesty and integrity. Engineering capability. Efficiency and proficiency. The pursuit of excellence. Disciplined, standards-led engineering on every project.

ENGINEERING EXCELLENCE THAT ADVANCES QUALITY OF LIFE

ONE ACCOUNTABLE PARTNER, END TO END

GOVERNED, ACCOUNTABLE, LISTING-GRADE IN CONDUCT

THE KEPT LINE · THE CONSTANT TAGLINE

“Your Total Facility Solutions Provider”

Kept and owned since the strategy session. It appears on every asset, always in the type system, never redrawn as a graphic and never replaced by a campaign line.

Three pillars, one accountable roof

THE CAPABILITY MAP
PRESENTED AS ONE BRAND

PILLAR 01

EPC · Engineering, Procurement & Construction

Turnkey EPCM and EPCC delivery of high-tech and mission-critical facilities: engineering design and consultation across CSA and MEP, procurement, construction, testing and commissioning.

PILLAR 02

Process Critical Utilities & Total Tool Installation

The controlled-environment core: cleanroom systems, process utilities, tool hookup and installation, delivered to stringent specification and validated to the required class.

PILLAR 03

Energy Facility Management

Energy and facility management across the operating life of the asset: maintenance, optimisation and the long-term relationship that keeps a delivered facility performing.

A WHO THE BRAND SPEAKS TO

MNC facility owners and developers building mission-critical environments. Deciders are project directors, plant managers and the C-suite; procurement runs the RFQ; consulting engineers, QS and main contractors influence the shortlist.

SEMICONDUCTOR

DATA CENTRES

EV & BATTERY

LIFE SCIENCE & BIO

HIGH-TECH MANUFACTURING

B HOW THE GROUP PRESENTS · THE ROUTED MODEL

The public sees **one brand: IAQ and its three pillars**. Subsidiary companies stay out of public view and receive the enquiries behind the scenes. Subsidiary names are never published; the final architecture model is locked in Questionnaire 02.

Public-facing entity

IAQ ONLY

Subsidiary names

NEVER PUBLISHED

Architecture decision

Q2 · QUESTIONNAIRE 02

The buying group

ONE POSITION
FOUR DIFFERENT PROOFS

DECIDER

Project Director & C-Suite

Owns the flagship build and the risk of getting it wrong. Answers to the board for schedule, budget and validation. Chooses the partner who removes the gamble.

DECIDER

Plant & Facility Manager

Lives with the facility after handover. Cares that the environment holds its class, the utilities run, and maintenance is a rhythm, not a rescue.

GATEKEEPER

Procurement & QS

Runs the RFQ and the compliance screen. Needs the record in auditable form: certifications, safety history, delivered classes, financial standing.

INFLUENCER

Consulting Engineers & Main Contractors

Shape the shortlist and review the technical submission. Fluent in CSA, MEP and cleanroom class; respect depth, not marketing.

WINS ON

One accountable partner

WINS ON

Performance & lifetime care

WINS ON

ISO · CIDB G7 · 250+ projects

WINS ON

Technical command

SECTORS SERVED

MNC facility owners and developers across semiconductor, data centres, EV and battery, life science and bio, and high-tech manufacturing, in seven countries. **Every audience hears the same position; each hears its own proof.**

A ladder, not a sale

STEP 01

The first promise kept

The facility meets its stringent specification, on schedule and safely. Validation passes. The class holds. The first engagement is proof, not a pitch.

DELIVERED TO SPEC

STEP 02

The internal benchmark

A build so clean and well-run it becomes the client’s own reference for how a facility project should go. Beyond satisfied, quietly impressed.

THE STANDARD RESETS

STEP 03

The rhythm

The relationship becomes maintenance, expansions and a standing seat on the shortlist. Recurring facility management carries the partnership between builds.

MAINTENANCE & EXPANSION

STEP 04

The reference

The client becomes the reference that wins IAQ the next mission-critical facility. Delivered flagships earn references; references win stringent projects.

THE FLYWHEEL TURNS

BRAND IMPLICATION


Every touchpoint is built for a relationship measured in decades, not campaigns. **The brand never chases; it demonstrates, delivers and stays.**

The corner rivals leave open

POSITIONING MAP

THE MARKET, DRAWN

01 THE MARKET, DRAWN



02 WHAT HOLDS THE CORNER

The record generalists cannot show

ISO CLASS 1 · 250+ PROJECTS

The price giants cannot match

REGIONAL COST BASE

The scope neither carries alone

END TO END · ONE PARTNER

03 NEVER MISTAKEN FOR

- ✗ A general contractor with a cleanroom add-on
- ✗ An HVAC or aircond servicing vendor
- ✗ A manpower or trade supplier

The specialist standard, above the generalists, below the giants' price. **Every asset defends this corner.**

The owner is the hero

THE ARC EVERY ASSET TELLS
FIVE BEATS · ONE STORY

01

THE HERO

A facility owner with the hardest build on the roadmap: a fab, a data centre, a plant that gets one chance to be built right.

02

THE PROBLEM

Mission-critical facilities demand near-impossible precision, and most builders cannot deliver it. Betting on a generalist is a gamble.

03

THE GUIDE

IAQ: the specialist who understands the stakes and has delivered to the highest standard since 1994. The risk moves to proven hands.

04

THE PLAN

Five steps from first drawing to a facility that performs: design & consult, procure, build, test & commission, maintain.

05

THE STAKES

With the specialist: a validated, high-performing facility. Without: contamination, failed validation, slipped schedules, a build at risk.

TOLD IN ONE BREATH · THE ONE STORY

The owner who stopped gambling on generalists, and secured the specialist.

IAQ is never the hero of its own story. The owner is. IAQ is the guide with the record: calm, exacting and already proven at the highest class. That framing governs every case study, every pitch and every page.

Three depths, one position

THE ELEVATOR · EVERY SPOKESPERSON, WORD FOR WORD

Your total facility solutions provider for the environments that cannot fail: IAQ builds mission-critical facilities end to end, proven to the highest cleanroom class.

PITCH 01 · ACCOUNTABILITY

01

One accountable partner

IAQ delivers mission-critical facilities end to end, design through commissioning, so owners get one accountable partner and a facility validated to the required class.

FOR THE C-SUITE AND PROJECT DIRECTORS

PITCH 02 · THE RECORD

02

De-risked by 250+ projects

IAQ de-risks the hardest build on the roadmap with three decades and 250-plus projects of controlled-environment delivery: on schedule, safely, to the highest standard.

FOR PROCUREMENT AND THE RFQ SCREEN

PITCH 03 · THE LANE

03

Global standard, regional cost

IAQ is the regional specialist that builds global-standard controlled environments at a competitive cost: the turnkey partner for a facility that cannot fail.

FOR OWNERS COMPARING GIANTS AND GENERALISTS

SECTION 2.0 · HOW IAQ SPEAKS

VERBAL
IDENTITY

One voice across every surface: the Trusted Engineer. Formal, evidence-led and quietly certain, with a vocabulary that is governed as tightly as the drawings.

15	16	17	18	19
The voice	Vocabulary · keep & ban	Channel by channel	Messaging framework	Proof, governed



The Trusted Engineer

ONE VOICE
EVERY SURFACE

REGISTER
01

Formal, corporate, confident

The calm authority of a proven specialist. A senior engineer’s voice, never a marketing pitch. Technical where it must be, plain but not too plain. Measured and structured.

CONFIDENT, PRECISE, QUIETLY CERTAIN

METHOD
02

Evidence before claim

Every statement is carried by the record: 250-plus projects, the highest cleanroom class delivered, ISO 9001, 14001, 45001 and CIDB G7. Restraint over volume, always.

THE RECORD IS THE REASON TO BELIEVE


CONDUCT
03

Governed and protective

Listing-grade in conduct: transparent, accountable, protective of client confidentiality. Understanding of the owner’s risk, unflustered by complexity, standards-fluent.

CONFIDENT AND REFINED, NEVER LOUD

04 THE DIAL · WHERE THE VOICE SITS



THE GOAL

Make IAQ read as the safe, proven hands for a mission-critical build, so a facility owner never has to gamble on an unproven contractor.

The words we keep, the words we ban

VOCABULARY CONTROL
NON-NEGOTIABLE

✓ THE WORDS WE KEEP USING

- SPECIALIST
- TOTAL SOLUTIONS
- MISSION-CRITICAL
- TURNKEY
- PRECISION
- GOVERNED
- VALIDATED
- END TO END

- ✓ Clear, precise statements, technical where it must be
- ✓ Evidence before claim: numbers, classes, standards
- ✓ Projects named by location and sector
- ✓ Plain but not too plain, restraint over volume

✗ NEVER IN PUBLIC COPY

- HYPE
- SUPERLATIVES
- SLOGAN-SPEAK
- CLIENT NAMES
- EXCLAMATION MARKS

- ✗ Emotional or exaggerated language
- ✗ Client names or logos in any public asset
- ✗ Unverifiable claims, “world-class”, “best in Asia”
- ✗ Marketing-pitch tone on technical surfaces

BEAT 01 · THE STAKES

Some facilities cannot afford a learning curve.

BEAT 02 · THE SPECIALIST

Mission-critical facilities need a specialist, not a first attempt.

BEAT 03 · THE PROOF

Built to the highest standard, end to end, since 1994. Built right, the first time.

Channel by channel

SAME VOICE
DIFFERENT FORMALITY

01	Tender & RFQ documents	Fully formal. Evidence-led, standards-fluent, structured to the client’s compliance screen. Certifications and delivered classes stated exactly; no adjectives where a number will do.	MOST FORMAL
02	Website & company profile	The Trusted Engineer at full length: confident, precise, technical where it must be. Cases by location and sector. The dual position led by audience: specialist globally, total solutions regionally.	FORMAL
03	Investor materials	Listing-grade: governed, transparent, audited numbers only. Growth told through the record and the lane, never through hype.	FORMAL
04	LinkedIn	Technical insight in feed form. Project milestones by location, engineering viewpoints, hiring. Same precision, slightly warmer cadence; still no exclamation marks, no hype.	PROFESSIONAL
05	Events & exhibitions	Capability shown, not shouted: schematic walls, the 3D cross-section, the record as a wall of numbers. Conversations open with the stakes, not the services list.	PROFESSIONAL
06	Site surfaces & signage	Minimal: the wordmark, the tagline, safety information. Site surfaces carry identity quietly; the safety standard always outranks the brand standard.	MINIMAL

Same position, right proof

TO THE C-SUITE Risk & accountability “One accountable partner from first drawing to lifetime care. The risk is owned by proven hands.” LEAD PROOF 30 YEARS, END TO END	TO PROJECT & PLANT LEADS Spec & schedule “Validated to the required class. The schedule holds. The facility performs, and keeps performing.” LEAD PROOF ISO CLASS 1 DELIVERED	TO PROCUREMENT Record & compliance “250-plus projects since 1994. ISO 9001, 14001, 45001. CIDB G7. A documented safety record.” LEAD PROOF THE AUDITABLE RECORD	TO CONSULTING ENGINEERS Technical depth “CSA and MEP design, process utilities, tool hookup, testing and commissioning: one integrated capability.” LEAD PROOF THE DELIVERY METHOD
--	---	---	--

ALWAYS OPEN WITH

The stakes: some facilities cannot afford a learning curve.

ALWAYS FOLLOW WITH

The specialist: proven, end to end, one accountable partner.

ALWAYS CLOSE WITH

The proof, then the ask: a capability review, in exchange for a conversation.

Proof, told the governed way

THE REFERENCE STORY
BY LOCATION, NEVER BY NAME

01 THE REFERENCE STORY · THE TEMPLATE


CASE · DHOLERA, INDIA

A 300mm wafer-fab cleanroom, delivered end to end

A 300mm wafer-fabrication facility for a major electronics group, part of an 11 billion USD semiconductor project. IAQ designed and installed the cleanroom to the exacting class a global fab demands. Part of a semiconductor track record spanning Malaysia, India and Europe.

LOCATION	SECTOR	SCALE	CLASS	CLIENT NAME
----------	--------	-------	-------	-------------

This is the template for every public case: location, sector, scale and class. **The client is never named.**



DESIGN & CONSULTATION · CSA AND MEP · THE RECORD BEGINS AT THE DRAWING

02 THE CONFIDENTIALITY RULE · NON-NEGOTIABLE

BOARD RULE · Q1 SIGN-OFF

No unapproved publication regarding clientele, anywhere. Projects are shown by location and sector only. Client confidentiality is part of the brand’s promise of governed conduct.

03 THE THREE PROOF LINES

ISO 9001 · 14001 · 45001 · CIDB G7

CERTIFICATIONS CARRIED ON PROOF SURFACES

ISO CLASS 1 DELIVERED

CAPABILITY CLAIM CEILING

250+ PROJECTS SINCE 1994

TRACK RECORD LINE

SECTION 3.0 · THE DESIGN SYSTEM

VISUAL IDENTITY

The logo kept and protected, a governed palette, three typefaces with fixed jobs, and a blueprint graphic language built from six elements and nothing else.

21 – 25

Logo system

26 – 27

Colour

28 – 29

Typography

30 – 33

Graphics & icons

34 – 35

Photography & don'ts



The logo system

PRIMARY WORDMARK · REGISTERED
KEPT AS-IS


01 PRIMARY WORDMARK · COLOUR ON WHITE



Clearspace equals the cap-height of the letter **I** on all four sides. Nothing enters it: no type, no rule, no image edge, no partner mark.



02 THE APPROVED SET



03 MINIMUM SIZES

Print · wordmark	18 MM
Digital · wordmark	72 PX
Mark only	16 PX

04 DO NOT


- ✗ Redraw, respace or recolour the stripes
- ✗ Stretch, skew, outline or add effects
- ✗ Drop the ® from formal applications
- ✗ Place on busy or low-contrast grounds

REFINEMENT BOUNDARY

Kickstart 3 Aug: the wordmark is kept **as-is**, historical irregularities included (China-origin mark, circa 2000), pending the trademark review. “AQ” is still re-read for the wider engineering scope. Any alteration waits on the trademark answer and the brand sign-off owner.

Why the mark is kept

IN CONTINUOUS USE SINCE 1994
REGISTERED WORDMARK



A THE MARK, READ PROPERLY · FOUR REASONS IT STAYS

- 1

Equity
Three decades of tenders, hoardings and delivered facilities carry this mark. Recognition of this kind is not rebuilt, it is refined.
- 2

Registration
The wordmark is trademark-registered (®). Legal protection follows the mark as used; keeping it keeps the protection.
- 3

The layered read
The striped letterforms read as layered construction: floor by floor, system by system, the way a facility actually goes up.
- 4

“AQ”, re-read
Born in air quality, the letters now stand for the wider engineering scope: the group decision from the strategy session, something broader.

B THE REFINEMENT SCOPE · WHAT MAY BE TOUCHED


Optical spacing between letterforms	REFINE
Stripe consistency at small sizes	REFINE
Clean vector masters & export set	REFINE
Letterform shapes, stripe count, proportions	LOCKED
Colour, weight, the ® lockup	LOCKED

Refinement improves reproduction: optical spacing, stripe consistency at small sizes, clean vector masters. **The identity of the mark does not move.**

Anatomy & reproduction

THE PARTS THAT MUST SURVIVE
EVERY REPRODUCTION

01 THE PARTS THAT MUST SURVIVE REPRODUCTION



02 APPROVED REPRODUCTIONS

Primary · IAQ Red on white or Cloud	DEFAULT
On Deep Navy · red wordmark on a white panel	PREFERRED DARK USE
Single-colour · Ink, or White reversed	ONE-COLOUR PRINT ONLY
Dimensional 3D render	DIGITAL HERO ONLY

03 REPRODUCTION FLOORS

Stripes must stay separable	NEVER BELOW 16 PX / 5 MM CAP
Embroidery & engraving	SOLID SINGLE-COLOUR VERSION
The ® mark	DROPPED ONLY BELOW 8 MM

Below the floor the stripes fill in and the mark reads as a solid block. Where a surface cannot hold the stripes — embroidery, etching, cast metal — the solid single-colour version ships instead, never a redrawn approximation.

Placement & backgrounds

APPROVED GROUNDS
AND THE BANNED ONES

01 APPROVED GROUNDS



WHITE
DEFAULT



CLOUD
DEFAULT



NAVY · WHITE PANEL
DARK USE



PHOTOGRAPHY · SCRIMMED PANEL
APPROVED

02 PLACEMENT RULES

Documents & letterhead	TOP LEFT
Website & digital surfaces	NAV LEFT · FIXED HEIGHT
Covers · tender, profile, deck	TOP LEFT OR CENTRED
Site hoardings & vehicles	ON WHITE FIELD ONLY
Co-branding · partner lockups	EQUAL HEIGHT · DIVIDER RULE

03 BANNED GROUNDS

- ✗ Directly on IAQ Red or any saturated field
- ✗ On busy photography without the white panel
- ✗ On gradients, patterns or low-contrast greys

The white panel is not decoration: it is the legibility device that keeps a red mark readable on dark and photographic grounds. Its proportions follow the clearspace rule exactly.

Never these

LOGO MISUSE
SIX FAILURES, ALWAYS REJECTED

× NEVER



STRETCHED OR SQUEEZED

× NEVER



RECOLOURED

× NEVER



SHADOWS, GLOWS, OUTLINES

× NEVER



ROTATED OR TILTED

× NEVER



ON BUSY OR PATTERNED GROUNDS

× NEVER



CROPPED OR PARTIALLY SHOWN

THE STANDING RULE **One file, used as supplied.** Any treatment not shown in this book routes through the brand sign-off owner before it ships. There is no “just this once”: an exception granted is an exception published.

A governed colour system

FIVE CORE · THREE SUPPORT
RESTRAINT IS THE SYSTEM

01 PRIMARY PALETTE

#EC2027

IAQ Red
HEX #EC2027
RGB 236 · 32 · 39
CMYK 0 · 92 · 88 · 0
The single accent. Logo, key lines, focus.

#B5121B

Signal Deep
HEX #B5121B
RGB 181 · 18 · 27
CMYK 20 · 100 · 95 · 12
Text-safe red: eyebrows, links, emphasis.

#0C1220

Ink
HEX #0C1220
RGB 12 · 18 · 32
CMYK 88 · 78 · 55 · 72
Headlines and body ink.

#0A101F

Deep Navy
HEX #0A101F
RGB 10 · 16 · 31
CMYK 90 · 80 · 55 · 75
Dark bands, dividers, showpiece grounds.

#F7F9FC

Cloud
HEX #F7F9FC
RGB 247 · 249 · 252
CMYK 2 · 1 · 0 · 0
The light base. Panels and pages.

02 SUPPORT GREYS

STEEL

#48536A

MIST

#828B9E

WHITE

#FFFFFF

03 USAGE RATIO · RESTRAINT IS THE SYSTEM

62% LIGHT

22% NAVY / INK

10% GREY

6% RED

Red is the disciplined accent, never a field colour. Premium and minimal, corporate trust expressed through restraint.

BRAND OS V3.1 · IAQ BRAND IDENTITY

26 — BRANDMETHOD.CO · © 2026

Pairings & surfaces

CONTRAST GOVERNED
AA+ ON ALL BODY COPY

01 APPROVED PAIRINGS

Signal on white HEADLINES · LINKS AA+	White on Navy DARK BANDS · DIVIDERS AA+
Ink on Cloud ALL BODY COPY AA+	RED ACCENT ON NAVY MONO LABELS ONLY LABEL SIZE

02 AVOID

Ink body text on red FAILS LEGIBILITY	Red body text on navy BELOW FLOOR	Grey on grey MUDDY	Red field sections ACCENT, NOT FIELD
---	---	--	--

03 COLOUR BY SURFACE

- Website

Cloud base, navy bands, red leader lines and links.
- Documents

White base, ink text, red rules and eyebrows only.
- Investor deck

Navy grounds, white type, red numerals.
- Site & PPE

Safety colours outrank brand colours, always.

THE CONTRAST FLOOR

Every body-copy pairing clears AA+. Red never carries a paragraph, and never becomes a section background: it marks, it does not fill.

Engineered, not decorated

THREE FAMILIES
THREE FIXED JOBS

Aa

Switzer

DISPLAY · HEADLINES · NUMBERS

700	Cover titles, divider typography, stat numerals
600	Slide titles, card headings, tagline settings, −.02em tracking
500	Standfirsts and emphasised leads

SPECIMEN · 600 · −.02EM

Some facilities cannot afford a learning curve.

ABCDEFGHIJKLM · 0123456789 · &%®

Aa

Instrument Sans

BODY · DESCRIPTION · INTERFACE

600	Group headings, table heads, buttons
500	Navigation, captions, secondary labels
400	All body copy at 1.6 line height

SPECIMEN · 400 · 1.6 LINE

End-to-end delivery across EPCM, EPCC and Energy Facility Management, validated to the required class.

ABCDEFGHIJKLM · 0123456789 · &%®

Aa

JetBrains Mono

TECHNICAL · EYEBROW · SPEC

600	Eyebrows at .2em tracking, uppercase, Signal Deep
500	Dimensions, classes, certification strings
400	Footers, file names, version metadata

SPECIMEN · 500–600 · .2EM

ISO CLASS 1 · 250+ PROJECTS

0M / 16M / 32M · CIDB G7

ABCDEFGHIJKLM · 0123456789 · &%®

WHY THREE

The technical mono voice is what makes IAQ read as an engineering group, not an agency brand. **Every label, spec and dimension runs in JetBrains Mono.** Headlines never take the accent red as a fill; red enters type only through the eyebrow and emphasis system.

One composed page

THE HIERARCHY AT WORK
NEVER MORE THAN THREE SIZES


SEMICONDUCTOR · CONTROLLED ENVIRONMENTS

Some facilities cannot afford a learning curve.

Mission-critical facilities need a specialist, not a first attempt. IAQ has delivered to the highest cleanroom class since 1994.

End-to-end delivery across EPCM, EPCC and Energy Facility Management: engineering design and consultation, procurement, construction, testing and commissioning, and maintenance.

One accountable partner from first drawing to lifetime care, validated to the required class, on schedule and safely, at a competitive regional cost.



01 THE HIERARCHY AT WORK

Eyebrow · JetBrains Mono 600	10–11 PX · .2EM · SIGNAL
Headline · Switzer 600	–.02EM · 1.1 LINE
Standfirst · Instrument Sans 500	1.6 LINE · STEEL
Body · Instrument Sans 400	1.6–1.7 LINE
Spec footer · Mono 400–600	9–10 PX · TRACKED

02 NEVER

- ✗ Switzer for body copy, or Sans for headlines
- ✗ Red as a headline fill
- ✗ Centred body text, justified columns
- ✗ More than three sizes on one surface

If a page needs a fourth size to work, the hierarchy is wrong, not the type. Cut a level instead of adding one.

Six elements, no more

THE KIT
RESTRAINT IS THE LOOK


ELEMENT 01



Leader line

DOT ORIGIN, SQUARE TURNS 1.3PX RED


ELEMENT 04



Scale bar

DIMENSIONS IN MONO ALWAYS LABELLED


ELEMENT 02



Drafting grid ground

MODULE 56PX · 4.5% INK


ELEMENT 05



Stat block

SWITZER NUMERAL + MONO LABEL PROOF UNIT


ELEMENT 03



Spec chip

MONO, SQUARE, 1.5PX RULE NO PILLS

ELEMENT 06



Section rule

HAIRLINE + RED INDEX STRUCTURE, NOT BOXES


THE CLOSED KIT

Six elements, no more. Every layout is built from these plus type and photography. New decorative elements are not added; that restraint is the look.

Structure from the grid

12 COLUMNS · BASE 8
ONE LEFT EDGE PER SURFACE

01 THE WORKING GRID



MARGIN 52PX | 12 COLUMNS · GUTTER 42PX | MARGIN 52PX


02 LAYOUT RULES

Grid	12 COLUMNS
Page margins · print A4	18 MM
Slide margins · 16:9	52 PX @ 1280 · 104 PX @ 1920
Column gutter	42 PX / 8 MM
Spacing scale	BASE 8 · 4/8/12/16/24/32/42/52
Corners	SQUARE · 0–2 PX
Alignment	ONE LEFT EDGE PER SURFACE

Dense but breathable: a full band alternates with a calm one. Structure comes from alignment and hairlines, never from boxes around everything. **If a layout needs decoration to hold together, the grid is wrong.**

The blueprint system

THE SCHEMATIC, DRAWN LIVE
THE SPECIALIST'S WAY OF SEEING



A THE FIVE MOVES

- 01 Boxless layouts**
Structure from grids, hairlines and space. Content is never trapped in decorated boxes.
- 02 Leader lines**
Red leader lines with dot origins connect labels to the exact component they describe.
- 03 Cross-sections**
Facilities shown as cutaways and exploded system views, the specialist's way of seeing.
- 04 Engineering grid**
A faint drafting grid grounds light surfaces; scale marks and dimensions live in mono.
- 05 Sharp geometry**
Square corners, exact alignments, no soft radii. Decoration without function is banned.

B WHAT A SCHEMATIC MUST CARRY


- DIMENSION LINE
- SCALE IN METRES
- COMPONENT LABEL
- DOT ORIGIN**
- CLASS OR SPEC

A schematic that carries no dimension, no label and no class is an illustration, not a drawing. **If it cannot be measured, it does not ship.**

One stroke, one grid

DRAWN ON A 24 PX GRID
OUTLINE ONLY · 1.6PX

01 SPECIMEN · THE CONSTRUCTION GRID



Live area	20 × 20 PX
Padding	2 PX ALL SIDES
Stroke	1.6 PX · NEVER MIXED
Caps & joins	SQUARE · MITER

The tile is a display case, not a style. Every mark stays outline-only on the 24 px grid: the luminous plate presents it, it does not decorate it.

02 THE SET · TWELVE MARKS



03 CONSTRUCTION RULES

Grid	24 × 24 PX · 2PX PADDING
Stroke	1.6 PX · NEVER MIXED
Corners & caps	SQUARE · MITER
Fill	OUTLINE ONLY
Colour on light	SIGNAL DEEP OR INK
Colour on navy	WHITE OR IAQ RED

04 SIZES IN USE

Inline with body copy	16 PX
Capability cards & lists	24 PX
Section headers & booth graphics	32–48 PX

05 DO NOT

- ✗ Use rounded, filled or duotone icon styles
- ✗ Mix stock icon sets into the system
- ✗ Scale icons below 16px or off the pixel grid

Icons label capability; they never illustrate a mood. If a concept needs an illustration rather than an icon, it needs a schematic instead.

Real work, governed


COOL, NEUTRAL, COMPOSED
NEVER A CLIENT NAME



FACILITIES & ENGINEERING DETAIL COMPOSED WIDE



THE TEAM, ON SITE REAL DELIVERY



THE WORK ITSELF DRAWINGS & SYSTEMS

02 TREATMENT

- ✓ Cool, neutral grade; whites stay clean, never warm
- ✓ Composed, wide, engineered frames; order over drama
- ✓ Captioned by location and sector in mono type
- ✓ Red appears only as a leader line or caption accent

03 NEVER

- ✗ Client names, logos or signage in any public frame
- ✗ Generic stock imagery standing in for real IAQ work
- ✗ Glossy over-styled renders, effects without function

CAPTION FORMAT

300MM WAFER-FAB CLEANROOM
DHOLERA, INDIA · SEMICONDUCTOR · ISO CLASS 5

Location · sector · class. **The client is never named.**

THE LIBRARY RULE Approved photography lives in the master library, captioned at the point of approval. An image without a caption is not approved for publication, and an unapproved image never ships to a public surface.

System don'ts

DESIGN

- ✗ Rounded corners, pills or soft radii on brand surfaces
- ✗ Drop shadows, glows, bevels or gradient fills
- ✗ Decorative illustration or clip-art of any kind
- ✗ Red used as a background field or section colour
- ✗ Stock icon sets or mixed stroke weights
- ✗ Emoji on any client-facing surface

COPY

- ✗ Exclamation marks, hype or superlatives
- ✗ “World-class”, “best in Asia”, any unverifiable claim
- ✗ Client names or logos in public materials
- ✗ Slogan-speak and marketing-pitch tone
- ✗ Dashes as pauses; use a colon, a comma or a period
- ✗ Numbers that cannot be audited

THE TEST

Would a listing-grade engineering group publish this?

If it decorates instead of informs, or claims instead of proves, it does not ship. Apply the test before the file leaves the building, not after a client asks about it.

SECTION 4.0 · WHERE THE BRAND LIVES

APPLI CATIONS

The system at work: the digital flagship, the documents that carry the listing story, print, site, fleet and the feed. Every surface built from the same six elements and three typefaces.

37 – 38

Digital surfaces

39 – 40

Print & documents

41

Site, fleet & wearables


42 – 43

LinkedIn & priorities



The digital flagship

01 THE SYSTEM, ALREADY BUILT



LIVE 3D CROSS-SECTION HERO ON WHITE

BUILT · Q1 2026

02 WHAT THE SITE FIXES IN THE SYSTEM

Live 3D on white

The cross-section facility hero showcases the full scope of services as a living schematic.

Blueprint everywhere

Leader lines, drafting grids and mono spec labels carry the engineering voice page to page.

Projects by location

The project index filters by industry, region and type; every case is anonymous by design.

English first

EN at launch per the Q1 decision; the architecture is ready for added languages later.

The website is the reference implementation of this book. **When a rule here and a live page disagree, this book wins and the page is corrected.**

Beyond the website

DIGITAL SURFACES
TYPE-LED, ALWAYS



Ahmad Faiz
PROJECT DIRECTOR · EPC

IAQ Group · Your Total Facility Solutions Provider
+60 X-XXX XXXX · iaqtechnology.com

EMAIL SIGNATURE · TYPE ONLY, RED RULE

600 PX WIDE · NO BANNERS



Your Total Facility Solutions Provider
ISO 9001 · 14001 · 45001 · CIDB G7



LINKEDIN COMPANY BANNER · NAVY SCHEMATIC

1584 × 396 PX



TENDER SUBMISSION · CONFIDENTIAL

3.2 · SCOPE OF WORKS

Cleanroom envelope & process utilities

Design, supply and installation of the cleanroom envelope, FFU ceiling grid and process utilities, with tool hookup and validation to the required class.

Delivered class	ISO CLASS 1
Programme	42 WEEKS

ISO 9001 · 14001 · 45001 · CIDB G7

01

DOCUMENT HEADER & FOOTER SYSTEM


A4 · 210 × 297 MM

THE STANDING RULE

Digital surfaces stay type-led: the wordmark, the tagline, the certification string and the schematic line. **No photography in signatures, no gradients in banners, no decoration in document chrome.**

Print carries the same system

STATIONERY
UNCOATED · NO GLOSS



LETTERHEAD · A4 210 × 297 MM



BUSINESS CARD · FRONT AND BACK 90 × 54 MM · LANDSCAPE


Print is where restraint shows most. White space, exact alignment, one red rule: **nothing else is needed to look governed.**

01 SPECIFICATION	
Paper	UNCOATED 120 / 350 GSM
Logo print	SPOT RED OR CMYK EXACT
Type on print	SAME THREE FAMILIES
Finish	NO FOIL · NO LAMINATE GLOSS
Envelope & folder	WHITE · LOGO TOP LEFT


- 02 NEVER ON PRINT
- ✗ Gloss lamination, spot UV or foil blocking
 - ✗ Red as a full-bleed field on any stationery item
 - ✗ Rounded card corners or non-standard trims

Tender & investor documents

THE STRICTEST SURFACES
NOTHING UNPROVEN



TENDER COVER · WHITE, EXACT, CERTIFIED A4




INVESTOR DECK COVER · NAVY, QUIET CONFIDENCE 16 : 9

01 DOCUMENT RULES	
Tender interiors	WHITE · TABLES · NO DECOR
Investor interiors	NAVY + WHITE ALTERNATING
Numbers	SWITZER · AUDITABLE ONLY
Charts	HAIRLINE · RED = KEY SERIES
Client references	BY LOCATION · ALWAYS

These two documents carry the listing story. They are the strictest surfaces in the system:
nothing unproven, nothing decorated, nothing loud.

Site, fleet & wearables

PHYSICAL SURFACES
SAFETY OUTRANKS BRAND



SITE HOARDING · NAVY BAND, WHITE PANEL



PPE · MARK ON HELMET, VEST STAYS REGULATION SAFETY FIRST



FLEET · WORDMARK ON WHITE BODY NO WRAPS

01 EXHIBITION

Booth walls run the blueprint system at architectural scale: the cross-section schematic, the record as a stat wall, one demo screen. Conversations open with the stakes, not the services list. **Capability shown, not shouted.**

02 PHYSICAL SURFACE SPECIFICATION

Hoarding	NAVY BAND · WHITE LOGO PANEL
Helmet	MARK ONLY · FRONT, CENTRED
Vest & high-vis	REGULATION COLOUR, UNTOUCHED
Vehicles	WHITE BODY · WORDMARK ON DOOR
Booth walls	SCHEMATIC AT 1:1 SCALE

THE OVERRIDING RULE

Same rule everywhere physical: **the safety standard and local regulations always outrank the brand standard.** High-vis colours and regulatory marks are never compromised for identity.

SAFETY FIRST

BRAND SECOND

The Trusted Engineer, in feed form

LINKEDIN
TWO FRAMES, USED CONSISTENTLY



DHOLERA, INDIA · SEMICONDUCTOR

A 300mm wafer-fab cleanroom,
delivered end to end.

ISO CLASS 5 · DELIVERED 2026



PROJECT FRAME · LOCATION-TAGGED CASENAVY

ENGINEERING VIEWPOINT

Why cleanroom class is decided
at design, not at handover.

ISO 1

IAQTECHNOLOGY.COM



INSIGHT FRAME · TECHNICAL POINT OF VIEWWHITE

01 FEED RULES	
Cadence	CONSISTENT · NEVER REACTIVE
Project posts	LOCATION + SECTOR + CLASS
Milestones	CERTS, DELIVERIES, HIRES
Tone	PRECISE · NO HYPE
Hashtags	THREE, TECHNICAL, MAX

LinkedIn is the third-ranked identity surface after the website and the investor deck. **Two frames, used consistently, beat ten used once.**

Where the identity works hardest

CLIENT-RANKED · Q1
IN PRIORITY ORDER

01 Website

The flagship. Full system: 3D schematic hero, blueprint language, governed cases.

02 Investor Deck

Listing-grade surfaces: navy grounds, mono spec labels, evidence-led claims.

03 LinkedIn

The Trusted Engineer in feed form: technical posts, location-tagged project frames.

04 THE WORKING SURFACES

 Tender documents & company profile	FULL SYSTEM
 Site signage & hoardings	WORDMARK + NAVY
 PPE & uniforms	MARK ONLY · HIGH-VIS SAFE
 Vehicles	WORDMARK ON WHITE
 Exhibition booths	SCHEMATIC WALLS
 Email signatures & letterhead	TYPE SYSTEM ONLY

ON SAFETY SURFACES The safety standard always beats the brand standard: **high-vis colours and regulatory marks are never compromised for identity.**

SECTION 5.0 · PROTECTING THE SYSTEM

ASSETS & GOVERNANCE

The master library and its naming rule, trademark posture through the listing journey, the subsidiary architecture prepared for Q2, and the standing rules that decide what ships.

45 — 46	47 — 51	52	53
Assets & trademark	Subsidiary architecture	Governance & custodian	Close



The master library

ONE LIBRARY · ONE NAMING RULE
NO “FINAL-FINAL” FILES

01 THE MASTER LIBRARY

IAQ-Brand/

01-Logo/ vector masters AI · EPS · SVG, PNG exports, single-colour set

02-Colour/ palette files ASE · tokens

03-Type/ Switzer · Instrument Sans · JetBrains Mono licences

04-Templates/ letterhead · tender · investor deck · LinkedIn frames

05-Photography/ approved, captioned by location

06-Site-and-wearables/ hoarding · PPE · fleet artwork

07-Brand-Book/ this document, current edition

02 NAMING CONVENTION

IAQ_[category]_[item]_[surface]_v[##]

Example · logo master

IAQ_LOGO_WORDMARK_PRINT_V01

Example · tender cover

IAQ_TPL_TENDER-COVER_A4_V03

Versions

NEVER OVERWRITE · INCREMENT

Working files

STAY INTERNAL · EXPORTS SHIP

One library, one naming rule, **no “final-final” files**. Whoever holds the vector masters is recorded with the brand sign-off owner (confirmed through Questionnaire 02, item B1).

Trademark & legal

REGISTERED ®
EXPANSION UNDER REVIEW

01 PROTECTION

The wordmark

REGISTERED ®

Home registration

MALAYSIA

Expansion-market coverage

UNDER REVIEW · Q1 B1.7

The ® symbol in use

CARRIED ON ALL FORMAL SURFACES

Trademark coverage for the expansion footprint (Singapore, Germany, France, India, Sweden, Poland) is an open action from the strategy session: **classes and territories to be confirmed with counsel as the listing approaches.**

02 USAGE & LICENCE

- ✓ IAQ companies use assets from the master library only
- ✓ Partners and JV parties receive assets under written approval
- ✓ Media use the newsroom logo pack, unmodified
- ✗ Suppliers never present IAQ marks as endorsement
- ✗ No third party recreates, traces or modifies the wordmark

AND ALWAYS

Client confidentiality is a legal posture, not just a brand rule: **no client name, mark or identifiable reference appears in public without written client approval.**

Subsidiary architecture

01 THE MODEL LOCKS HERE

☐ 1 · Masterbrand

Every company presented as IAQ plus a descriptor.

☐ 2 · Endorsed

Own names, carried as “an IAQ Group company”.

☒ 3 · Routed · closest to today

The public sees IAQ and the three pillars; companies receive enquiries behind the scenes.

Decision source: Questionnaire 02, item C2. Decision owner and date land here from item S1.

02 THE GROUP MAP · ONE SLOT PER COMPANY

COMPANY A
NAME INTERNAL ONLY

Pillar

EPC ☐ · PCU+TTI ☐ · ENERGY ☐

Own mark under IAQ logo

YES ☐ · NO ☐

Public visibility by name

YES ☐ · NEVER ☐

COMPANY B
NAME INTERNAL ONLY

Pillar

EPC ☐ · PCU+TTI ☐ · ENERGY ☐

Own mark under IAQ logo

YES ☐ · NO ☐

Public visibility by name

YES ☐ · NEVER ☐

COMPANY C
NAME INTERNAL ONLY

Pillar

EPC ☐ · PCU+TTI ☐ · ENERGY ☐

Own mark under IAQ logo

YES ☐ · NO ☐

Public visibility by name

YES ☐ · NEVER ☐

COMPANY D
NAME INTERNAL ONLY

Pillar

EPC ☐ · PCU+TTI ☐ · ENERGY ☐

Own mark under IAQ logo

YES ☐ · NO ☐

Public visibility by name

YES ☐ · NEVER ☐

This page is intentionally prepared blank. It fills from Questionnaire 02 Part C: the count, per-company profiles, sub-marks and public visibility. **Company names stay internal to this book, per the confidentiality rule.**

How each page fills

TEMPLATE
DUPLICATE ONCE PER COMPANY

COMPANY NAME · INTERNAL

[Company]

MARK SLOT
IF APPROVED

Known for, in one line

FROM Q2 · C4-1

The buyer

FROM Q2 · C4-2

The proof: projects, certifications, numbers

FROM Q2 · C4-3

Pillar & presentation under the group model

FROM Q2 · C1 + C2

Public visibility & lockup rule

FROM Q2 · C3

TEMPLATE · DUPLICATE ONCE PER COMPANY

01 HOW THESE PAGES BEHAVE

- ✓ One page per company, in the order of the group map
- ✓ Names stay internal to this book, never public
- ✓ Each page inherits the full IAQ system: no separate colours or type per company
- ✓ A sub-mark, if approved in Q2, always locks under the IAQ wordmark rule
- ✗ No company invents its own identity outside this book

Three reserved pages follow. If the group map returns more companies, duplicate this template; if fewer, the spare pages are removed at the next edition.

Company A - reserved

COMPANY A

RESERVED · FILLS FROM QUESTIONNAIRE 02 · PART C

Q2 | PART C | S1

01 FIELDS AWAITING REPLY

Known-for line	RESERVED
Buyer	RESERVED
Proof	RESERVED
Pillar	RESERVED
Sub-mark	□ PENDING APPROVAL
Public visibility	□ PENDING DECISION

This page is intentionally held blank on the per-subsidiary template. The company’s name and content stay internal and land here once its reply arrives.

Company B · reserved

COMPANY B

RESERVED · FILLS FROM QUESTIONNAIRE 02 · PART C

Q2 | PART C | S1

01 FIELDS AWAITING REPLY

Known-for line	RESERVED
Buyer	RESERVED
Proof	RESERVED
Pillar	RESERVED
Sub-mark	☐ PENDING APPROVAL
Public visibility	☐ PENDING DECISION

This page is intentionally held blank on the per-subsidiary template. The company’s name and content stay internal and land here once its reply arrives.

Company C · reserved

COMPANY C

RESERVED · FILLS FROM QUESTIONNAIRE 02 · PART C

Q2 | PART C | S1

01 FIELDS AWAITING REPLY

Known-for line	RESERVED
Buyer	RESERVED
Proof	RESERVED
Pillar	RESERVED
Sub-mark	□ PENDING APPROVAL
Public visibility	□ PENDING DECISION

This page is intentionally held blank on the per-subsidiary template. The company’s name and content stay internal and land here once its reply arrives.

Who guards the brand

01 STANDING RULES

Client confidentiality on every public surface	NON-NEGOTIABLE
Projects published by location and sector only	ALWAYS
Wordmark alterations beyond refinement	SIGN-OFF REQUIRED
New applications not covered by this book	BRANDMETHOD REVIEW
Subsidiary marks & public visibility	LOCKED IN Q2

The presentation model today is **routed**: the public sees IAQ and the three pillars, subsidiary companies receive enquiries behind the scenes. The final architecture choice, sub-marks and the decision owner are locked through Questionnaire 02 and folded into the next edition of this book.

02 BOOK STATUS

Edition	1.0 · AUG 2026
Strategy source	SESSION · 15 JUL 2026
Voice & verbal identity	LOCKED
Logo policy · kept as-is, trademark pending	KICKSTART 3 AUG
Colour & graphic system	AS BUILT · DIGITAL FLAGSHIP
Subsidiary architecture	Q2 IN PROGRESS

CUSTODIAN

BrandMethod Sdn. Bhd. maintains this book with IAQ’s decision owner. Requests, assets and exceptions: **admin@brandmethod.co**



YOUR TOTAL FACILITY SOLUTIONS PROVIDER

Brand Identity Book

Built to be used. Every surface IAQ ships is measured against this book, and every edition after it inherits the same rules.