

ALTIGO · VERTICAL MOBILITY

PRODUCT CATALOGUE

PASSENGER ELEVATOR

COMPANY

ALTIGO SDN. BHD.
REG. 562238-H

CONTACT

+604-283 7005
+604-283 6772

DIGITAL

WWW.AKKALLIANCE.COM
ALTIGOELEVATOR@GMAIL.COM

THE CATALOGUE

CONTENTS



· PASSENGER ELEVATOR 2026

01	Company Introduction	Who we are	03	02	Passenger Elevators Design	The range	04
03	Core Safety & Performance	Engineering	05	04	Two Configurations, Four Drive Platforms	The range	06
05	Car Decoration · With Machine Room	Cabin	07	06	Car Decoration · Machine Room Less	Cabin	08
07	Sightseeing Elevator Series	Panoramic	09	08	Villa Elevator Car Decoration	Residential	10
09	Medical Elevator Series	Healthcare	11	10	Platform Elevator Series	Accessibility	12
11	Freight Elevator Series	Goods handling	13	12	Man Machine Series	HOP & LOP interface	14
13	Fixture Design	Component library	15	14	Construction Parameters	General parameters	16
15	Contact Us	Altigo Sdn. Bhd.	17				

Seventeen pages, one range.

Cabin design and finishes, drive platforms, safety systems, the sightseeing, villa, medical, platform and freight series, and the civil parameters a building needs at planning stage.

THE COMPANY

COMPANY INTRODUCTION

Your journey, your way.

Imagine stepping into a world where every ride is smooth, every moment effortless, and every destination easily reachable. At [Altigo](#), we believe transportation should not just be a means to an end, but an experience that elevates your day and simplifies your journey.

Altigo is more than an elevator and escalator provider — we are your trusted partner in modern vertical mobility. With cutting-edge technology, exceptional craftsmanship, and a commitment to safety and sustainability, our products are designed for the demands of today's fast-paced urban lifestyles.

Welcome to Altigo, where innovation meets reliability. Whether residential, commercial, or industrial, we provide solutions that transform spaces and elevate lives.

Innovation

Permanent magnet drives, IoT monitoring and energy regeneration built in.

Reliability

Engineered and tested for smooth, quiet, dependable everyday service.

Sustainability

Lower running energy and a longer service life across the range.

ALTIGO




THE RANGE · DESIGN

ELEVATOR **CAR** DESIGN

· TAILORED TO THE ARCHITECTURE

ALTiGO



Elegant car designs tailored to architectural concepts.

From ceiling height and lighting to wall finishes, colour schemes and flooring materials, every elevator car is designed to complement modern architectural environments — refined, comfortable and visually harmonious.

Intuitive operating panels and clearly visible indicators enhance usability, while smooth, reliable movement ensures a seamless experience. Designed with hygiene, convenience and durability in mind, Altigo cars deliver functional excellence and elevated passenger comfort.

BESPOKE INTERIORS

ARCHITECTURAL FINISHES

INTUITIVE PANELS

HYGIENIC MATERIALS

SMOOTH & QUIET

LED AMBIENCE


ENGINEERING · QUALITY

CORE SAFETY & PERFORMANCE

Every Altigo lift is assembled from internationally certified components — traction, control, door and multi-layer safety systems — and each one is verified before it leaves the factory.

SIX SYSTEMS · ONE STANDARD

01



Traction Machine

Safe operation for 20 years.


02



Control Cabinet

100+ tests before it leaves the factory.

03



Door System

Adapts to complex site conditions.

04



Speed Governor

3× the national standard lifting test.

05



Safety Gear

Service life up to 30 years.

06



Buffer System

15× the national standard drop test.



THE RANGE

TWO CONFIGURATIONS



· FOUR DRIVE PLATFORMS

Altigo passenger lifts come in a **machine room (MR)** configuration for mid- and high-rise buildings, and a **machine-room-less (MRL)** family for tighter shafts and shorter rises. A **compact ≤450 kg** variant suits homes and low-traffic floors. All run 2:1 traction reeving with centre-opening doors.

MR · TRACTION 2:1

MACHINE ROOM

Permanent magnet gearless traction across the full load range, with speeds up to 2.5 m/s for taller buildings.

Load	630–2000 kg
Speed	1.0–2.5 m/s
Car height	2400 mm

MRL · TRACTION 2:1

MACHINE ROOM LESS

No separate machine room — the drive sits inside the shaft. Defined overhead (4350–4950) and pit (1500/1600) per speed.

Load	630–1600 kg
Speed	1.0 / 1.75 m/s
Pit	1500 / 1600 mm

COMPACT · ≤450 KG

COMPACT / HOME

A small-footprint variant for residences and low-traffic floors, with a shallow pit and reduced overhead.

Load	≤ 450 kg
Pit	320 mm
Overhead	4150 mm

Smaller shaft

Optimised structure leaves more car within a tight shaft.

2400 cabin

Integrated ceiling car height across the range.

Powerloss levelling

Emergency battery brings the car to the nearest floor and opens.

IoT monitored

Cloud service watches operation 24/7 for fast maintenance.

CABIN · WITH MACHINE ROOM

ELEVATOR CAR DECORATION



· WITH MACHINE ROOM



TIGO01-1710-2		01	TIGO01-XT-02		02	TIGO01-2201		03	TIGO01-2501		04
CEILING	XTQ04-261D		CEILING	Mirror stainless steel + LED light source		CEILING	Matte stainless steel + acrylic light strip + LED		CEILING	Mirror stainless steel + downlight + LED + acrylic	
REAR WALL	Middle mirror stainless steel + hairline on both sides		REAR WALL	Middle mirror stainless steel, etched + hairline		REAR WALL	Matte stainless steel + acrylic light strip + LED		REAR WALL	Mirror stainless steel + art steel plate	
SIDE WALL	Hairline stainless steel		SIDE WALL	Hairline stainless steel + mirror stainless steel		SIDE WALL	Matte stainless steel		SIDE WALL	Art steel plate + custom glass	
FRONT WALL	Hairline stainless steel		FRONT WALL	Hairline stainless steel		FRONT WALL	Matte stainless steel		FRONT WALL	Hairline stainless steel	
LIGHT	LED		LIGHT	LED		HANDRAILS	Custom — special materials to order		LIGHT	LED	
FLOOR	XTQ07-31 (PVC)		FLOOR	PVC parquet		FLOOR	PVC parquet		FLOOR	PVC parquet	

CAR DECORATION



TIGO01-1803-1

01

CEILING	443 hairline stainless steel + acrylic
REAR WALL	Mirror stainless steel, etched centre + hairline both sides
SIDE WALL	Mirror stainless steel centre + hairline both sides
FRONT WALL	Hairline stainless steel
LIGHT	LED
FLOOR	PVC

TIGO01-226-2

02

CEILING	443 hairline stainless steel + acrylic
REAR WALL	Mirror stainless steel, etched centre + hairline both sides
SIDE WALL	Mirror stainless steel centre + hairline both sides
FRONT WALL	Hairline stainless steel
LIGHT	LED
FLOOR	PVC

TIGO02-2418

03

CEILING	Porcelain white frosted steel + rose gold stainless steel + hidden light belt
REAR WALL	Rose gold stainless steel + gilt rock plate + rose stainless steel panel
SIDE WALL	Frosted steel + rose stainless steel + Changiris glass (arc R=100 mm)
FRONT WALL	Rose gold hairline stainless steel
HANDRAILS	Rose gold stainless steel, three sides
FLOOR	PVC

TIGO01-2306

04

CEILING	443 hairline stainless steel + acrylic
REAR WALL	Plastic steel plate (ceramic milk white) + mirror stainless steel + hidden light
SIDE WALL	Rose gold hairline stainless steel
FRONT WALL	Rose gold hairline stainless steel
LIGHT	LED
FLOOR	PVC

PANORAMIC · GLASS

SIGHTSEEING ELEVATOR


· PANORAMIC GLASS SERIES



TIGO08-691

01

CEILING	Mirror stainless steel + acrylic
REAR WALL	Sightseeing glass
SIDE WALL	Hairline stainless steel + sightseeing glass
FRONT WALL	Hairline stainless steel
FLOOR	XTQ07-311 B1-7705 (PVC)



TIGO01-XT-01

02

CEILING	[XTQ04-88] Painted steel frame + 304 titanium gold hairline t0.7 + LED
REAR WALL	304 titanium gold hairline t1.2 + sightseeing glass (6+6)
SIDE WALL	Mirror stainless steel centre + hairline both sides
HANDRAILS	[XTQ06-21] Mirror round pipe floor handrails
FLOOR	[XTQ07-31] B1-7705 (PVC)



TIGO08-611

03

CEILING	[XTQ04-08] Painted steel frame + mirror veneer t0.7 + acrylic + LED
CAR WALL	Mirror stainless steel t1.2 + corner columns + 5 laminated glass (6+6)
FRONT WALL	304 titanium gold hairline t1.22
HANDRAILS	[XTQ06-218] Mirror round tube floor support handrails
FLOOR	Golden Mouse KC-151A / KC-151G / HC-2005J (PVC)




TIGO08-1301

04

CEILING	[XTQ04-G1301] Painted steel frame + 304 short-hairline veneer + LED
COVERS	Long-hairline stainless steel, etched and sprayed gold sand
CAR WALL	Glass column clad in 304 long-hairline steel + laminated glass 6+6
HANDRAILS	[XTQ06-26C] Mirror stainless steel round pipes
FLOOR	[XTQ07-G1301] TM-1325 + 7702 (PVC)

VILLA ELEVATOR



TIGO02-2408

01

CEILING	Matte stainless steel + acrylic + LED light source
REAR WALL	Mirror stainless steel + matte stainless steel
SIDE WALL	Matte stainless steel
FRONT WALL	Matte stainless steel
FLOOR	PVC parquet

TIGO02-2410

02

CEILING	Acrylic + LED light source + hairline stainless steel
REAR WALL	Mirror stainless steel, etched centre + hairline both sides
SIDE WALL	Hairline stainless steel
FRONT WALL	Hairline stainless steel
FLOOR	PVC parquet

TIGO02-2412

03

CEILING	Acrylic + LED light source + stainless steel veneer + hidden light strip
REAR WALL	Gold-plated stainless steel + plastic-bonded steel plate + hidden light strip
SIDE WALL	Gold-plated stainless steel + plastic-coated steel plate
FRONT WALL	Gold-plated stainless steel
FLOOR	PVC parquet

TIGO02-2312

04

CEILING	Acrylic + LED light source + stainless steel veneer + hidden light strip
REAR WALL	Gold-plated stainless steel + plastic-coated steel plate + hidden light strip
SIDE WALL	Gold-plated stainless steel + plastic-coated steel plate
FRONT WALL	Gold-plated stainless steel
FLOOR	PVC parquet

PROTECT EVERY HEALTH JOURNEY

MEDICAL ELEVATOR

• SERIES

Altigo medical lifts are purpose-designed for hospitals, clinics, rehabilitation centres and nursing homes. Safety and hygiene are the primary considerations — making every move one of care and warmth.

Safe, comfortable, stable

Purpose-built structure and controls for uninterrupted, reassuring transport of patients and staff.

Large space for easy access

Wide, deep cabins account for special-needs groups, letting beds and medical equipment enter and exit smoothly.

Priority emergency call

A low-mounted emergency button lets passengers call for priority response — easy for wheelchair users and children to reach.

Anti-interference design

Full electromagnetic compatibility compliance prevents interference between precision medical equipment and the lift.

TIGO02-2408

CAR DESIGN

CEILING	Matte stainless steel + acrylic + LED	REAR WALL	Mirror + matte stainless steel
SIDE WALL	Matte stainless steel	FRONT WALL	Matte stainless steel
LIGHT	LED	FLOOR	PVC parquet

HOSPITALS

CLINICS

REHABILITATION

NURSING HOMES

EMC COMPLIANT



ACCESSIBILITY · PLATFORM LIFTS

PLATFORM ELEVATOR

· H SERIES & L SERIES



H SERIES · HIGH SHAFT UTILISATION

High shaft utilisation

The X-series footprint is 150 mm larger inside than the E-series — more usable car within the same shaft.

New gantry crane type

More uniform force distribution · more stable operation · three-sided opening achievable.

No-pit MRL


Pit depth 120 mm · overhead height 2600 mm.

After-sales guarantee

Four maintenance services per year · five-year warranty.



L SERIES · THE PLUS ERA



Small space, grand layout. Boundaryless aesthetics blended into a luxurious lifestyle, with finishes that disappear into the architecture.

Pit depth

120 mm

Overhead height

2600 mm

Warranty

5 years

CARRYING THE MISSION OF TRANSPORTATION

FREIGHT ELEVATOR



· GOODS HANDLING SERIES


Bringing smoothness and efficiency to every corner of the building.

CAR DESIGN · TIGO01-H251-1



CAR DOOR	Painted steel
SILL	Aluminium alloy / solid sill
FLOOR	Aluminium alloy · steel plate · cast iron

ALL-IN-ONE CONTROL BOX



Display



Button

SPLIT PANEL



Display

INTERIOR & OPTIONAL FLOOR



Checkered plate 1




Checkered plate 2

LANDING DOOR COLOUR — OPTIONAL



Shallow Gray
S501



Ivory Yellow
S502




Bone Color
S503



Light Green
S504



Blue
S505



Matte Black
S506


INTERFACE · HOP & LOP

MAN MACHINE SERIES



· 4.3" LED DISPLAY · TOUCH BUTTONS · GLASS PANEL

GLASS SERIES HOP



HAIRLINE STAINLESS STEEL LOP SERIES



PANEL MATERIAL

1. Stainless steel hairline
2. Mirror stainless steel
3. Titanium stainless steel hairline

HOP PANEL

1. Stainless steel hairline
2. Mirror stainless steel
3. Titanium stainless steel hairline


BUTTON

Emits white light (optional red).
Panel: hairline / mirror 304 stainless steel.

CALL STYLE

1. Display: LED display screen
2. Button panel: hairline / mirror 304 stainless steel


INTEGRATED OPERATION PANEL



OPTIONAL BUTTON



OPTIONAL LOP STYLE



FIXTURE DESIGN

· FLOORS · HANDRAILS · CEILINGS

FLOOR SERIES




TIGO07-28




TIGO07-66



TIGO07-24




TIGO07-226




TIGO07-31 / 31M



TIGO07-116



TIGO07-1910P



TIGO07-1225

HANDRAIL SERIES



TIGO06-01A



TIGO06-01



TIGO06-12B



TIGO06-02



TIGO06-16



TIGO06-04

CEILING SERIES




TIGO04-17




TIGO04-71



TIGO04-507



TIGO04-124



TIGO04-1376



TIGO04-1378



TIGO04-254D




TIGO04-85


CONSTRUCTION PARAMETERS

· SHAFT · CAR · MACHINE ROOM


ELEVATOR SHAFT · SECTION



MACHINE ROOM · PLAN



SHAFT LAYOUT · PLAN



Indicative dimensions for a typical machine-room configuration. The drawings are schematic and not to scale — they show the arrangement, while the figures below give a working envelope at planning stage.

SHAFT

Shaft width	2100 mm
Net shaft depth	1750 mm
Overhead	4500 mm
Pit depth	1500 mm

CAR

Net car width	1600 mm
Net car depth	1400 mm
Car height (HEG)	2200 mm
Net door width	900 mm

BUILDING

Top floor height	3450 mm
Travel height (floor to floor)	2400 mm

MACHINE ROOM

Net machine room width	2700 mm
Net machine room depth	4200 mm

Dimensioned shaft sections, machine-room arrangement drawings and the full civil-works package are issued separately for each project — matched to the load, speed and travel height specified. Final values are confirmed per project.

GET IN TOUCH

CONTACT US

COMPANY

ALTIGO SDN. BHD.

REG. 562238-H

WEBSITE

WWW.AKKALLIANCE.COM

EMAIL

ALTIGOELEVATOR@GMAIL.COM

PHONE

+604-283 7005 / +604-283 6772

ADDRESS

**NO. 54-3-3, WISMA SRI MATA,
JALAN VAN PRAAGH, 11600 PENANG, MALAYSIA**