Result:

Countries Data System Test

This page demonstrates the two-tier countries data system implementation and shows various data access patterns.

Basic Country Data Access

Direct Access Examples

hailand Basic Name (English):
esult:
hailand Basic Name (Russian):
esult:
hailand Basic Name (Chinese):
esult:
hailand Alpha3 Code:

Detailed Regional Data Access

Direct Regional File Access

Thailand Detailed Currency (from Asia region):
THB
Result: THB
Thailand Capital City (English):
Bangkok
Result: Bangkok
Thailand Phone Code:
+66
Result: +66
Thailand Emoji:
Result: ■
Country Lookup Helper Examples
Basic Data via Helper
Basic Country Name (Auto-detects language):

Result:
Basic Country Name (Explicit Russian):
Result:
Basic Alpha3 Code:

Result:	
Detailed Data via Helper	
Detailed Currency (Auto-detects regional file):	
THB	
Result:	
ТНВ	
Detailed Capital City (English):	

Bangkok		
Result:		
Bangkok		
Detailed Phone Code:		

+66	
Result:	
+66	
Detailed Continent (Chinese):	
亚洲	
Result:	
亚洲	

Multi-Country Comparison

BRICS Countries Basic Data

Country Name (EN) Name (RU) Name (ZH) Alpha3	
BR	
RU	
IN	
CN	
ZA	
BRICS Countries Detailed Data	
Country Currency Capital (EN) Phone Code Emoji	
BR	
BRL	
Brasília	
+55	
RU	
RUB	
Moscow	

+7	
IN	
INR	
New Delhi	
+91	
CN	
CNY	
Beijing	
+86	

ZAR	
Pretoria	
+27	
Ewou Hondling Evenueles	
Error Handling Examples	
Non-existent Country Code	
Basic data for 'xx' (should show fallback):	
Unknown Country	
Result:	
Unknown Country	

Detailed data for 'xx' (should show fallback):

	N/A
Resu	ult:
N/A	
14//	
No	n-existent Property
Valid	d country, invalid property (should show fallback):
	Property not found
	ılt:

Property not found

Regional Auto-Detection Test

Countries from Different Regions

Thailand (Asia):

• Basic:

THB

• Detailed Currency:

Germany (Europe):
• Basic:
Detailed Currency:
EUR
Brazil (Americas):
• Basic:
Detailed Currency:
BRL
Nigeria (Africa):
• Basic:
Detailed Currency:
NGN
Australia (Oceania):
• Basic:
Detailed Currency:
AUD

Performance Notes

- Basic data access: Single lookup in main countries.json file
- Detailed data access: Helper auto-detects regional file and loads appropriate data
- Regional files loaded: Only when needed for detailed data access
- Language fallback: Helper automatically falls back to English if requested language not available

System Architecture

This two-tier system provides:

- 1. **Fast basic access** for common operations (country names, alpha3 codes)
- 2. **Rich detailed data** when needed (currency, capitals, phone codes, etc.)
- 3. Automatic regional detection no need to specify which regional file to use
- 4. Multilingual support with automatic fallback handling
- 5. **Graceful error handling** with customizable fallback values

This test page validates the countries data system implementation and demonstrates proper usage patterns for both direct access and helper-based access methods.

Brandmine Consulting Sdn Bhd 202401005480 (1551330-P)

EN RU ZH

Illuminating and elevating exceptional founder-led brands from the BRICS+











