



Operating System Fundamentals

Module 7:

Device Support and Device Drivers

- BIOS
- Connectors
- Device Driver
- Installation Process
- Development
- Maintenance
- Troubleshooting

Agenda

- Basic Input/Output System
- Lowest level software in a PC-class computer system
- Standardized way of providing interface between hardware and Operating System
- Resides in non-volatile memory (normally Flash memory for easy upgrades)
- Provides some hardware settings (BIOS Setup)
- Boots up the computer

BIOS

- Entering the Setup utility is usually a keystroke after the POST (Power-in self test) and before the Operating System starts loading
 - Usually displayed on the screen for a short period
- Before making changes, it is good practice to make note of the original setting(s)
- Settings saved in battery-backed CMOS memory

BIOS Setup

- Date and Time
- Disk Settings
- Basic Video Settings

BIOS – Standard Settings

- Settings for L1 and L2 Processor Cache
- Various Boot options
- Advanced disk options
- Shadowing options for BIOS code
- Chipset features
- PnP configuration
- Peripheral configuration
- Power Management
- Security settings


BIOS Advanced Features

- Although BIOS setup programs are generally similar, some manufacturers support special features on the motherboard
 - Best to see the documentation that came with your hardware for specific details on the setup items
- Demo


BIOS Setup

- Some support for devices is built into the BIOS
 - Generally the lowest common denominator to allow basic operation
 - Enhanced operation is usually available through support software loaded while Operating System loads

Devices



Motherboard



Name the Sockets

- Program that acts as an interface between higher level programs and a "device"
- "Device" may be physical or virtual
- Examples of devices that use device drivers:
 - Printer, scanners, cameras
 - Video adapters, network adapters
 - Hard disk drive, USB memory sticks

Device Driver

- Drivers can be written in two software layers
 - Kernel-Mode (Ring 0 of Intel)
 - Protected by allowing only system calls to access it
 - Better performance since "closer" to hardware
 - User-Mode (Ring 3 of Intel)
 - System potentially more stable; driver will not crash the OS

Kernel-Mode and User-Mode

- Three Steps:
 - Device is identified
 - Driver is selected
 - Driver is installed
- Latest versions of Windows has an online database with all the files needed
- Some devices still need installer from manufacturer

Windows Driver Installation

- Hardware Identifier is assigned
 - Used to get closes match to a "driver package"
 - Composed of Bus Prefix and Vendor specific information like vendor, model, revision
- Vendor may identify compatible ID's so Windows can use another device driver if the right one is not available
 - E.g. Video driver on initial startup

Step 1: Device is ID'd

- Windows matches driver package specified in .inf file with evaluated ID's
- Best match selected:
 - If only one match, installs driver
 - If multiple matches, drivers are scored. If only one low score, then installs that driver
 - If multiple matches and tied low score, Signed Drivers have priority, and date and revision numbers could be used

Step 2: Driver is Selected

- Signature
- Features (Vista and later)
- Device ID

Ranking Drivers

- Copy files to locations specified in the .inf file
- Determine the “Device Setup Class” to help installation process
- Control transfers to the “Plug and Play Manager”
 - Loads the device driver
 - Starts the device

Step 3: Driver is Installed

- Device Driver Kit (DDK)
- Windows Driver Development
[http://msdn.microsoft.com/en-us/library/ff557573\(v=vs.85\).aspx](http://msdn.microsoft.com/en-us/library/ff557573(v=vs.85).aspx)
- Development Tools
[http://msdn.microsoft.com/en-us/library/ff545440\(v=vs.85\).aspx](http://msdn.microsoft.com/en-us/library/ff545440(v=vs.85).aspx)
- Need special debugging facilities/tools

Development

- Updates are usually sufficient
- Device Manager
 - Update, Disable, Install
 - Scan for hardware changes
 - Properties
 - General
 - Driver Details
 - Resources Used

Maintenance

- Use up to date drivers from manufacturer
- Disable or uninstall drivers for testing
- Start in Safe mode (or Advanced Startup)
 - Hold F8 on startup

Troubleshooting

- Windows Driver Installation Information:
[http://msdn.microsoft.com/en-us/library/ff549455\(v=vs.85\).aspx](http://msdn.microsoft.com/en-us/library/ff549455(v=vs.85).aspx)
- Windows Driver Development
[http://msdn.microsoft.com/en-us/library/ff557573\(v=vs.85\).aspx](http://msdn.microsoft.com/en-us/library/ff557573(v=vs.85).aspx)
- Development Tools
[http://msdn.microsoft.com/en-us/library/ff545440\(v=vs.85\).aspx](http://msdn.microsoft.com/en-us/library/ff545440(v=vs.85).aspx)

References
