

PRODUCT	MEMBER #	MIL	GAGE	COATING
Smart Joist	725J175-68	68	14	G60, G90

725J175-68 Product Submittal

PHYSICAL PROPERTIES

Web Depth	7.25"
Flange	1.75"
Return (lip)	0.625"
Approx. Weight (lb/ft)	2.7871
Area (in^2)	0.8178
Design Thickness	0.0713
Minimum Thickness	0.0677
Yield Strength	50 KSI
Coating	G60, G90

PRODUCT VIEW



GROSS PROPERTIES

Gross section moment of inertia about X-X axis (Ix)	5.9707
Section modulus about X-X axis (Sx)	1.6471
Radius of gyration about X-X axis (Rx)	2.702
Gross section moment of inertia about Y-Y axis (Iy)	0.3054
Radius of gyration about Y-Y axis (Ry)	0.611


EFFECTIVE / NET PROPERTIES

Net area at punchout (in^2)	0.51479
Net moment of inertia X-axis (Ix-net)	5.5140
Net section modulus X-axis (Sx-net)	1.5211
Net radius of gyration X-axis (Rx-net)	3.2728
Net moment of inertia Y-axis (Iy-net)	0.2286
Net radius of gyration Y-axis (Ry-net)	0.6664

TORSIONAL PROPERTIES

St. Venant torsional constant (Jx1000)	1.3858
Torsional warping constant (Cw)	3.1845
Polar radius of gyration (Ro)	2.9814

CAD SECTION



NOTES

Code Approvals & Performance Standards

- AISI S100-16 (2020) w/S2-20 North American Specification for the Design of Cold-Formed Steel Structural Members.
- AISI S240-20 North American Standard for Cold-Formed Steel Structural Framing.
 - o Compliant to ASTM C955; IBC replaced ASTM C955 with AISI S200 in IBC 2015 and AISI S240 in IBC 2018.
 - o Section A3 Material - Chemical and mechanical requirements (referencing ASTM A1003/A1003M).
 - o Section A4 Corrosion Protection (referencing ASTM A653/A653M).
 - o Section A5 Products - Thickness, shapes, tolerances, identification.
 - o Section C Installation (referencing ASTM C1007).
- AISI S202-20 Code of Standard Practice for Cold-Formed Steel Structural Framing.
 - o Section F3 Delivery, Handling, and Storage of Materials.
- IBC 2024 International Building Code.
- ICC-ES ESR-5837 Structural Studs and Track.
 - o ESR-5837 Catalog Refined Metal Technical Design Guide (10/1/2025).
- SDS for ASTM A1003 Steel Framing Products for interior framing, exterior framing, and clips/accessories.
- The technical content of this literature is effective 08/26/25 and supersedes all previous information.

DISCLAIMER

All data, details, and specifications included herein are intended as a general guide for using Refined Metal products. These products should not be used in design or construction without evaluation by a qualified engineer or architect to determine suitability for a specific use. Refined Metal assumes no liability for failure resulting from use or misapplication of computations, details, or specifications contained herein. Refined Metal assumes no liability for damages resulting from improper application or installation of these products.

DERIVED SMART JOIST SPAN TABLES

Preliminary single-span estimates in feet. Verify with manufacturer span tables or sealed engineering before use.

	15 psf dead load, 40 psf live load		15 psf dead load, 60 psf live load		15 psf dead load, 125 psf live load	
Spacing OC	L/360	L/480	L/360	L/480	L/360	L/480
12	16.1	14.6	14.6	13.2	11.9	10.8
16	14.7	13.3	13.3	12.1	10.8	9.8
24	12.9	11.7	11.6	10.6	9.5	8.6

	40 psf dead load, 40 psf live load		40 psf dead load, 60 psf live load		40 psf dead load, 125 psf live load	
Spacing OC	L/360	L/480	L/360	L/480	L/360	L/480
12	14.3	13.0	13.3	12.1	11.3	10.3
16	13.0	11.8	12.1	11.0	10.3	9.3
24	11.4	10.4	10.6	9.6	9.0	8.2

NOTES

Code Approvals & Performance Standards

- AISI S100-16 (2020) w/S2-20 North American Specification for the Design of Cold-Formed Steel Structural Members.
- AISI S240-20 North American Standard for Cold-Formed Steel Structural Framing.
 - o Compliant to ASTM C955; IBC replaced ASTM C955 with AISI S200 in IBC 2015 and AISI S240 in IBC 2018.
 - o Section A3 Material - Chemical and mechanical requirements (referencing ASTM A1003/A1003M).
 - o Section A4 Corrosion Protection (referencing ASTM A653/A653M).
 - o Section A5 Products - Thickness, shapes, tolerances, identification.
 - o Section C Installation (referencing ASTM C1007).
- AISI S202-20 Code of Standard Practice for Cold-Formed Steel Structural Framing.
 - o Section F3 Delivery, Handling, and Storage of Materials.
- IBC 2024 International Building Code.
- ICC-ES ESR-5837 Structural Studs and Track.
 - o ESR-5837 Catalog Refined Metal Technical Design Guide (10/1/2025).
- SDS for ASTM A1003 Steel Framing Products for interior framing, exterior framing, and clips/accessories.
- The technical content of this literature is effective 08/26/25 and supersedes all previous information.

DISCLAIMER

All data, details, and specifications included herein are intended as a general guide for using Refined Metal products. These products should not be used in design or construction without evaluation by a qualified engineer or architect to determine suitability for a specific use. Refined Metal assumes no liability for failure resulting from use or misapplication of computations, details, or specifications contained herein. Refined Metal assumes no liability for damages resulting from improper application or installation of these products.