

Windows Azure Storage Plugin for WordPress

Introduction

This WordPress plugin allows you to use Windows Azure Storage Service to host your media for your WordPress powered blog. Windows Azure Storage is an effective way to scale storage of your site without having to go through the expense of setting up the infrastructure for a content delivery.

Features

Key features of this plug-in are listed below,

Transparent Storage for End User

Actual storage location details are transparent to the end user.

Automatic File Upload to Windows Azure Storage

Uploaded media file are automatically saved into configured Windows Azure Storage Blob Container without any extra steps. Media files will be delivered by Windows Azure Storage, instead of your own web host

Highly Configurable

This plugin provides several options for configuration underlying Windows Azure Storage service.

In future, following options will be added,

- Global settings: Administrator will be able to set single Windows Azure Storage account for all users. A separate Blob Container will be created transparently for each user. Optionally administrator can set a single Blob Container for all users.
- Per user setting: WordPress Blogger will be allowed to bring his own Windows Azure Storage account to store his media files. This may be needed if blogger wants use his existing media files and does not want to duplicate them.

Search Media Files

Provides ability to search media files based on criterions (like tag, file type, creation date etc.) provided by user. The plugin performs search using Windows Azure Storage Services APIs available in PHP SDK for Azure.

Target Users

Personal blogging web sites

This is for a personal blogging web site that uses WordPress software. Such user should not invest in infrastructure setup for storage and can use his Windows Azure Storage account. Global account settings with single Blob Container would be sufficient for such user.


WordPress blog hosters

There are several professional web hosting providers who offer blogging services based on WordPress software. These include www.wordpress.com, <http://www.bluehost.com/track/wp/one>. Each such provider may contain thousands of users and millions of blog posts.

Windows Azure will be a natural option for such providers to reduce storage cost.

Architecture

WordPress Plugin APIs allow easy modification, customization, and enhancement to a WordPress blog. High level architecture diagrams for this plugin are shown below,



Installation Instructions

- Download PHP Azure SDK (<http://phpazure.codeplex.com/Release/ProjectReleases.aspx?ReleaseId=31776#DownloadId=80002>) and extract the zip file on the server where WordPress is installed.

e.g. Extract the zip file in “/usr/local/PHPAzureSDK/” folder.

- Modify the **php.ini** file from PHP installation and add path to the PHP Azure SDK library to the **include_path** variable. If PHP Azure SDK is installed in the folder “/usr/local/PHPAzureSDK/”, then add “/usr/local/PHPAzureSDK/library” path to the **include_path** variable.

```
include_path =  
"./:php/includes:/var/www/html/phpdataservices/framework:/usr/local/PHPAzureSDK/lib  
rary"
```

- If user wants to install this plugin on WordPress instance hosted on Windows Azure, then no need to modify the php.ini file. User can edit following line within the **windows-azure-storage.php** file and adjust path at the end. If PHP SDK for Azure is installed at the WebRole root, then no need to modify this setting. Otherwise append appropriate folder name after **"\\aproot\\"**.

```
set_include_path(get_include_path() . PATH_SEPARATOR . $_SERVER["RoleRoot"] .  
"\\aproot\\");
```

- Extract the Windows Azure Storage Plugin **windows-azure-storage.zip** to the plugins directory of the WordPress installation.

e.g. if WordPress is installed in **"/var/www/html/wordpress"** directory, extract the **windows-azure-storage.zip** file into directory **"/var/www/html/wordpress/wp-content/plugins"**.

- To activate the plugin, log in into the WordPress as administrator and navigate to list of plugins. Then check the associated checkbox for the plugin and click on **"Activate"** link.

The screenshot shows the WordPress admin dashboard for 'Satish's blog (Wordpress 2.8.4)'. The 'Manage Plugins' section is active, displaying a list of installed plugins. The 'Windows Azure Storage for WordPress' plugin is highlighted with a red rectangular box. The plugin list includes Akismet, Flickr Manager, Hello Dolly, and Windows Azure Storage for WordPress. The 'Windows Azure Storage for WordPress' plugin is described as 'Allows you to retrieve objects stored in Windows Azure Storage and post them in WordPress.' and is version 0.1 by Microsoft. The 'Activate' link for this plugin is visible.

Plugin	Description
<input type="checkbox"/> Akismet	Akismet checks your comments against the Akismet web service to see if they look like spam or not. You need a WordPress.com API key to use it. You can review the spam it catches under "Comments." To show off your Akismet stats just put <code><?php akismet_counter(); ?></code> in your template. See also: WP Stats plugin. Version 2.2.6 By Matt Mullenweg Visit plugin site
<input type="checkbox"/> Flickr Manager	Handles uploading, modifying images on Flickr, and insertion into posts. Version 2.3 By Trent Gardner Visit plugin site
<input type="checkbox"/> Hello Dolly	This is not just a plugin, it symbolizes the hope and enthusiasm of an entire generation summed up in two words sung most famously by Louis Armstrong: Hello, Dolly. When activated you will randomly see a lyric from Hello, Dolly in the upper right of your admin screen on every page. Version 1.5.1 By Matt Mullenweg Visit plugin site
<input type="checkbox"/> Windows Azure Storage for WordPress	Allows you to retrieve objects stored in Windows Azure Storage and post them in WordPress. Version 0.1 By Microsoft Visit plugin site

Configure Windows Azure Storage Account

After activating the plugin, user needs to configure it with their Windows Azure Storage Account using following instruction;

- To activate the plugin, log in into the WordPress as administrator and navigate to “**Windows Azure**” sub-Tab inside “**Settings**” Tab.
- Enter Windows Azure Storage account name in “**Storage Account Name**” text box and enter Windows Azure Storage primary access key in “**Primary Access Key**” text box and then click on “**Save Changes**” button. If the underlying Web Server uses http proxy for connecting to the internet, please provide http proxy server details in “**HTTP Proxy Host Name**”, “**HTTP Proxy Port Name**” and “**HTTP Proxy Credentials**” fields.

For more details on Windows Azure Storage Services, please visit the [Windows Azure Platform web-site](#).

This plugin is developed in PHP and uses PHP SDK for Azure (<http://phpazure.codeplex.com/>).

Plugin Web Site: <http://wpazurestorage.codeplex.com/>
Plugin Documentation: <http://wpazurestorage.codeplex.com/docs>

Windows Azure Storage Plugin Settings

If you do not have Windows Azure Storage Account, please [register](#) for Azure Services.

Store Account Name:

Primary Access Key:

Default Storage Container:

CNAME:
Note: Use this option if you would like to display image urls belonging to your domain like http://MyDo
This CNAME must start with http(s) and administrator will have to update DNS entries accordingly.

HTTP Proxy Host Name:


HTTP Proxy Port Name:

HTTP Proxy Credentials:

Use Windows Azure Storage as for default upload: ☐ Use Windows Azure Storage when uploading via WordPress' upload tab.
Note: Uncheck this to revert back to using your own web host for storage at anytime.

Save Changes

- Once Windows Azure Storage account details are set correctly, the page will be refreshed and “**Default Storage Container**” drop down will be populated with all available blob containers associated with the storage account. Please select the one container for storing your media files and click on “**Save Changes**” button.



Windows Azure Storage Settings


If you do not have Windows Azure Storage Account, please [register](#) for Azure Services.

Store Account Name

Primary Access Key

Default Storage Container

- All media files stored in Windows Azure Storage will have URL like “http://<AccountName>.blob.core.windows.net/<ContainerName>/<MediaFileName>”. One can hide usage of underlying Windows Azure Storage account by defining CNAME entry in the “**CNAME**” text box and then click on “**Save Changes**” button. This CNAME has to start with http(s) and user will have to update DNS entries appropriately to route request back to blob.core.windows.net.




CNAME

Note: Use this option if you would like to display image urls belonging to your domain like http://MyDomain.com/ instead of http://YourAccountName.blob.core.windows.net/. This CNAME must start with http(s) and administrator will have to update DNS entries accordingly.

- User can set Windows Azure Storage as default location for storing all media file uploaded via “WordPress upload tab”. File uploads will be automatically saved into configured Windows Azure Storage Blob Container without any extra steps. Just tick the “**Use Windows Azure Storage as default upload**” checkbox and click on “**Save Changes**” button.

Using the Plugin

- Once this plugin is configured, user will be able to view a new toolbar button on the “**Edit Post**” page. This button has the “**Windows Azure Logo**” as shown in following diagram.




- Clicking on the toolbar button, following “**Windows Azure Storage**” dialog will be displayed.




- This dialog will have 3 tabs: Browse, Search and Upload.
- Browse Tab is the default tab and shows all files available in the default container set. For image files, it shows small thumbnail of the image.


- User can change the container by selecting different item in the “Container Name” dropdown. The page will be refreshed and files in the new container will be displayed.
- To insert the media file in the blog post, user has to click on the image in the list of files displayed on screen. Once user clicks on image, the dialog is closed and an image link is added into the text area of the post being edited. HTML view of such post is shown below. Look at the URL for image. It points to the Windows Azure storage host for blobs i.e. blob.core.windows.net.




- If user has defined a custom CNAME as follows,



Then the added image URL will look like follows,



- If the file type is different than image, then the html hyperlink is added to the edit post text area as shown below,



- To upload a new file, click on the “**Upload**” Tab. Following controls will be shown in Upload Tab.

Windows Azure Storage

Browse Search Upload

Upload New File

Container Name : wordpress

Tag:

File Name: Browse...

Expiration Duration (minutes) :

Note: Files in public container will never expire, hence disabled.

Upload

- Default Container name will be uploading new file, but user can change container by selecting different container from the drop down.
- User will be able to provide custom tag for the file to be uploaded. Use comma as separator for multiple tags.
- Click the “**Browse...**” button and select the file to be uploaded using File Open Dialog.
- “**Expiration Duration**” text box will be disabled for public container because all files in public container never expire. But if a private container is selected, then user can set expiration duration on the file to be uploaded. The URL associated with such file will be valid only for the specified duration. Public users will not be able to view this file once the URL expires. This feature uses shared signature feature of the Windows Azure Blob Storage.
- Such file having expiration duration set will be added to the edit post text using associated shared signature, as shown below,

Upload/Insert

b i link b-quote del ins img ul ol li code more lookup close tags

- If Windows Azure Storage is used for default file upload using following option, then all file uploads happening via default media upload dialogs will be routed to Windows Azure Storage account. Same files will be displayed in Browse Tab in the Windows Azure Storage popup dialog.

Use Windows Azure Storage
as for default upload



Use Windows Azure Storage when uploading via WordPress' upload tab.

Note: Uncheck this to revert back to using your own web host for storage at anytime.

WordPress 2.9.2 is available

Dashboard

Posts

Media

Library

Add New

Links

Pages

Comments

Appearance

Plugins 2

Users

Tools


Settings

Upload New Media


Choose files to upload [Select Files](#) [Cancel Upload](#)

You are using the Flash uploader. Problems? Try the [Browser uploader](#) instead.

After a file has been uploaded, you can add titles and descriptions.

Contoso		Hide
	Contoso.gif image/gif 2010-02-19 02:21:44	
Title *	<input type="text" value="Contoso"/>	
Caption	<input type="text"/> <small>Also used as alternate text for the image</small>	
Description	<input type="text"/>	
File URL	<input type="text" value="http://interopstorage.blob.core.windows.net/wordpress/2010/02/Conto"/> <small>Location of the uploaded file.</small>	


- If the XML-RPC option is set in “**Writing Settings->Remote Publishing**” as shown below and Windows Azure Storage is set for default file upload, then all file uploads happening via XML-RPC will be routed to the configured Windows Azure Storage account.



The image shows the WordPress 'Writing Settings' page. On the left is a sidebar menu with options: Dashboard, Posts, Media, Links, Pages, Comments, Appearance, Plugins (with a red badge showing '2'), Users, Tools, Settings (highlighted), General, and Writing. The main content area is titled 'Writing Settings' and contains several settings:

- Size of the post box:** A text input field with the value '10' and the label 'lines'.
- Formatting:** Two checkboxes: 'Convert emoticons like :-) and :-P to gr' (checked) and 'WordPress should correct invalidly nested X' (unchecked).
- Default Post Category:** A dropdown menu with 'Uncategorized' selected.
- Default Link Category:** A dropdown menu with 'Blogroll' selected.
- Remote Publishing:** A section header followed by the text 'To post to WordPress from a desktop blogging client or remote website that use'. It contains two checkboxes: 'Atom Publishing Protocol' (unchecked) and 'XML-RPC' (checked). The 'XML-RPC' row is highlighted with a red border.

- Search Tab shows following controls,



The image shows a 'Windows Azure Storage' window with a search interface. At the top, there are three tabs: 'Browse', 'Search' (highlighted in red), and 'Upload'. Below the tabs, the title 'Search Files' is displayed. There are four input fields for search criteria:

- Tag:** An empty text input field.
- File Name:** An empty text input field.
- File Type:** An empty text input field.
- Container Name:** A dropdown menu with 'wordpress' selected.

At the bottom left, there is a blue 'Search' button.

- Default container is selected for search. User can change the container to be searched for specified criteria. User can also search in all containers.

- User can search files based on Tag, File Name and File Type. Logical AND operation is performed on multiple criterions.
- Click on “**Search**” after specifying various criterions. Result will be displayed in the “**Browse**” Tab as follows.



Known Issues WordPress MU edition

This plugin does not work out-of-box with the WordPress MU (Multi User) edition. The only workaround is to edit the `\wp-admin\options.php` file within the WordPress MU installation. Perform following changes in this file,

- Open `\wp-admin\options.php` file and search for the function call “`check_admin_referer`”. This call is inside one if condition and looks like follows,

```
switch($action) {
case 'update':
    if ( isset($_POST[ 'option_page' ]) ) {
        $option_page = $_POST[ 'option_page' ];
        check_admin_referer( $option_page . '-options' );
    }
}
```

- WordPress MU edition does not contain any else block in this if statement. Add following else block to this if-statement and save options.php file.

```
switch($action) {  
  
case 'update':  
    if ( isset($_POST[ 'option_page' ]) ) {  
        $option_page = $_POST[ 'option_page' ];  
        check_admin_referer( $option_page - '-options' );  
    } else {  
        // Needed by Windows Azure Storage Plugin For WordPress MU edition  
        $option_page = 'options';  
        check_admin_referer( 'update-options' );  
    }  
}
```

For details, please refer the article <http://mu.wordpress.org/forums/topic/12474>

Resources

- For more details on Windows Azure Storage Services, please visit the [Windows Azure Platform web-site](#).
- PHP Azure SDK is at the core of this plugin. This SDK is available at <http://phpazure.codeplex.com/>.

Sample Deployment

Sample Deployment of this plugin is available at following URL,

WordPress plugin Deployed on Windows

<http://wordpressonazure.cloudapp.net/>

WordPress plugin Deployed on Amazon EC2

<http://ec2-174-129-2-234.compute-1.amazonaws.com:8080/wordpress/>