

Brandon System Owner Guide

Daily operations, controlled form activation, identity, notifications, and incident handling.

Daily opening

- 1 Run the nine-check public production monitor.
- 2 Review readiness, queue failures, unassigned leads, duplicate suspicion, and unsuppressed tests.
- 3 Check WordPress bridge health and pending retries.
- 4 Review possible genuine Form 7 entry 1550 without marking it test.
- 5 Record exceptions in the operating scoreboard without raw PII.

Daily closing

- 1 Reconcile each genuine WordPress entry to one canonical lead or a documented shadow state.
- 2 Confirm failed notifications and unassigned live leads are zero or assigned an owner.
- 3 Confirm QA remains suppressed and excluded from KPIs.
- 4 Record actual outcomes only.

Controlled Form Activation

One form at a time; Form 3 remains the verified baseline.

- 1 Back up plugin/configuration and export the exact form and notifications.
- 2 Record current entry count, placement, field map, consent, attribution, routing, and rollback.
- 3 Allowlist one form only.
- 4 Submit one fictional QA record with QA_TEST and INTERNAL QA - DO NOT CONTACT.
- 5 Verify one Gravity entry, one Neon lead, one internal alert, hidden BCC receipt, suppression, and idempotent replay.
- 6 Disable only the exact native notification proven to duplicate the canonical alert.
- 7 On any failed gate, remove only that form from the allowlist and restore its previous notification state.

Current sequence

- Form 3: ACTIVE - CANONICAL.
- Forms 1 and 6: next technical candidates after consent-default configuration.
- Forms 2 and 5: mapping/placement required.
- Form 4: recruiting, not consumer routing.
- Form 7: deferred for brokerage/legal consent review.

Identity, Push, and Secrets

Least privilege and safe human handoffs.

- Basic Auth remains current until one verified administrator passes RBAC acceptance.
- Complete the roster workbook; do not invent staff or invite unverified addresses.
- Apply the additive identity migration in Preview first; set sensitive values only in Vercel.
- Web Push needs the device owner. Never record subscription endpoints.
- Carrier SMS and paid media stay disabled.
- Never paste ADMIN_SECRET, BETTER_AUTH_SECRET, DATABASE_URL, Resend keys, BCC values, cookies, or VAPID private keys into chat, logs, or artifacts.

Incident escalation

- 1 Preserve leads and correlation IDs.
- 2 Stop the narrow failing form or notification processor, not the whole site.
- 3 Verify health and queue state.
- 4 Use the one-page rollback guide.
- 5 Document impact, owner, recovery, and follow-up.

Monthly Review

Evidence first; no synthetic business claims.

- Lead and qualified-lead volume by source/form.
- Assignment and first-contact target performance.
- Email delivery failures, retries, and duplicates.
- Appointments, signed clients, closings, and verified gross attributed revenue.
- Form status, access roster, revoked sessions, exports, and test records.
- No spend or vendor purchase without a separate owner approval.