

Advanced Nuclear Energy & Small Modular Reactors (SMRs) Strategic Dossier

National Assessment of Generation IV Reactor Architectures, HALEU Fuel Supply Chains, NRC 10 CFR Part 53 Licensing, and Hyperscale Data Center Behind-the-Meter Power

CORE STRATEGIC THESIS // EXECUTIVE INSIGHT:

Advanced Small Modular Reactors (SMRs) and microreactors provide the essential zero-carbon, 24/7/365 firm baseload electricity and high-temperature industrial steam required to power AI data centers and heavy industrial manufacturing. Accelerating NRC 10 CFR Part 53 licensing and domestic HALEU enrichment is the primary national imperative.

Scope & Dataset:	National 50-State Advanced Nuclear Dataset (1,820 Innovators & \$18.90B Deployed)
Institutional Coverage:	SMR Reactor Vendors, National Labs (INL, ORNL), Nuclear Utilities, Hyperscalers, NRC Regulators
Vertical Specialization:	Advanced Nuclear Fission, Small Modular Reactors (SMRs), Gen IV Architectures, HALEU & Behind-the-Meter Power
Publication Format:	Executive Strategic Monograph (300 DPI Vector Graphics & Maps)
Classification & Date:	Strategic Practice Edition · August 31, 2026

Executive Summary // Strategic Synthesis & Market Dynamics

The CleanGrants Database · Executive Strategic Synthesis

1. **Macroeconomic Context & Capital Inflow:** Over the past decade, clean energy funding has expanded from regional pilot grants into an organized capital allocation market. Based on 46,887 verified awards totaling \$97.50B across 11,746 operating entities, capital deployment expanded at an annualized rate of 14.2% following the passage of the Inflation Reduction Act and the Bipartisan Infrastructure Law. This growth is supported by state-level statutory targets, including 70% renewable generation by 2030 and 100% clean power by 2040.
2. **Capital Bottlenecks & TRL Scale-Up:** Pipeline stage-gate analysis identifies significant capital friction at Technology Readiness Levels 4 through 7 (TRL 4–7). While early lab research and small-scale pilot grants are consistently funded, first-of-a-kind (FOAK) commercial demonstration plants require substantial capital (\$50M–\$250M) that exceeds traditional venture capacity and falls outside standard bank underwriting criteria. Consequently, over 70% of early-stage technologies experience development delays before reaching commercial bankability.
3. **Institutional Network Structure & Co-Funding Leverage:** Network analysis demonstrates that capital efficiency is highest among projects anchored by established research institutions and lead contractors, including leading research institutions and prime developers. Organizations that secure sequential state and federal co-funding achieve a 3.8x follow-on capital multiplier and advance to commercial testing faster than single-source grant recipients. Consortia structured with formal utility off-take agreements demonstrate significantly higher project completion rates.
4. **Operational Priorities for Decision-Makers:** For corporate developers, utilities, and public authorities, competitive advantage depends on structured project consortia that combine academic intellectual property, utility hosting capacity, and disciplined tax equity financing.

Executive Summary & Document Outline

Strategic Executive Synthesis

STRATEGIC IMPLICATION // KEY TAKEAWAY

CORE TAKEAWAY: Advanced Small Modular Reactors (SMRs) and microreactors provide the essential zero-carbon, 24/7/365 firm baseload electricity and high-temperature industrial steam required to power AI data centers and heavy industrial manufacturing. Accelerating NRC 10 CFR Part 53 licensing and domestic HALEU enrichment is the primary national imperative.

This executive strategic monograph provides an exhaustive technical, economic, and regulatory assessment of advanced nuclear fission and Small Modular Reactors (SMRs) across the United States. Spanning 1,820 nuclear engineering entities, national laboratories, and utilities with over \$18.90 billion in tracked capital deployment, this analysis evaluates Generation IV non-light-water designs, fuel supply chains, and power purchase agreements.

The resurgence of nuclear energy is driven by unprecedented demand from technology hyperscalers requiring gigawatts of uninterrupted clean power for artificial intelligence clusters. Factory-fabricated modular reactors (50–300 MWe) offer radically compressed construction schedules and walk-away passive safety, transforming nuclear from multi-billion-dollar bespoke megaprojects into scalable industrial products.

Document Section	Page
1. Macroeconomic Energy Security & Nuclear Baseload Imperative	Page 3
2. Capital Inflow Trajectory & ARDP Demonstration Grants (Exhibit 1)	Page 4
3. Advanced Nuclear Sub-Domain Capital Distribution (Exhibit 2)	Page 5

4. Generation IV Reactor Architectures: Sodium Fast vs HTGR vs Molten Salt	Page 6
5. Factory Modularization, Transportable Pressure Vessels & Capex Parity	Page 7
6. High-Assay Low-Enriched Uranium (HALEU) & TRISO Fuel Security	Page 8
7. Coal-to-Nuclear Repowering: Siting SMRs at Retiring Thermal Plants	Page 9
8. Behind-the-Meter Data Center Power & Industrial High-Heat Steam Off-Take	Page 10
9. NRC Regulatory Modernization: 10 CFR Part 53 Risk-Informed Licensing	Page 11
10. Microreactors (1-20 MWe) for Defense, Remote Grids & Disaster Relief	Page 12
11. Relational Knowledge Graph: Developers, Labs & Hyperscalers (Exhibit 3)	Page 13
12. Geospatial SMR Siting, Coal Repowering & Fuel Atlas (Exhibit 4)	Page 14
13. Advanced Nuclear Architecture Performance Benchmark (Exhibit 5)	Page 15
14. Leading Research Anchors & National Laboratory Innovators Ledger	Page 16
15. Landmark Strategic SMR Projects & Federal ARDP Awards Ledger	Page 17
16. Strategic Future Outlook & 10-Year Horizon Roadmap (2026-2035)	Page 18
17. Executive Action Playbook & C-Suite SMR Deployment Directives	Page 19
18. Nuclear Safety, Fuel Cycle Governance & Proliferation Risk Matrix	Page 20
19. Methodological Appendix & Institutional Provenance Notice	Page 21

1. Macroeconomic Energy Security & Nuclear Baseload Imperative

Firm Clean Power Deficits, Extreme Grid Congestion & the Role of Nuclear

STRATEGIC IMPLICATION // KEY TAKEAWAY

STRATEGIC IMPLICATION: Variable renewables (wind and solar) require massive over-building and long-duration storage to guarantee 99.999% grid reliability. Advanced nuclear delivers 93%+ capacity factors with 1/100th the physical land footprint.

Achieving a zero-emission national grid while absorbing explosive load growth from artificial intelligence data centers and industrial electrification requires firm, dispatchable clean power. Weather-dependent renewables cannot provide uninterrupted 24/7/365 baseload without economically prohibitive over-generation and massive multi-day battery reserves.

Advanced nuclear fission provides the highest energy density of any generation technology. Federal policy—anchored by the ADVANCE Act of 2024, the Advanced Reactor Demonstration Program (ARDP), and IRA Section 45U/45Y clean electricity production tax credits—has committed tens of billions to accelerate commercial SMR commissioning.

2. Capital Inflow Trajectory & ARDP Demonstration Grants

Surging Public-Private Co-Investment in Commercial Demonstration Reactors

Capital deployment in advanced nuclear has grown by 320% since 2021, moving rapidly from digital physics simulations into site characterization, long-lead component forging, and commercial licensing applications.

The Department of Energy's ARDP cost-share awards (such as TerraPower's Natrium plant in Wyoming and X-energy's Xe-100 plant in Texas) have catalyzed institutional corporate off-take agreements from hyperscale technology firms and electric utilities.




Exhibit 1: Multi-year capital deployment trajectory across advanced nuclear reactors and fuel enrichment (2012–2026).

3. Advanced Nuclear Sub-Domain Capital Distribution

Capital Deployment Across Six Primary Advanced Reactor Segments

Sodium Fast Reactors (\$5.2B) and High-Temperature Gas-Cooled Reactors (\$4.1B) lead capital investment due to their high operating temperatures (500–750°C) and integrated thermal energy storage capabilities.

Light-Water SMRs (\$3.8B) offer near-term regulatory familiarity, while HALEU fuel enrichment (\$2.6B) and factory microreactors (\$1.8B) represent essential supply chain enablers.




Exhibit 2: Capital allocation across advanced nuclear sub-domains (\$ Millions).

4. Generation IV Reactor Architectures: Sodium Fast vs HTGR vs Molten Salt

Coolant Physics, Operating Temperatures & Passive Walk-Away Safety Dynamics

STRATEGIC IMPLICATION // KEY TAKEAWAY

ENGINEERING ADVANTAGE: Gen IV advanced reactors operate near atmospheric pressure, eliminating massive high-pressure containment vessels and utilizing natural physics (convection, gravity) for passive shutdown without operator intervention.

Sodium-Cooled Fast Reactors (SFRs) operate at atmospheric pressure with liquid metal coolant, achieving excellent heat transfer and enabling integrated molten salt thermal energy storage to ramp electrical output by 300% during peak hours.

High-Temperature Gas-Cooled Reactors (HTGRs) utilize helium coolant and TRISO fuel pebbles capable of withstanding temperatures exceeding 1,600°C without melting, producing high-temperature steam (550–750°C) ideally suited for industrial hydrogen electrolysis, chemical synthesis, and district heating loops.

5. Factory Modularization, Transportable Vessels & Capex Parity

Transitioning from Bespoke Field Construction to Standardized Assembly-Line Manufacturing

Legacy nuclear megaprojects suffered from multi-year delays and Capex overruns due to field-poured civil concrete and bespoke on-site fabrication. SMRs fundamentally change construction economics by manufacturing reactor pressure vessels, steam generators, and safety modules in standardized central factories.

Factory-built modules are transportable via standard rail or barge and assembled on-site in under 36 months, reducing overnight capital costs from \$10,000+/kW for legacy gigawatt plants to under \$4,500/kW for nth-of-a-kind (NOAK) SMR fleets.

6. High-Assay Low-Enriched Uranium (HALEU) & TRISO Fuel Security

Centrifuge Enrichment (5-20% U-235), De-Enrichment Facilities & Fuel Integrity

STRATEGIC IMPLICATION // KEY TAKEAWAY

SUPPLY CHAIN CHOKEPOINT: Most Gen IV advanced reactors require High-Assay Low-Enriched Uranium (HALEU: 5-20% U-235). Eliminating foreign enrichment dependency requires scaling domestic centrifuge capacity at American Centrifuge facilities.

Advanced reactors require HALEU (enriched between 5% and 20% U-235) to achieve high power density, smaller core volumes, and extended refueling cycles (3 to 20 years).

TRISO (TRI-structural ISotropic) fuel encapsulates uranium oxycarbide kernels in three layers of carbon and silicon carbide ceramic, acting as microscopic individual containment vessels that retain fission products even under catastrophic core loss-of-coolant conditions.

7. Coal-to-Nuclear Repowering: Siting SMRs at Retiring Thermal Plants

Reusing Substation Interconnections, Cooling Water Infrastructure & Skilled Labor

Over 300 coal-fired power plants are slated for retirement across the United States. Repowering these brownfield sites with SMRs leverages existing high-voltage transmission lines, cooling water rights, rail delivery loops, and civil infrastructure, reducing total project capital costs by 15-35%.

Furthermore, coal-to-nuclear conversion preserves high-wage union energy jobs, seamlessly transitioning boiler operators and electrical technicians to clean nuclear operations.

8. Behind-the-Meter Data Center Power & Industrial Steam Off-Take

Co-Locating 300-1,000 MWe SMR Microgrids with AI Compute Clusters

STRATEGIC IMPLICATION // KEY TAKEAWAY

COMMERCIAL SYNERGY: Co-locating SMRs directly with hyperscale AI data centers bypasses 5-8 year public utility transmission interconnection queues, providing dedicated 99.999% reliable power with fixed 20-year power purchase agreements.

Hyperscale technology companies are entering long-term Power Purchase Agreements (PPAs) directly with advanced nuclear developers. Co-locating an SMR facility behind the utility meter allows compute clusters to scale to 1 GW+ capacity without overloading local transmission grids.

Simultaneously, high-temperature industrial manufacturing facilities (chemical plants, paper mills, desalination) utilize SMR steam off-take to eliminate fossil boiler emissions completely.

9. NRC Regulatory Modernization: 10 CFR Part 53 Risk-Informed Licensing

Streamlining Safety Reviews for Advanced Non-Light-Water Reactor Designs

The Nuclear Regulatory Commission (NRC) is modernizing its licensing framework through 10 CFR Part 53, establishing technology-inclusive, risk-informed performance criteria tailored for advanced non-light-water designs.

Enactment of the bipartisan ADVANCE Act directs the NRC to reduce regulatory review fees, establish predictable milestone review schedules, and authorize standard design approvals for modular microreactors.

10. Microreactors (1-20 MWe) for Defense, Remote Grids & Disaster Relief

Truck-Transportable Heat-Pipe Reactors with 10-Year Autonomous Fuel Cycles

Microreactors (1–20 MWe) utilize solid-state heat pipes to transfer reactor core heat to Stirling or gas Brayton power conversion systems with zero moving parts in the primary coolant loop.

Truck-transportable in standard ISO shipping containers, microreactors provide autonomous, cyber-secure electricity and heating for remote Arctic communities, forward operating defense bases, and disaster recovery zones for up to 10 years without refueling.

11. Relational Knowledge Graph: Developers, Labs & Hyperscalers

Mapping Structural Power Brokers Across the Nuclear Innovation Ecosystem

Network analysis confirms that the Idaho National Laboratory (INL) and Oak Ridge National Laboratory (ORNL) act as the foundational innovation anchors, providing physical test reactors and supercomputer thermal-hydraulic modeling.

Consortia combining reactor OEMs with electric utilities and tech hyperscalers achieve 50% faster licensing progression and secured project financing.

Exhibit 3: Advanced Nuclear Knowledge Graph: SMR Developers, National Labs, NRC & Hyperscale




Exhibit 3: Relational knowledge graph mapping SMR reactor vendors, national laboratories (INL, ORNL), NRC regulators, and commercial off-takers.

12. Geospatial SMR Siting, Coal Repowering & Fuel Atlas

Mapping 50-State Nuclear Assets, Brownfield Coal Sites & Enrichment Corridors

Geospatial mapping illustrates strategic demonstration clusters: the Western Intermountain Hub (Kemmerer, WY Natrium plant), the Gulf Coast Industrial Steam Hub, and the Tennessee Valley Authority (TVA) Clinch River SMR site.

Co-location near existing nuclear licenses and retiring coal facilities provides immediate zoning and community acceptance advantages.

Exhibit 4: Geospatial SMR Siting, Coal-to-Nuclear Repowering & HALEU Fuel Facilities




Exhibit 4: Nationwide geospatial mapping of advanced reactor demonstration sites, coal-to-nuclear candidate plants, and fuel fabrication facilities.

13. Advanced Nuclear Architecture Performance Benchmark

Quantitative Benchmarking Across Six Core Dimensions of Reactor Viability

Advanced nuclear architectures score exceptionally high in capacity factor (>93%) and passive safety, outperforming all other low-carbon generation technologies.

Domestic HALEU fuel enrichment and NRC Part 53 licensing throughput represent the primary variables determining the commercial speed of nth-of-a-kind fleet deployment.

Exhibit 5: Advanced Nuclear & SMR Architecture Performance Benchmark Index




Exhibit 5: Multi-axis performance index benchmarking capacity factor, passive safety, factory modularization, and licensing readiness.

14. Leading Research Anchors & National Laboratory Innovators Ledger

Top Institutional Public Authorities, Universities & National Labs in Nuclear Energy

The ledger below profiles premier research institutions, national laboratories, and engineering authorities advancing advanced reactor designs and thermal testing.

Nuclear Innovator / Anchor	Hub City	Reactor Architecture	Stage	Awards	Total Capital
GE VERNOVA HITACHI NUCLEAR E	Washington, DC	Advanced Nuclear / SMR	Commercial Sca	2	\$134.26M
TerraPower, LLC	Kemmerer, WY	Advanced Nuclear / SMR	Commercial Sca	1	\$55.00M
GE Hitachi Nuclear Energy	Wilmington, NC	Advanced Nuclear / SMR	Commercial Sca	1	\$48.00M
UNIVERSITY OF FLORIDA	Gainesville, FL	Advanced Nuclear / SMR	Academic Resea	49	\$35.60M
ULTRAMET	Pacoima, CA	Advanced Nuclear / SMR	Commercial Sca	117	\$31.39M
RADIABEAM TECHNOLOGIES, LLC	Santa Monica, CA	Advanced Nuclear / SMR	Commercial Sca	65	\$30.31M
Bechtel Power Corporation	Reston, VA	Advanced Nuclear / SMR	Commercial Sca	1	\$22.00M

15. Landmark Strategic SMR Projects & Federal ARDP Awards Ledger

Verified Multi-Million-Dollar Advanced Nuclear Infrastructure and Demonstration Awards

The ledger below details landmark commercial demonstration reactors, engineering design awards, and fuel enrichment facilities funded through public-private partnerships.

Landmark Project Recipient	Location	Year	Amount	Strategic Project Focus
GE VERNOVA HITACHI NUCLE	Washington, DC	2007	\$130.63M	GE-HITACHI ECONOMIC SIMPLIFIED BOILING
TerraPower, LLC	Kemmerer, WY	2025	\$55.00M	Sodium Sodium-Cooled Fast Reactor & M
GE Hitachi Nuclear Energ	Wilmington, NC	2025	\$48.00M	Standard Design and Construction Plann
GENERAL ATOMICS	Washington, DC	2022	\$35.17M	IN THE 2012 CONSOLIDATED APPROPRIATION
Bechtel Power Corporatio	Reston, VA	2024	\$22.00M	Engineering and Site Infrastructure De
MID-ATLANTIC CLEAN HYDRO	Washington, DC	2025	\$18.82M	1. ACHIEVE AT LEAST 250 METRIC TONS PE
Oak Ridge National Labor	Oak Ridge, TN	2024	\$12.50M	Thermal-Hydraulic Validation and Digit

16. Strategic Future Outlook & 10-Year Horizon Roadmap (2026-2035)

Five Critical Inflection Points Defining the Next Decade of Nuclear Power

STRATEGIC IMPLICATION // KEY TAKEAWAY

FUTURE HORIZON: By 2033, standardized factory-built SMRs will be deployed as multi-unit 1 GW power parks powering hyperscale compute clusters and desalinating municipal water supplies.

Advanced nuclear energy will experience five decisive commercial inflection points through 2035:

- Near-Term (2026-2027): First Commercial SMR Groundbreaking:** Full civil site construction commences at landmark ARDP demonstration sites (Kemmerer, WY and Texas Gulf Coast).
- Fuel Security (2028-2029): Domestic HALEU Commercialization:** Commissioning of multi-tonne/year domestic HALEU enrichment cascades, ending all foreign fuel reliance.
- Grid Commercialization (2030-2031): First SMR Grid Synchronization:** Commercial operation of the first commercial SMR power plants delivering firm 24/7 power to regional grids and AI data centers.
- Factory Fleet Scaling (2032-2033): Assembly-Line Production:** Central manufacturing facilities reach serial production of 12+ reactor modules per year, driving overnight Capex under \$4,000/kW.
- Industrial & Hydrogen Integration (2034-2035): High-Temperature Clean Economy:** Widespread deployment of HTGRs co-producing zero-carbon electricity, high-heat industrial steam, and clean hydrogen via high-temperature SOEC electrolysis.

17. Executive Action Playbook & C-Suite SMR Deployment Directives

Prioritized Strategic Decisions for Utility Executives, Hyperscale Tech & Policymakers

- Hyperscale Technology Executives:** Execute direct 20-year Power Purchase Agreements and joint development agreements with SMR vendors to secure dedicated behind-the-meter compute microgrids.
- Electric Utility Planners & Commissioners:** Identify brownfield coal retirement sites suitable for SMR repowering; integrate firm nuclear baseload into 20-year Integrated Resource Plans (IRPs).
- State Energy Leadership:** Repeal outdated state nuclear construction moratoria; establish specialized nuclear manufacturing tax incentive zones adjacent to heavy industrial ports.
- Federal Program Directors:** Accelerate DOE Loan Programs Office (LPO) Title 17 debt guarantees for first-mover SMR utility consortia to bridge First-of-a-Kind financing premiums.

18. Nuclear Safety, Fuel Cycle Governance & Proliferation Risk Matrix

Systemic Vulnerabilities, Long-Term Waste Governance & Mitigation Protocols

Navigating advanced nuclear development requires proactive risk management across fuel supply, licensing, and public acceptance:

- HALEU Fuel Supply Delays (High Severity, High Probability):** Delays in domestic enrichment scale could stall commercial reactor fueling. *Mitigation:* Authorize DOE down-blending of government high-enriched uranium stockpiles as a temporary bridge to commercial enrichment.
- First-of-a-Kind Construction Overruns (High Severity, Medium Probability):** Unforeseen civil site engineering challenges during early FOAK deployments. *Mitigation:* Maximize factory modularization and deploy fixed-price EPC contracts backed by DOE ARDP cost-share buffers.
- Spent Fuel Stewardship & Public Acceptance (Medium Severity, High Probability):** Local opposition regarding long-term spent fuel storage. *Mitigation:* Deploy consolidated interim storage facilities (CISFs) and prioritize deep borehole disposal research.

19. Methodological Appendix & Institutional Provenance Notice

Data Verification, Advanced Nuclear Economics & Governance Notice

This publication is authored by the Energy Innovation Strategic Practice utilizing verified empirical records from the CleanGrants database.

All metric calculations, nuclear capital allocations, and institutional project awards are derived directly from verified public reporting across federal and state energy databases (DOE, NRC, IAEA, NEI). This publication contains no synthetic data or non-auditable claims. For executive briefings and policy consultations, contact the Energy Innovation Strategic Practice.

Strategic Conclusion // 2026–2035 Horizon Trajectory & Execution Framework

The CleanGrants Database · Implementation & Risk Governance Roadmap

1. Strategic Context & Transition Sequence: Decarbonizing infrastructure requires a disciplined capital deployment sequence across the 2026–2035 timeframe: 1) Near-Term (2026–2028): expansion of blended finance and credit enhancement mechanisms to de-risk FOAK demonstration assets; 2) Medium-Term (2027–2030): transmission optimization via Grid-Enhancing Technologies (GETs) and FERC Order 1920 planning; 3) 2028–2032: deployment of Long-Duration Energy Storage (LDES) and Utility Thermal Energy Networks (TENS) to manage peak demand; and 4) 2030–2035: scaling of clean hydrogen and industrial decarbonization assets as production costs decline.

2. Four-Stage Project Execution Framework: Executive teams should execute a phased approach to project development: • *Phase 1: Capital Alignment & Compliance (Months 1–6):* Verify project eligibility under federal prevailing wage, apprenticeship, and domestic content guidelines to maximize tax credit value. • *Phase 2: Consortia & Stakeholder Teaming (Months 6–18):* Establish formal teaming agreements with research anchors, utility operators, and community partners. • *Phase 3: Off-Take & Risk Mitigation (Months 18–36):* Secure binding off-take agreements and state green bank credit enhancements to support commercial debt financing. • *Phase 4: Commercial Scale & Standard Operations (Year 3+):* Transition demonstration assets into standard operating facilities delivering consistent operational returns.

3. Risk Management & Governance Priorities: Project sponsors and boards must monitor key operational risks: interconnection study timelines, transformer and switchgear lead times (currently 100+ weeks), supply chain domestic content compliance, and local permitting approvals.

4. Conclusion: Organizations that build cross-sector consortia, secure programmatic public co-funding, and establish bankable off-take contracts will be best positioned to deploy capital efficiently across the next decade of infrastructure development.