

Report

HP
4/12/2017

Table of Contents

1 Specifications.....	4
2 Model information.....	4
2.1 Card of model LogicalDataModel_1.....	4
3 LDM Diagrams.....	5
3.1 Model level diagrams.....	5
3.1.1 Diagram Diagram_1.....	5
4 Entities.....	6
4.1 Model level.....	6
4.1.1 Entity Acuerdo_Pago.....	6
4.1.2 Entity Aseguradora.....	11
4.1.3 Entity Auto.....	14
4.1.4 Entity Auto_Caracteristica.....	18
4.1.5 Entity Banco.....	21
4.1.6 Entity Caracteristica.....	24
4.1.7 Entity Cargo.....	28
4.1.8 Entity Cliente.....	31
4.1.9 Entity Contacto.....	34
4.1.10 Entity Cotizacion.....	37
4.1.11 Entity Detalle_Cotizacion.....	43
4.1.12 Entity Detalle_Factura.....	46
4.1.13 Entity Empleado.....	50
4.1.14 Entity Estado_Auto.....	55
4.1.15 Entity Estado_Parte.....	58
4.1.16 Entity Factura.....	60
4.1.17 Entity Garantia.....	66
4.1.18 Entity Grupo_Financiero.....	68
4.1.19 Entity Historico_Precio_Auto.....	71
4.1.20 Entity Historico_Precio_Parte.....	74
4.1.21 Entity Historico_Precio_Registro.....	77
4.1.22 Entity Metodo_Pago.....	79
4.1.23 Entity Parte.....	82
4.1.24 Entity Parte_Auto.....	86
4.1.25 Entity Proceso.....	88
4.1.26 Entity Proveedor.....	92
4.1.27 Entity Registro.....	95
4.1.28 Entity Salario.....	101
4.1.29 Entity Stock_Auto.....	104
4.1.30 Entity Stock_Parte.....	109
4.1.31 Entity Tipo_Caracteristica.....	114
4.1.32 Entity Tipo_Contacto.....	116
4.1.33 Entity Tipo_Factura.....	119
4.1.34 Entity Tipo_Movimiento.....	121
4.1.35 Entity Tipo_Parte.....	124
4.1.36 Entity Tipo_Proceso.....	127
4.1.37 Entity Tipo_Registro.....	129
4.1.38 Entity Tipo_Tarjeta.....	132
5 Relationships.....	135
5.1 Model level.....	135
5.1.1 Relationship Mensajero.....	135
5.1.2 Relationship Recepcionista.....	135
5.1.3 Relationship Relationship_1.....	136
5.1.4 Relationship Relationship_2.....	136
5.1.5 Relationship Relationship_3.....	137
5.1.6 Relationship Relationship_4.....	138
5.1.7 Relationship Relationship_5.....	138
5.1.8 Relationship Relationship_6.....	139
5.1.9 Relationship Relationship_7.....	139
5.1.10 Relationship Relationship_8.....	140
5.1.11 Relationship Relationship_9.....	140
5.1.12 Relationship Relationship_10.....	141
5.1.13 Relationship Relationship_11.....	142
5.1.14 Relationship Relationship_12.....	142

5.1.15 Relationship Relationship_13.....	143
5.1.16 Relationship Relationship_14.....	143
5.1.17 Relationship Relationship_15.....	144
5.1.18 Relationship Relationship_18.....	145
5.1.19 Relationship Relationship_19.....	145
5.1.20 Relationship Relationship_20.....	146
5.1.21 Relationship Relationship_21.....	146
5.1.22 Relationship Relationship_22.....	147
5.1.23 Relationship Relationship_23.....	148
5.1.24 Relationship Relationship_24.....	148
5.1.25 Relationship Relationship_25.....	149
5.1.26 Relationship Relationship_26.....	149
5.1.27 Relationship Relationship_27.....	150
5.1.28 Relationship Relationship_28.....	151
5.1.29 Relationship Relationship_29.....	151
5.1.30 Relationship Relationship_30.....	152
5.1.31 Relationship Relationship_31.....	152
5.1.32 Relationship Relationship_32.....	153
5.1.33 Relationship Relationship_34.....	154
5.1.34 Relationship Relationship_35.....	154
5.1.35 Relationship Relationship_36.....	155
5.1.36 Relationship Relationship_37.....	155
5.1.37 Relationship Relationship_38.....	156
5.1.38 Relationship Relationship_39.....	157
5.1.39 Relationship Relationship_40.....	157
5.1.40 Relationship Relationship_42.....	158
5.1.41 Relationship Relationship_43.....	158
5.1.42 Relationship Relationship_44.....	159
5.1.43 Relationship Relationship_44.....	160
5.1.44 Relationship Relationship_46.....	160
5.1.45 Relationship Relationship_46.....	161

1 Specifications

Include specifications here....

2 Model information

2.1 Card of model LogicalDataModel_1

<i>Name</i>	LogicalDataModel_1
<i>Code</i>	LOGICALDATAMODEL_1
<i>Comment</i>	
<i>Author</i>	
<i>Version</i>	

3.1 Model level diagrams

[illegible]

4 Entities**4.1 Model level****4.1.1 Entity Acuerdo Pago****4.1.1.1 Card of entity Acuerdo Pago**

<i>Name</i>	Acuerdo_Pago
<i>Code</i>	ACUERDO_PAGO
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.1.2 List of all dependencies of the entity Acuerdo Pago

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_18	RELATIONSHIP_18	Relationship
Relationship_19	RELATIONSHIP_19	Relationship
Relationship_20	RELATIONSHIP_20	Relationship
Relationship_21	RELATIONSHIP_21	Relationship
Relationship_22	RELATIONSHIP_22	Relationship
Relationship_23	RELATIONSHIP_23	Relationship

4.1.1.3 List of relationships of the entity Acuerdo Pago

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_18	RELATIONSHIP_18	X	Acuerdo_Pago	Metodo_Pago		1,n	1,1
Relationship_19	RELATIONSHIP_19	X	Acuerdo_Pago	Tipo_Tarjeta		1,n	0,1
Relationship_20	RELATIONSHIP_20	X	Acuerdo_Pago	Grupo_Financiero		1,n	0,1
Relationship_21	RELATIONSHIP_21	X	Acuerdo_Pago	Banco		1,n	0,1
Relationship_22	RELATIONSHIP_22	X	Acuerdo_Pago	Cotizacion	Acuerdo_Pago -> Cotizacion	1,n	1,1
Relationship_23	RELATIONSHIP_23	X	Detalle_Factura	Acuerdo_Pago		1,n	0,1

4.1.1.4 List of diagrams containing the entity Acuerdo Pago

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_cotizacion	ID_COTIZACION	Variable characters (5)	X	
id_acuerdoPago	ID_ACUERDOPAGO	Variable characters (5)	X	
id_metodoPago	ID_METODOPAGO	Variable characters (5)	X	
id_tipoTarjeta	ID_TIPOTARJETA	Variable characters (5)		
id_grupoFinanciero	ID_GRUPOFINANCIE RO	Variable characters (5)		
id_banco	ID_BANCO	Variable characters (5)		

4.1.1.6 Entity attribute id_cotizacion of the entity Acuerdo Pago

4.1.1.6.1 Card of the entity attribute id_cotizacion of the entity Acuerdo Pago

<i>Name</i>	id_cotizacion
<i>Code</i>	ID_COTIZACION
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.1.6.2 Check of the entity attribute id_cotizacion of the entity Acuerdo Pago

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.1.6.3 Server validation rule of the entity attribute id_cotizacion of the entity Acuerdo Pago

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.1.6.4 List of all dependencies of the entity attribute id_cotizacion

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.1.6.5 List of primary relationship joins of the entity attribute id_cotizacion

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_cotizacion	id_cotizacion

4.1.1.6.6 List of foreign relationship joins of the entity attribute id_cotizacion

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_cotizacion	id_cotizacion

4.1.1.6.7 List of identifiers of the entity attribute id_cotizacion

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Acuerdo_Pago'	X

4.1.1.7 Entity attribute id_acuerdoPago of the entity Acuerdo_Pago

4.1.1.7.1 Card of the entity attribute id_acuerdoPago of the entity Acuerdo_Pago

<i>Name</i>	id_acuerdoPago
<i>Code</i>	ID_ACUERDOPAGO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.1.7.2 Check of the entity attribute id_acuerdoPago of the entity Acuerdo_Pago

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.1.7.3 Server validation rule of the entity attribute id_acuerdoPago of the entity Acuerdo_Pago

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.1.7.4 List of all dependencies of the entity attribute id_acuerdoPago

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.1.7.5 List of primary relationship joins of the entity attribute id_acuerdoPago

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_acuerdoPago	id_acuerdoPago

4.1.1.7.6 List of identifiers of the entity attribute id_acuerdoPago

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Acuerdo_Pago'	X

4.1.1.8 Entity attribute id_metodoPago of the entity Acuerdo_Pago

4.1.1.8.1 Card of the entity attribute id_metodoPago of the entity Acuerdo_Pago

<i>Name</i>	id_metodoPago
<i>Code</i>	ID_METODOPAGO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)

<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.1.8.2 Check of the entity attribute id_metodoPago of the entity Acuerdo Pago

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.1.8.3 Server validation rule of the entity attribute id_metodoPago of the entity Acuerdo Pago

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.1.8.4 List of all dependencies of the entity attribute id_metodoPago

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.1.8.5 List of foreign relationship joins of the entity attribute id_metodoPago

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_metodoPago	id_metodoPago

4.1.1.9 Entity attribute id_tipoTarjeta of the entity Acuerdo Pago

4.1.1.9.1 Card of the entity attribute id_tipoTarjeta of the entity Acuerdo Pago

<i>Name</i>	id_tipoTarjeta
<i>Code</i>	ID_TIPOTARJETA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.1.9.2 Check of the entity attribute id_tipoTarjeta of the entity Acuerdo Pago

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.1.9.3 Server validation rule of the entity attribute id_tipoTarjeta of the entity Acuerdo Pago

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.1.9.4 List of all dependencies of the entity attribute id_tipoTarjeta

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoTarjeta	id_tipoTarjeta

4.1.1.10 Entity attribute id_grupoFinanciero of the entity Acuerdo Pago

4.1.1.10.1 Card of the entity attribute id_grupoFinanciero of the entity Acuerdo Pago

<i>Name</i>	id_grupoFinanciero
<i>Code</i>	ID_GRUPOFINANCIERO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.1.10.2 Check of the entity attribute id_grupoFinanciero of the entity Acuerdo Pago

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.1.10.3 Server validation rule of the entity attribute id_grupoFinanciero of the entity Acuerdo Pago

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.1.10.4 List of all dependencies of the entity attribute id_grupoFinanciero

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.1.10.5 List of foreign relationship joins of the entity attribute id_grupoFinanciero

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_grupoFinanciero	id_grupoFinanciero

4.1.1.11 Entity attribute id_banco of the entity Acuerdo Pago

4.1.1.11.1 Card of the entity attribute id_banco of the entity Acuerdo Pago

<i>Name</i>	id_banco
<i>Code</i>	ID_BANCO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.1.11.2 Check of the entity attribute id_banco of the entity Acuerdo Pago

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No

List Of Values	
----------------	--

4.1.1.11.3 Server validation rule of the entity attribute id_banco of the entity Acuerdo_Pago

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.1.11.4 List of all dependencies of the entity attribute id_banco

Name	Code	Class Name
?	?	Relationship Join

4.1.1.11.5 List of foreign relationship joins of the entity attribute id_banco

Parent Attribute	Child Attribute
id_banco	id_banco

4.1.1.12 List of identifiers of the entity Acuerdo_Pago

Name	Code	Parent	Primary Identifier
Identifier_1	IDENTIFIER_1	Entity 'Acuerdo_Pago'	X

4.1.1.13 Identifier Identifier_1 of the entity Acuerdo_Pago

4.1.1.13.1 Card of the identifier Identifier_1 of the entity Acuerdo_Pago

Name	Identifier_1
Code	IDENTIFIER_1
Comment	
Primary Identifier	Yes

4.1.1.13.2 List of attributes of the entity identifier Identifier_1

Name	Code	Data Type	Mandatory	Inherited From
id_cotizacion	ID_COTIZACION	Variable characters (5)	X	
id_acuerdoPago	ID_ACUERDOPAGO	Variable characters (5)	X	

4.1.1.13.3 List of all dependencies of the entity identifier Identifier_1

Name	Code	Class Name
Relationship_23	RELATIONSHIP_23	Relationship

4.1.1.13.4 List of relationships of the entity identifier Identifier_1

Name	Code	Parent	Generate	Entity 2	Entity 1	Dependent Role	Entity 1 -> Entity 2 Role Cardinality	Entity 2 -> Entity 1 Role Cardinality
Relationship_23	RELATIONSHIP_23	Logical Data Model 'Logical DataModel_1'	X	Detalle_Factura	Acuerdo_Pago		1,n	0,1

4.1.2 Entity Aseguradora

4.1.2.1 Card of entity Aseguradora

<i>Name</i>	Aseguradora
<i>Code</i>	ASEGURADORA
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.2.2 List of all dependencies of the entity Aseguradora

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_10	RELATIONSHIP_10	Relationship

4.1.2.3 List of relationships of the entity Aseguradora

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinalit y</i>	<i>Entity 2 -> Entity 1 Role Cardinalit y</i>
Relationship_10	RELATIONSHIP_10	X	Registro	Aseguradora		1,n	0,1

4.1.2.4 List of diagrams containing the entity Aseguradora

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.2.5 List of attributes of the entity Aseguradora

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_aseguradora	ID_ASEGURADORA	Variable characters (5)	X	
nombre_aseguradora	NOMBRE_ASEGURADORA	Variable characters (15)	X	

4.1.2.6 Entity attribute id_aseguradora of the entity Aseguradora**4.1.2.6.1 Card of the entity attribute id_aseguradora of the entity Aseguradora**

<i>Name</i>	id_aseguradora
<i>Code</i>	ID_ASEGURADORA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.2.6.2 Check of the entity attribute id_aseguradora of the entity Aseguradora

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No

List Of Values	
----------------	--

4.1.2.6.3 Server validation rule of the entity attribute id aseguradora of the entity Aseguradora

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.2.6.4 List of all dependencies of the entity attribute id aseguradora

Name	Code	Class Name
? Identifier_1	? IDENTIFIER_1	Relationship Join Identifier

4.1.2.6.5 List of primary relationship joins of the entity attribute id aseguradora

Parent Attribute	Child Attribute
id_aseguradora	id_aseguradora

4.1.2.6.6 List of identifiers of the entity attribute id aseguradora

Name	Code	Parent	Primary Identifier
Identifier_1	IDENTIFIER_1	Entity 'Aseguradora'	X

4.1.2.7 Entity attribute nombre aseguradora of the entity Aseguradora

4.1.2.7.1 Card of the entity attribute nombre aseguradora of the entity Aseguradora

Name	nombre_aseguradora
Code	NOMBRE_ASEGURADORA
Comment	
Data Type	Variable characters (15)
Mandatory	Yes
Inherited From	<None>

4.1.2.7.2 Check of the entity attribute nombre aseguradora of the entity Aseguradora

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Cannot Modify	No
List Of Values	

4.1.2.7.3 Server validation rule of the entity attribute nombre aseguradora of the entity Aseguradora

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.2.8 List of identifiers of the entity Aseguradora

Name	Code	Parent	Primary Identifier
Identifier_1	IDENTIFIER_1	Entity 'Aseguradora'	X

4.1.2.9 Identifier Identifier 1 of the entity Aseguradora

4.1.2.9.1 Card of the identifier Identifier_1 of the entity Aseguradora

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.2.9.2 List of attributes of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_aseguradora	ID_ASEGURADORA	Variable characters (5)	X	

4.1.2.9.3 List of all dependencies of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_10	RELATIONSHIP_10	Relationship

4.1.2.9.4 List of relationships of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_10	RELATIONSHIP_10	Logical Data Model 'LogicalDataModel_1'	X	Registro	Aseguradora		1,n	0,1

4.1.3 Entity Auto**4.1.3.1 Card of entity Auto**

<i>Name</i>	Auto
<i>Code</i>	AUTO
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate Number</i>	Yes

4.1.3.2 List of all dependencies of the entity Auto

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_35	RELATIONSHIP_35	Relationship
Relationship_36	RELATIONSHIP_36	Relationship
Relationship_44	RELATIONSHIP_45	Relationship
Relationship_46	RELATIONSHIP_47	Relationship

4.1.3.3 List of relationships of the entity Auto

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
-------------	-------------	-----------------	-----------------	-----------------	-----------------------	---	---

Name	Code	Generate	Entity 2	Entity 1	Dependent Role	Entity 1 -> Entity 2 Role Cardinality	Entity 2 -> Entity 1 Role Cardinality
Relationship_35	RELATIONSHIP_35	X	Stock_Auto	Auto		1,n	1,1
Relationship_36	RELATIONSHIP_36	X	Historico_Precio_Auto	Auto		1,n	1,1
Relationship_44	RELATIONSHIP_45	X	Parte_Auto	Auto	Parte_Auto -> Auto	1,n	1,1
Relationship_46	RELATIONSHIP_47	X	Auto_Caracteristica	Auto	Auto_Caracteristica -> Auto	1,n	1,1

4.1.3.4 List of diagrams containing the entity Auto

Name	Code
Diagram_1	DIAGRAM_1

4.1.3.5 List of attributes of the entity Auto

Name	Code	Data Type	Mandatory	Inherited From
id_auto	ID_AUTO	Variable characters (5)	X	
marca_auto	MARCA_AUTO	Variable characters (10)	X	
nombre_auto	NOMBRE_AUTO	Variable characters (10)	X	
precio_auto	PRECIO_AUTO	Long integer	X	

4.1.3.6 Entity attribute id_auto of the entity Auto

4.1.3.6.1 Card of the entity attribute id_auto of the entity Auto

Name	id_auto
Code	ID_AUTO
Comment	
Data Type	Variable characters (5)
Mandatory	Yes
Inherited From	<None>

4.1.3.6.2 Check of the entity attribute id_auto of the entity Auto

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Cannot Modify	No
List Of Values	

4.1.3.6.3 Server validation rule of the entity attribute id_auto of the entity Auto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.3.6.4 List of all dependencies of the entity attribute id_auto

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join
?	?	Relationship Join
?	?	Relationship Join
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.3.6.5 List of primary relationship joins of the entity attribute id_auto

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_auto	id_auto
id_auto	id_auto
id_auto	id_auto
id_auto	id_auto

4.1.3.6.6 List of identifiers of the entity attribute id_auto

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Auto'	X

4.1.3.7 Entity attribute marca_auto of the entity Auto**4.1.3.7.1 Card of the entity attribute marca_auto of the entity Auto**

<i>Name</i>	marca_auto
<i>Code</i>	MARCA_AUTO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (10)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.3.7.2 Check of the entity attribute marca_auto of the entity Auto

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.3.7.3 Server validation rule of the entity attribute marca_auto of the entity Auto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.3.8 Entity attribute nombre_auto of the entity Auto**4.1.3.8.1 Card of the entity attribute nombre_auto of the entity Auto**

<i>Name</i>	nombre_auto
<i>Code</i>	NOMBRE_AUTO

<i>Comment</i>	
<i>Data Type</i>	Variable characters (10)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.3.8.2 Check of the entity attribute nombre_auto of the entity Auto

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.3.8.3 Server validation rule of the entity attribute nombre_auto of the entity Auto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.3.9 Entity attribute precio_auto of the entity Auto

4.1.3.9.1 Card of the entity attribute precio_auto of the entity Auto

<i>Name</i>	precio_auto
<i>Code</i>	PRECIO_AUTO
<i>Comment</i>	
<i>Data Type</i>	Long integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.3.9.2 Check of the entity attribute precio_auto of the entity Auto

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.3.9.3 Server validation rule of the entity attribute precio_auto of the entity Auto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.3.10 List of identifiers of the entity Auto

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Auto'	X

4.1.3.11 Identifier Identifier_1 of the entity Auto

4.1.3.11.1 Card of the identifier Identifier_1 of the entity Auto

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1

<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.3.11.2 List of attributes of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_auto	ID_AUTO	Variable characters (5)	X	

4.1.3.11.3 List of all dependencies of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_35	RELATIONSHIP_35	Relationship
Relationship_36	RELATIONSHIP_36	Relationship
Relationship_44	RELATIONSHIP_45	Relationship
Relationship_46	RELATIONSHIP_47	Relationship

4.1.3.11.4 List of relationships of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_35	RELATIONSHIP_35	Logical Data Model 'LogicalDataModel_1'	X	Stock_Auto	Auto		1,n	1,1
Relationship_36	RELATIONSHIP_36	Logical Data Model 'LogicalDataModel_1'	X	Historico_Precio_Auto	Auto		1,n	1,1
Relationship_44	RELATIONSHIP_45	Logical Data Model 'LogicalDataModel_1'	X	Parte_Auto	Auto	Parte_Auto -> Auto	1,n	1,1
Relationship_46	RELATIONSHIP_47	Logical Data Model 'LogicalDataModel_1'	X	Auto_Caracteristica	Auto	Auto_Caracteristica -> Auto	1,n	1,1

4.1.4 Entity Auto Caracteristica

4.1.4.1 Card of entity Auto Caracteristica

<i>Name</i>	Auto_Caracteristica
<i>Code</i>	AUTO_CARACTERISTICA
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes

Number	
--------	--

4.1.4.2 List of all dependencies of the entity Auto Caracteristica

Name	Code	Class Name
Relationship_46	RELATIONSHIP_47	Relationship
Relationship_46	RELATIONSHIP_46	Relationship

4.1.4.3 List of relationships of the entity Auto Caracteristica

Name	Code	Generate	Entity 2	Entity 1	Dependent Role	Entity 1 -> Entity 2 Role Cardinality	Entity 2 -> Entity 1 Role Cardinality
Relationship_46	RELATIONSHIP_47	X	Auto_Caracteristica	Auto	Auto_Caracteristica -> Auto	1,n	1,1
Relationship_46	RELATIONSHIP_46	X	Caracteristica	Auto_Caracteristica	Auto_Caracteristica -> Caracteristica	1,1	1,n

4.1.4.4 List of diagrams containing the entity Auto Caracteristica

Name	Code
Diagram_1	DIAGRAM_1

4.1.4.5 List of attributes of the entity Auto Caracteristica

Name	Code	Data Type	Mandatory	Inherited From
id_caracteristica	ID_CHARACTERISTICA	Variable characters (5)	X	
id_auto	ID_AUTO	Variable characters (5)	X	

4.1.4.6 Entity attribute id_caracteristica of the entity Auto Caracteristica

4.1.4.6.1 Card of the entity attribute id_caracteristica of the entity Auto Caracteristica

Name	id_caracteristica
Code	ID_CHARACTERISTICA
Comment	
Data Type	Variable characters (5)
Mandatory	Yes
Inherited From	<None>

4.1.4.6.2 Check of the entity attribute id_caracteristica of the entity Auto Caracteristica

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Cannot Modify	No
List Of Values	

4.1.4.6.3 Server validation rule of the entity attribute id_caracteristica of the entity Auto Caracteristica

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.4.6.4 List of all dependencies of the entity attribute id_caracteristica

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
? Identifier_1	? IDENTIFIER_1	Relationship Join Identifier

4.1.4.6.5 List of foreign relationship joins of the entity attribute id_caracteristica

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_caracteristica	id_caracteristica

4.1.4.6.6 List of identifiers of the entity attribute id_caracteristica

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Auto_Caracteristica'	X

4.1.4.7 Entity attribute id_auto of the entity Auto Caracteristica**4.1.4.7.1 Card of the entity attribute id_auto of the entity Auto Caracteristica**

<i>Name</i>	id_auto
<i>Code</i>	ID_AUTO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.4.7.2 Check of the entity attribute id_auto of the entity Auto Caracteristica

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.4.7.3 Server validation rule of the entity attribute id_auto of the entity Auto Caracteristica

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.4.7.4 List of all dependencies of the entity attribute id_auto

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
? Identifier_1	? IDENTIFIER_1	Relationship Join Identifier

4.1.4.7.5 List of foreign relationship joins of the entity attribute id_auto

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_auto	id_auto

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Auto_Caracteristica'	X

4.1.4.8 List of identifiers of the entity Auto Caracteristica

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Auto_Caracteristica'	X

4.1.4.9 Identifier Identifier 1 of the entity Auto Caracteristica

4.1.4.9.1 Card of the identifier Identifier 1 of the entity Auto Caracteristica

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.4.9.2 List of attributes of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_caracteristica	ID_CHARACTERISTICA	Variable characters (5)	X	
id_auto	ID_AUTO	Variable characters (5)	X	

4.1.5 Entity Banco

4.1.5.1 Card of entity Banco

<i>Name</i>	Banco
<i>Code</i>	BANCO
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate Number</i>	Yes

4.1.5.2 List of all dependencies of the entity Banco

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_21	RELATIONSHIP_21	Relationship

4.1.5.3 List of relationships of the entity Banco

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_21	RELATIONSHIP_21	X	Acuerdo_Pago	Banco		1,n	0,1

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.5.5 List of attributes of the entity Banco

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_banco	ID_BANCO	Variable characters (5)	X	
nombre_banco	NOMBRE_BANCO	Variable characters (10)	X	

4.1.5.6 Entity attribute id_banco of the entity Banco

4.1.5.6.1 Card of the entity attribute id_banco of the entity Banco

<i>Name</i>	id_banco
<i>Code</i>	ID_BANCO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.5.6.2 Check of the entity attribute id_banco of the entity Banco

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.5.6.3 Server validation rule of the entity attribute id_banco of the entity Banco

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.5.6.4 List of all dependencies of the entity attribute id_banco

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.5.6.5 List of primary relationship joins of the entity attribute id_banco

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_banco	id_banco

4.1.5.6.6 List of identifiers of the entity attribute id_banco

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Banco'	X

4.1.5.7 Entity attribute nombre_banco of the entity Banco

4.1.5.7.1 Card of the entity attribute nombre_banco of the entity Banco

<i>Name</i>	nombre_banco
-------------	--------------

<i>Code</i>	NOMBRE_BANCO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (10)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.5.7.2 Check of the entity attribute nombre_banco of the entity Banco

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.5.7.3 Server validation rule of the entity attribute nombre_banco of the entity Banco

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.5.8 List of identifiers of the entity Banco

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Banco'	X

4.1.5.9 Identifier Identifier_1 of the entity Banco

4.1.5.9.1 Card of the identifier Identifier_1 of the entity Banco

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.5.9.2 List of attributes of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_banco	ID_BANCO	Variable characters (5)	X	

4.1.5.9.3 List of all dependencies of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_21	RELATIONSHIP_21	Relationship

4.1.5.9.4 List of relationships of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_21	RELATIONSHIP_21	Logical Data Model 'LogicalDataModel_1'	X	Acuerdo_Pago	Banco		1,n	0,1

4.1.6 Entity Caracteristica

4.1.6.1 Card of entity Caracteristica

<i>Name</i>	Caracteristica
<i>Code</i>	CARACTERISTICA
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.6.2 List of all dependencies of the entity Caracteristica

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_39	RELATIONSHIP_39	Relationship
Relationship_40	RELATIONSHIP_40	Relationship
Relationship_46	RELATIONSHIP_46	Relationship

4.1.6.3 List of relationships of the entity Caracteristica

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_39	RELATIONSHIP_39	X	Caracteristica	Tipo_Caracteristica		1,n	1,1
Relationship_40	RELATIONSHIP_40	X	Caracteristica	Caracteristica		0,n	0,1
Relationship_46	RELATIONSHIP_46	X	Caracteristica	Auto_Caracteristica	Auto_Caracteristica -> Caracteristica	1,1	1,n

4.1.6.4 List of diagrams containing the entity Caracteristica

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.6.5 List of attributes of the entity Caracteristica

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
-------------	-------------	------------------	------------------	-----------------------

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_caracteristica	ID_CHARACTERISTICA	Variable characters (5)	X	
id_tipoCaracteristica	ID_TIPOCARACTERISTICA	Variable characters (5)	X	
Car_id_caracteristica	CAR_ID_CHARACTERISTICA	Variable characters (5)		
nombre_caracteristica	NOMBRE_CARACTERISTICA	Variable characters (10)	X	

4.1.6.6 Entity attribute id_caracteristica of the entity Caracteristica

4.1.6.6.1 Card of the entity attribute id_caracteristica of the entity Caracteristica

<i>Name</i>	id_caracteristica
<i>Code</i>	ID_CHARACTERISTICA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.6.6.2 Check of the entity attribute id_caracteristica of the entity Caracteristica

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.6.6.3 Server validation rule of the entity attribute id_caracteristica of the entity Caracteristica

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.6.6.4 List of all dependencies of the entity attribute id_caracteristica

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.6.6.5 List of primary relationship joins of the entity attribute id_caracteristica

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_caracteristica	Car_id_caracteristica
id_caracteristica	id_caracteristica

4.1.6.6.6 List of identifiers of the entity attribute id_caracteristica

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Caracteristica'	X

4.1.6.7 Entity attribute id_tipoCaracteristica of the entity Caracteristica**4.1.6.7.1 Card of the entity attribute id_tipoCaracteristica of the entity Caracteristica**

<i>Name</i>	id_tipoCaracteristica
<i>Code</i>	ID_TIPOCARACTERISTICA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.6.7.2 Check of the entity attribute id_tipoCaracteristica of the entity Caracteristica

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.6.7.3 Server validation rule of the entity attribute id_tipoCaracteristica of the entity Caracteristica

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.6.7.4 List of all dependencies of the entity attribute id_tipoCaracteristica

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.6.7.5 List of foreign relationship joins of the entity attribute id_tipoCaracteristica

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoCaracteristica	id_tipoCaracteristica

4.1.6.8 Entity attribute Car_id_caracteristica of the entity Caracteristica**4.1.6.8.1 Card of the entity attribute Car_id_caracteristica of the entity Caracteristica**

<i>Name</i>	Car_id_caracteristica
<i>Code</i>	CAR_ID_CARACTERISTICA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.6.8.2 Check of the entity attribute Car_id_caracteristica of the entity Caracteristica

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.6.8.3 Server validation rule of the entity attribute Car_id_caracteristica of the entity Caracteristica

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.6.8.4 List of all dependencies of the entity attribute Car id característica

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.6.8.5 List of foreign relationship joins of the entity attribute Car id característica

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_caracteristica	Car_id_caracteristica

4.1.6.9 Entity attribute nombre característica of the entity Caracteristica

4.1.6.9.1 Card of the entity attribute nombre característica of the entity Caracteristica

<i>Name</i>	nombre_caracteristica
<i>Code</i>	NOMBRE_CARACTERISTICA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (10)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.6.9.2 Check of the entity attribute nombre característica of the entity Caracteristica

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.6.9.3 Server validation rule of the entity attribute nombre característica of the entity Caracteristica

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.6.10 List of identifiers of the entity Caracteristica

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Caracteristica'	X

4.1.6.11 Identifier Identifier 1 of the entity Caracteristica

4.1.6.11.1 Card of the identifier Identifier 1 of the entity Caracteristica

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.6.11.2 List of attributes of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_caracteristica	ID_CHARACTERISTICA	Variable characters (5)	X	

4.1.6.11.3 List of all dependencies of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_40	RELATIONSHIP_40	Relationship
Relationship_46	RELATIONSHIP_46	Relationship

4.1.6.11.4 List of relationships of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_40	RELATIONSHIP_40	Logical Data Model 'LogicalDataModel_1'	X	Característica	Característica		0,n	0,1
Relationship_46	RELATIONSHIP_46	Logical Data Model 'LogicalDataModel_1'	X	Característica	Auto_Característica	Auto_Característica -> Característica	1,1	1,n

4.1.7 Entity Cargo**4.1.7.1 Card of entity Cargo**

<i>Name</i>	Cargo
<i>Code</i>	CARGO
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.7.2 List of all dependencies of the entity Cargo

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_43	RELATIONSHIP_43	Relationship

4.1.7.3 List of relationships of the entity Cargo

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_43	RELATIONSHIP_43	X	Empleado	Cargo		1,n	1,1

4.1.7.4 List of diagrams containing the entity Cargo

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.7.5 List of attributes of the entity Cargo

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_cargo	ID_CARGO	Variable characters (5)	X	
nombre_cargo	NOMBRE_CARGO	Variable characters (10)	X	

4.1.7.6 Entity attribute id_cargo of the entity Cargo**4.1.7.6.1 Card of the entity attribute id_cargo of the entity Cargo**

<i>Name</i>	id_cargo
<i>Code</i>	ID_CARGO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.7.6.2 Check of the entity attribute id_cargo of the entity Cargo

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.7.6.3 Server validation rule of the entity attribute id_cargo of the entity Cargo

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.7.6.4 List of all dependencies of the entity attribute id_cargo

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.7.6.5 List of primary relationship joins of the entity attribute id_cargo

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_cargo	id_cargo

4.1.7.6.6 List of identifiers of the entity attribute id_cargo

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Cargo'	X

4.1.7.7 Entity attribute nombre_cargo of the entity Cargo**4.1.7.7.1 Card of the entity attribute nombre_cargo of the entity Cargo**

<i>Name</i>	nombre_cargo
<i>Code</i>	NOMBRE_CARGO
<i>Comment</i>	

<i>Data Type</i>	Variable characters (10)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.7.7.2 Check of the entity attribute nombre_cargo of the entity Cargo

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.7.7.3 Server validation rule of the entity attribute nombre_cargo of the entity Cargo

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.7.8 List of identifiers of the entity Cargo

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Cargo'	X

4.1.7.9 Identifier Identifier_1 of the entity Cargo

4.1.7.9.1 Card of the identifier Identifier_1 of the entity Cargo

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.7.9.2 List of attributes of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_cargo	ID_CARGO	Variable characters (5)	X	

4.1.7.9.3 List of all dependencies of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_43	RELATIONSHIP_43	Relationship

4.1.7.9.4 List of relationships of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_43	RELATIONSHIP_43	Logical Data Model 'Logical DataModel_1'	X	Empleado	Cargo		1,n	1,1

4.1.8 Entity Cliente**4.1.8.1 Card of entity Cliente**

<i>Name</i>	Cliente
<i>Code</i>	CLIENTE
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.8.2 List of all dependencies of the entity Cliente

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_2	RELATIONSHIP_2	Relationship
Relationship_3	RELATIONSHIP_3	Relationship
Relationship_4	RELATIONSHIP_4	Relationship

4.1.8.3 List of relationships of the entity Cliente

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinalit y</i>	<i>Entity 2 -> Entity 1 Role Cardinalit y</i>
Relationship_2	RELATIONSHIP_2	X	Contacto	Cliente		1,n	1,1
Relationship_3	RELATIONSHIP_3	X	Cotizacion	Cliente		1,n	1,1
Relationship_4	RELATIONSHIP_4	X	Factura	Cliente		1,n	1,1

4.1.8.4 List of diagrams containing the entity Cliente

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.8.5 List of attributes of the entity Cliente

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
cedula	CEDULA	Variable characters (10)	X	
nombre_cliente	NOMBRE_CLIENTE	Variable characters (15)	X	
apellido_cliente	APELLIDO_CLIENTE	Variable characters (15)	X	

4.1.8.6 Entity attribute cedula of the entity Cliente**4.1.8.6.1 Card of the entity attribute cedula of the entity Cliente**

<i>Name</i>	cedula
<i>Code</i>	CEDULA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (10)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.8.6.3 Server validation rule of the entity attribute cedula of the entity Cliente

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.8.6.4 List of all dependencies of the entity attribute cedula

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join
?	?	Relationship Join
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.8.6.5 List of primary relationship joins of the entity attribute cedula

<i>Parent Attribute</i>	<i>Child Attribute</i>
cedula	cedula
cedula	cedula
cedula	cedula

4.1.8.6.6 List of identifiers of the entity attribute cedula

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Cliente'	X

4.1.8.7 Entity attribute nombre_cliente of the entity Cliente

4.1.8.7.1 Card of the entity attribute nombre_cliente of the entity Cliente

<i>Name</i>	nombre_cliente
<i>Code</i>	NOMBRE_CLIENTE
<i>Comment</i>	
<i>Data Type</i>	Variable characters (15)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.8.7.2 Check of the entity attribute nombre_cliente of the entity Cliente

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.8.7.3 Server validation rule of the entity attribute nombre_cliente of the entity Cliente

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.8.8 Entity attribute apellido_cliente of the entity Cliente**4.1.8.8.1 Card of the entity attribute apellido_cliente of the entity Cliente**

<i>Name</i>	apellido_cliente
<i>Code</i>	APELLIDO_CLIENTE
<i>Comment</i>	
<i>Data Type</i>	Variable characters (15)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.8.8.2 Check of the entity attribute apellido_cliente of the entity Cliente

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.8.8.3 Server validation rule of the entity attribute apellido_cliente of the entity Cliente

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.8.9 List of identifiers of the entity Cliente

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Cliente'	X

4.1.8.10 Identifier Identifier_1 of the entity Cliente**4.1.8.10.1 Card of the identifier Identifier_1 of the entity Cliente**

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.8.10.2 List of attributes of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
cedula	CEDULA	Variable characters (10)	X	

4.1.8.10.3 List of all dependencies of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_2	RELATIONSHIP_2	Relationship
Relationship_3	RELATIONSHIP_3	Relationship
Relationship_4	RELATIONSHIP_4	Relationship

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_2	RELATIONSHIP_2	Logical Data Model 'LogicalDataModel_1'	X	Contacto	Cliente		1,n	1,1
Relationship_3	RELATIONSHIP_3	Logical Data Model 'LogicalDataModel_1'	X	Cotización	Cliente		1,n	1,1
Relationship_4	RELATIONSHIP_4	Logical Data Model 'LogicalDataModel_1'	X	Factura	Cliente		1,n	1,1

4.1.9 Entity Contacto

4.1.9.1 Card of entity Contacto

<i>Name</i>	Contacto
<i>Code</i>	CONTACTO
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.9.2 List of all dependencies of the entity Contacto

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_1	RELATIONSHIP_1	Relationship
Relationship_2	RELATIONSHIP_2	Relationship

4.1.9.3 List of relationships of the entity Contacto

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_1	RELATIONSHIP_1	X	Contacto	Tipo_Contacto		1,n	1,1
Relationship_2	RELATIONSHIP_2	X	Contacto	Cliente		1,n	1,1

4.1.9.4 List of diagrams containing the entity Contacto

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.9.5 List of attributes of the entity Contacto

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_contacto	ID_CONTACTO	Variable characters (5)	X	
id_tipoContacto	ID_TIPOCONTACTO	Variable characters (5)	X	
cedula	CEDULA	Variable characters (10)	X	
atributo_contacto	ATRIBUTO_CONTACTO	Variable characters (20)	X	

4.1.9.6 Entity attribute id_contacto of the entity Contacto**4.1.9.6.1 Card of the entity attribute id_contacto of the entity Contacto**

<i>Name</i>	id_contacto
<i>Code</i>	ID_CONTACTO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.9.6.2 Check of the entity attribute id_contacto of the entity Contacto

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.9.6.3 Server validation rule of the entity attribute id_contacto of the entity Contacto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.9.6.4 List of all dependencies of the entity attribute id_contacto

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Identifier_1	IDENTIFIER_1	Identifier

4.1.9.6.5 List of identifiers of the entity attribute id_contacto

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Contacto'	X

4.1.9.7 Entity attribute id_tipoContacto of the entity Contacto**4.1.9.7.1 Card of the entity attribute id_tipoContacto of the entity Contacto**

<i>Name</i>	id_tipoContacto
<i>Code</i>	ID_TIPOCONTACTO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes

<i>Inherited From</i>	<None>
-----------------------	--------

4.1.9.7.2 Check of the entity attribute id tipoContacto of the entity Contacto

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.9.7.3 Server validation rule of the entity attribute id tipoContacto of the entity Contacto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.9.7.4 List of all dependencies of the entity attribute id tipoContacto

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.9.7.5 List of foreign relationship joins of the entity attribute id tipoContacto

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoContacto	id_tipoContacto

4.1.9.8 Entity attribute cedula of the entity Contacto

4.1.9.8.1 Card of the entity attribute cedula of the entity Contacto

<i>Name</i>	cedula
<i>Code</i>	CEDULA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (10)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.9.8.2 Check of the entity attribute cedula of the entity Contacto

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.9.8.3 Server validation rule of the entity attribute cedula of the entity Contacto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.9.8.4 List of all dependencies of the entity attribute cedula

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.9.8.5 List of foreign relationship joins of the entity attribute cedula

<i>Parent Attribute</i>	<i>Child Attribute</i>
-------------------------	------------------------

<i>Parent Attribute</i>	<i>Child Attribute</i>
cedula	cedula

4.1.9.9 Entity attribute atributo_contacto of the entity Contacto

4.1.9.9.1 Card of the entity attribute atributo_contacto of the entity Contacto

<i>Name</i>	atributo_contacto
<i>Code</i>	ATRIBUTO_CONTACTO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (20)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.9.9.2 Check of the entity attribute atributo_contacto of the entity Contacto

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.9.9.3 Server validation rule of the entity attribute atributo_contacto of the entity Contacto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.9.10 List of identifiers of the entity Contacto

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Contacto'	X

4.1.9.11 Identifier Identifier_1 of the entity Contacto

4.1.9.11.1 Card of the identifier Identifier_1 of the entity Contacto

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.9.11.2 List of attributes of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_contacto	ID_CONTACTO	Variable characters (5)	X	

4.1.10 Entity Cotizacion

4.1.10.1 Card of entity Cotizacion

<i>Name</i>	Cotizacion
<i>Code</i>	COTIZACION
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'

<i>Comment</i> <i>Generate</i> <i>Number</i>	Yes
--	-----

4.1.10.2 List of all dependencies of the entity Cotizacion

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_3	RELATIONSHIP_3	Relationship
Relationship_5	RELATIONSHIP_5	Relationship
Relationship_6	RELATIONSHIP_6	Relationship
Relationship_8	RELATIONSHIP_8	Relationship
Relationship_13	RELATIONSHIP_13	Relationship
Relationship_14	RELATIONSHIP_14	Relationship
Relationship_22	RELATIONSHIP_22	Relationship

4.1.10.3 List of relationships of the entity Cotizacion

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinalit y</i>	<i>Entity 2 -> Entity 1 Role Cardinalit y</i>
Relationship_3	RELATIONSHIP_3	X	Cotizacion	Cliente		1,n	1,1
Relationship_5	RELATIONSHIP_5	X	Detalle_Cotizacion	Cotizacion	Detalle_Cotizacion -> Cotizacion	1,n	1,1
Relationship_6	RELATIONSHIP_6	X	Proceso	Cotizacion		1,n	1,1
Relationship_8	RELATIONSHIP_8	X	Registro	Cotizacion		1,n	1,1
Relationship_13	RELATIONSHIP_13	X	Cotizacion	Empleado		1,n	1,1
Relationship_14	RELATIONSHIP_14	X	Factura	Cotizacion		1,n	0,1
Relationship_22	RELATIONSHIP_22	X	Acuerdo_Pago	Cotizacion	Acuerdo_Pago -> Cotizacion	1,n	1,1

4.1.10.4 List of diagrams containing the entity Cotizacion

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.10.5 List of attributes of the entity Cotizacion

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_cotizacion	ID_COTIZACION	Variable characters (5)	X	
cedula	CEDULA	Variable characters (10)	X	
id_empleado	ID_EMPLEADO	Variable characters (5)	X	
precio_cotizacion	PRECIO_COTIZACION	Long integer	X	

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
fecha_cotizacion	FECHA_COTIZACION	Date	X	
docSoporte	DOCSOPORTE	Variable characters (30)	X	

4.1.10.6 Entity attribute id_cotizacion of the entity Cotizacion

4.1.10.6.1 Card of the entity attribute id_cotizacion of the entity Cotizacion

<i>Name</i>	id_cotizacion
<i>Code</i>	ID_COTIZACION
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.10.6.2 Check of the entity attribute id_cotizacion of the entity Cotizacion

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.10.6.3 Server validation rule of the entity attribute id_cotizacion of the entity Cotizacion

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.10.6.4 List of all dependencies of the entity attribute id_cotizacion

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join
?	?	Relationship Join
?	?	Relationship Join
?	?	Relationship Join
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.10.6.5 List of primary relationship joins of the entity attribute id_cotizacion

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_cotizacion	id_cotizacion
id_cotizacion	id_cotizacion
id_cotizacion	id_cotizacion
id_cotizacion	id_cotizacion
id_cotizacion	id_cotizacion

4.1.10.6.6 List of identifiers of the entity attribute id_cotizacion

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Cotizacion'	X

4.1.10.7 Entity attribute cedula of the entity Cotizacion

4.1.10.7.1 Card of the entity attribute cedula of the entity Cotizacion

<i>Name</i>	cedula
<i>Code</i>	CEDULA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (10)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.10.7.2 Check of the entity attribute cedula of the entity Cotizacion

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.10.7.3 Server validation rule of the entity attribute cedula of the entity Cotizacion

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.10.7.4 List of all dependencies of the entity attribute cedula

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.10.7.5 List of foreign relationship joins of the entity attribute cedula

<i>Parent Attribute</i>	<i>Child Attribute</i>
cedula	cedula

4.1.10.8 Entity attribute id_empleado of the entity Cotizacion

4.1.10.8.1 Card of the entity attribute id_empleado of the entity Cotizacion

<i>Name</i>	id_empleado
<i>Code</i>	ID_EMPLEADO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.10.8.2 Check of the entity attribute id_empleado of the entity Cotizacion

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	

<i>Unit</i>	No
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.10.8.3 Server validation rule of the entity attribute id_empleado of the entity Cotizacion

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.10.8.4 List of all dependencies of the entity attribute id_empleado

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.10.8.5 List of foreign relationship joins of the entity attribute id_empleado

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_empleado	id_empleado

4.1.10.9 Entity attribute precio_cotizacion of the entity Cotizacion

4.1.10.9.1 Card of the entity attribute precio_cotizacion of the entity Cotizacion

<i>Name</i>	precio_cotizacion
<i>Code</i>	PRECIO_COTIZACION
<i>Comment</i>	
<i>Data Type</i>	Long integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.10.9.2 Check of the entity attribute precio_cotizacion of the entity Cotizacion

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.10.9.3 Server validation rule of the entity attribute precio_cotizacion of the entity Cotizacion

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.10.10 Entity attribute fecha_cotizacion of the entity Cotizacion

4.1.10.10.1 Card of the entity attribute fecha_cotizacion of the entity Cotizacion

<i>Name</i>	fecha_cotizacion
<i>Code</i>	FECHA_COTIZACION
<i>Comment</i>	
<i>Data Type</i>	Date
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.10.10.2 Check of the entity attribute fecha_cotizacion of the entity Cotizacion

<i>Minimum Value</i>	
----------------------	--

<i>Maximum Value</i>	No
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.10.10.3 Server validation rule of the entity attribute fecha_cotizacion of the entity Cotizacion

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.10.11 Entity attribute docSoporte of the entity Cotizacion

4.1.10.11.1 Card of the entity attribute docSoporte of the entity Cotizacion

<i>Name</i>	docSoporte
<i>Code</i>	DOCSOPORTE
<i>Comment</i>	
<i>Data Type</i>	Variable characters (30)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.10.11.2 Check of the entity attribute docSoporte of the entity Cotizacion

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.10.11.3 Server validation rule of the entity attribute docSoporte of the entity Cotizacion

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.10.12 List of identifiers of the entity Cotizacion

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Cotizacion'	X

4.1.10.13 Identifier Identifier_1 of the entity Cotizacion

4.1.10.13.1 Card of the identifier Identifier_1 of the entity Cotizacion

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.10.13.2 List of attributes of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_cotizacion	ID_COTIZACION	Variable characters (5)	X	

4.1.10.13.3 List of all dependencies of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_5	RELATIONSHIP_5	Relationship
Relationship_6	RELATIONSHIP_6	Relationship
Relationship_8	RELATIONSHIP_8	Relationship
Relationship_14	RELATIONSHIP_14	Relationship
Relationship_22	RELATIONSHIP_22	Relationship

4.1.10.13.4 List of relationships of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_5	RELATIONSHIP_5	Logical Data Model 'LogicalDataModel_1'	X	Detalle_Cotizacion	Cotizacion	Detalle_Cotizacion -> Cotizacion	1,n	1,1
Relationship_6	RELATIONSHIP_6	Logical Data Model 'LogicalDataModel_1'	X	Proceso	Cotizacion		1,n	1,1
Relationship_8	RELATIONSHIP_8	Logical Data Model 'LogicalDataModel_1'	X	Registro	Cotizacion		1,n	1,1
Relationship_14	RELATIONSHIP_14	Logical Data Model 'LogicalDataModel_1'	X	Factura	Cotizacion		1,n	0,1
Relationship_22	RELATIONSHIP_22	Logical Data Model 'LogicalDataModel_1'	X	Acuerdo_Pago	Cotizacion	Acuerdo_Pago -> Cotizacion	1,n	1,1

4.1.11 Entity Detalle_Cotizacion**4.1.11.1 Card of entity Detalle_Cotizacion**

<i>Name</i>	Detalle_Cotizacion
<i>Code</i>	DETALLE_COTIZACION
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes

Number	
--------	--

4.1.11.2 List of all dependencies of the entity Detalle Cotizacion

Name	Code	Class Name
Relationship_5	RELATIONSHIP_5	Relationship

4.1.11.3 List of relationships of the entity Detalle Cotizacion

Name	Code	Generate	Entity 2	Entity 1	Dependent Role	Entity 1 -> Entity 2 Role Cardinality	Entity 2 -> Entity 1 Role Cardinality
Relationship_5	RELATIONSHIP_5	X	Detalle_Cotizacion	Cotizacion	Detalle_Cotizacion -> Cotizacion	1,n	1,1

4.1.11.4 List of diagrams containing the entity Detalle Cotizacion

Name	Code
Diagram_1	DIAGRAM_1

4.1.11.5 List of attributes of the entity Detalle Cotizacion

Name	Code	Data Type	Mandatory	Inherited From
id_cotizacion	ID_COTIZACION	Variable characters (5)	X	
valorTotal_cotizacion	VALORTOTAL_COTIZACION	Long integer		

4.1.11.6 Entity attribute id cotizacion of the entity Detalle Cotizacion

4.1.11.6.1 Card of the entity attribute id cotizacion of the entity Detalle Cotizacion

Name	id_cotizacion
Code	ID_COTIZACION
Comment	
Data Type	Variable characters (5)
Mandatory	Yes
Inherited From	<None>

4.1.11.6.2 Check of the entity attribute id cotizacion of the entity Detalle Cotizacion

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Cannot Modify	No
List Of Values	

4.1.11.6.3 Server validation rule of the entity attribute id cotizacion of the entity Detalle Cotizacion

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.11.6.4 List of all dependencies of the entity attribute id cotizacion

Name	Code	Class Name
------	------	------------

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
? Identifier_1	? IDENTIFIER_1	Relationship Join Identifier

4.1.11.6.5 List of foreign relationship joins of the entity attribute id_cotizacion

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_cotizacion	id_cotizacion

4.1.11.6.6 List of identifiers of the entity attribute id_cotizacion

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Detalle_Cotizacion'	X

4.1.11.7 Entity attribute valorTotal_cotizacion of the entity Detalle_Cotizacion

4.1.11.7.1 Card of the entity attribute valorTotal_cotizacion of the entity Detalle_Cotizacion

<i>Name</i>	valorTotal_cotizacion
<i>Code</i>	VALORTOTAL_COTIZACION
<i>Comment</i>	
<i>Data Type</i>	Long integer
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.11.7.2 Check of the entity attribute valorTotal_cotizacion of the entity Detalle_Cotizacion

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.11.7.3 Server validation rule of the entity attribute valorTotal_cotizacion of the entity Detalle_Cotizacion

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.11.8 List of identifiers of the entity Detalle_Cotizacion

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Detalle_Cotizacion'	X

4.1.11.9 Identifier Identifier_1 of the entity Detalle_Cotizacion

4.1.11.9.1 Card of the identifier Identifier_1 of the entity Detalle_Cotizacion

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.11.9.2 List of attributes of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_cotizacion	ID_COTIZACION	Variable characters (5)	X	

4.1.12 Entity Detalle Factura**4.1.12.1 Card of entity Detalle Factura**

<i>Name</i>	Detalle_Factura
<i>Code</i>	DETALLE_FACTURA
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.12.2 List of all dependencies of the entity Detalle Factura

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_23	RELATIONSHIP_23	Relationship
Relationship_24	RELATIONSHIP_24	Relationship
Relationship_27	RELATIONSHIP_27	Relationship
Relationship_28	RELATIONSHIP_28	Relationship

4.1.12.3 List of relationships of the entity Detalle Factura

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_23	RELATIONSHIP_23	X	Detalle_Factura	Acuerdo_Pago		1,n	0,1
Relationship_24	RELATIONSHIP_24	X	Detalle_Factura	Factura	Detalle_Factura -> Factura	1,n	1,1
Relationship_27	RELATIONSHIP_27	X	Stock_Auto	Detalle_Factura		1,n	1,1
Relationship_28	RELATIONSHIP_28	X	Stock_Parte	Detalle_Factura		1,n	1,1

4.1.12.4 List of diagrams containing the entity Detalle Factura

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.12.5 List of attributes of the entity Detalle Factura

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_factura	ID_FACTURA	Variable characters (5)	X	
id_cotizacion	ID_COTIZACION	Variable characters (5)		
id_acuerdoPago	ID_ACUERDOPAGO	Variable characters (5)		

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
valorTotal_factura	VALORTOTAL_FACTURA	Long integer		

4.1.12.6 Entity attribute id factura of the entity Detalle Factura

4.1.12.6.1 Card of the entity attribute id factura of the entity Detalle Factura

<i>Name</i>	id_factura
<i>Code</i>	ID_FACTURA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.12.6.2 Check of the entity attribute id factura of the entity Detalle Factura

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.12.6.3 Server validation rule of the entity attribute id factura of the entity Detalle Factura

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.12.6.4 List of all dependencies of the entity attribute id factura

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join
?	?	Relationship Join
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.12.6.5 List of primary relationship joins of the entity attribute id factura

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_factura	id_factura
id_factura	id_factura

4.1.12.6.6 List of foreign relationship joins of the entity attribute id factura

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_factura	id_factura

4.1.12.6.7 List of identifiers of the entity attribute id factura

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Detalle_Factura'	X

4.1.12.7 Entity attribute id cotizacion of the entity Detalle Factura

4.1.12.7.1 Card of the entity attribute id_cotizacion of the entity Detalle Factura

<i>Name</i>	id_cotizacion
<i>Code</i>	ID_COTIZACION
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.12.7.2 Check of the entity attribute id_cotizacion of the entity Detalle Factura

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.12.7.3 Server validation rule of the entity attribute id_cotizacion of the entity Detalle Factura

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.12.7.4 List of all dependencies of the entity attribute id_cotizacion

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.12.7.5 List of foreign relationship joins of the entity attribute id_cotizacion

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_cotizacion	id_cotizacion

4.1.12.8 Entity attribute id_acuerdoPago of the entity Detalle Factura**4.1.12.8.1 Card of the entity attribute id_acuerdoPago of the entity Detalle Factura**

<i>Name</i>	id_acuerdoPago
<i>Code</i>	ID_ACUERDOPAGO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.12.8.2 Check of the entity attribute id_acuerdoPago of the entity Detalle Factura

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.12.8.3 Server validation rule of the entity attribute id_acuerdoPago of the entity Detalle Factura

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.12.8.4 List of all dependencies of the entity attribute id_acuerdoPago

Name	Code	Class Name
?	?	Relationship Join

4.1.12.8.5 List of foreign relationship joins of the entity attribute id_acuerdoPago

Parent Attribute	Child Attribute
id_acuerdoPago	id_acuerdoPago

4.1.12.9 Entity attribute valorTotal_factura of the entity Detalle Factura**4.1.12.9.1 Card of the entity attribute valorTotal_factura of the entity Detalle Factura**

Name	valorTotal_factura
Code	VALORTOTAL_FACTURA
Comment	
Data Type	Long integer
Mandatory	No
Inherited From	<None>

4.1.12.9.2 Check of the entity attribute valorTotal_factura of the entity Detalle Factura

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Cannot Modify	No
List Of Values	

4.1.12.9.3 Server validation rule of the entity attribute valorTotal_factura of the entity Detalle Factura

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.12.10 List of identifiers of the entity Detalle Factura

Name	Code	Parent	Primary Identifier
Identifier_1	IDENTIFIER_1	Entity 'Detalle_Factura'	X

4.1.12.11 Identifier Identifier_1 of the entity Detalle Factura**4.1.12.11.1 Card of the identifier Identifier_1 of the entity Detalle Factura**

Name	Identifier_1
Code	IDENTIFIER_1
Comment	
Primary Identifier	Yes

4.1.12.11.2 List of attributes of the entity identifier Identifier_1

Name	Code	Data Type	Mandatory	Inherited From
id_factura	ID_FACTURA	Variable characters (5)	X	

4.1.12.11.3 List of all dependencies of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_27	RELATIONSHIP_27	Relationship
Relationship_28	RELATIONSHIP_28	Relationship

4.1.12.11.4 List of relationships of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_27	RELATIONSHIP_27	Logical Data Model 'LogicalDataModel_1'	X	Stock_Auto	Detalle_Factura		1,n	1,1
Relationship_28	RELATIONSHIP_28	Logical Data Model 'LogicalDataModel_1'	X	Stock_Parte	Detalle_Factura		1,n	1,1

4.1.13 Entity Empleado**4.1.13.1 Card of entity Empleado**

<i>Name</i>	Empleado
<i>Code</i>	EMPLEADO
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.13.2 List of all dependencies of the entity Empleado

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Mensajero	MENSAJERO	Relationship
Recepcionista	RECEPCIONISTA	Relationship
Relationship_13	RELATIONSHIP_13	Relationship
Relationship_15	RELATIONSHIP_15	Relationship
Relationship_42	RELATIONSHIP_42	Relationship
Relationship_43	RELATIONSHIP_43	Relationship

4.1.13.3 List of relationships of the entity Empleado

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Mensajero	MENSAJERO	X	Registro	Empleado		1,n	0,1

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Recepcion ista	RECEPCI ONISTA	X	Registro	Empleado		1,n	1,1
Relationsh ip_13	RELATIO NSHIP_1 3	X	Cotizacion	Empleado		1,n	1,1
Relationsh ip_15	RELATIO NSHIP_1 5	X	Factura	Empleado		1,n	1,1
Relationsh ip_42	RELATIO NSHIP_4 2	X	Empleado	Salario		1,n	1,1
Relationsh ip_43	RELATIO NSHIP_4 3	X	Empleado	Cargo		1,n	1,1

4.1.13.4 List of diagrams containing the entity Empleado

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.13.5 List of attributes of the entity Empleado

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_empleado	ID_EMPLEADO	Variable characters (5)	X	
id_salario	ID_SALARIO	Variable characters (5)	X	
id_cargo	ID_CARGO	Variable characters (5)	X	
nombre_empleado	NOMBRE_EMPLEADO	Variable characters (15)	X	
apellido_empleado	APELLIDO_EMPLEADO	Variable characters (15)	X	

4.1.13.6 Entity attribute id empleado of the entity Empleado

4.1.13.6.1 Card of the entity attribute id empleado of the entity Empleado

<i>Name</i>	id_empleado
<i>Code</i>	ID_EMPLEADO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.13.6.2 Check of the entity attribute id empleado of the entity Empleado

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No

List Of Values	
----------------	--

4.1.13.6.3 Server validation rule of the entity attribute id_empleado of the entity Empleado

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.13.6.4 List of all dependencies of the entity attribute id_empleado

Name	Code	Class Name
?	?	Relationship Join
?	?	Relationship Join
?	?	Relationship Join
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.13.6.5 List of primary relationship joins of the entity attribute id_empleado

Parent Attribute	Child Attribute
id_empleado	Emp_id_empleado
id_empleado	id_empleado
id_empleado	id_empleado
id_empleado	id_empleado

4.1.13.6.6 List of identifiers of the entity attribute id_empleado

Name	Code	Parent	Primary Identifier
Identifier_1	IDENTIFIER_1	Entity 'Empleado'	X

4.1.13.7 Entity attribute id_salario of the entity Empleado

4.1.13.7.1 Card of the entity attribute id_salario of the entity Empleado

Name	id_salario
Code	ID_SALARIO
Comment	
Data Type	Variable characters (5)
Mandatory	Yes
Inherited From	<None>

4.1.13.7.2 Check of the entity attribute id_salario of the entity Empleado

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Cannot Modify	No
List Of Values	

4.1.13.7.3 Server validation rule of the entity attribute id_salario of the entity Empleado

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.13.7.4 List of all dependencies of the entity attribute id_salario

Name	Code	Class Name
------	------	------------

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.13.7.5 List of foreign relationship joins of the entity attribute id_salario

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_salario	id_salario

4.1.13.8 Entity attribute id_cargo of the entity Empleado

4.1.13.8.1 Card of the entity attribute id_cargo of the entity Empleado

<i>Name</i>	id_cargo
<i>Code</i>	ID_CARGO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.13.8.2 Check of the entity attribute id_cargo of the entity Empleado

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.13.8.3 Server validation rule of the entity attribute id_cargo of the entity Empleado

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.13.8.4 List of all dependencies of the entity attribute id_cargo

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.13.8.5 List of foreign relationship joins of the entity attribute id_cargo

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_cargo	id_cargo

4.1.13.9 Entity attribute nombre_empleado of the entity Empleado

4.1.13.9.1 Card of the entity attribute nombre_empleado of the entity Empleado

<i>Name</i>	nombre_empleado
<i>Code</i>	NOMBRE_EMPLEADO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (15)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.13.9.2 Check of the entity attribute nombre_empleado of the entity Empleado

<i>Minimum Value</i>	
<i>Maximum Value</i>	

<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.13.9.3 Server validation rule of the entity attribute nombre_empleado of the entity Empleado

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.13.10 Entity attribute apellido_empleado of the entity Empleado

4.1.13.10.1 Card of the entity attribute apellido_empleado of the entity Empleado

<i>Name</i>	apellido_empleado
<i>Code</i>	APELLIDO_EMPLEADO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (15)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.13.10.2 Check of the entity attribute apellido_empleado of the entity Empleado

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.13.10.3 Server validation rule of the entity attribute apellido_empleado of the entity Empleado

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.13.11 List of identifiers of the entity Empleado

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Empleado'	X

4.1.13.12 Identifier Identifier_1 of the entity Empleado

4.1.13.12.1 Card of the identifier Identifier_1 of the entity Empleado

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.13.12.2 List of attributes of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_empleado	ID_EMPLEADO	Variable characters (5)	X	

4.1.13.12.3 List of all dependencies of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Mensajero	MENSAJERO	Relationship
Recepcionista	RECEPCIONISTA	Relationship
Relationship_13	RELATIONSHIP_13	Relationship
Relationship_15	RELATIONSHIP_15	Relationship

4.1.13.12.4 List of relationships of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Mensajero	MENSAJERO	Logical Data Model 'LogicalDataModel_1'	X	Registro	Empleado		1,n	0,1
Recepcionista	RECEPCIONISTA	Logical Data Model 'LogicalDataModel_1'	X	Registro	Empleado		1,n	1,1
Relationship_13	RELATIONSHIP_13	Logical Data Model 'LogicalDataModel_1'	X	Cotizacion	Empleado		1,n	1,1
Relationship_15	RELATIONSHIP_15	Logical Data Model 'LogicalDataModel_1'	X	Factura	Empleado		1,n	1,1

4.1.14 Entity Estado_Auto**4.1.14.1 Card of entity Estado_Auto**

<i>Name</i>	Estado_Auto
<i>Code</i>	ESTADO_AUTO
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.14.2 List of all dependencies of the entity Estado_Auto

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_29	RELATIONSHIP_29	Relationship

Name	Code	Generate	Entity 2	Entity 1	Dependent Role	Entity 1 -> Entity 2 Role Cardinality	Entity 2 -> Entity 1 Role Cardinality
Relationship_29	RELATIONSHIP_29	X	Stock_Auto	Estado_Auto		1,n	1,1

4.1.14.4 List of diagrams containing the entity Estado Auto

Name	Code
Diagram_1	DIAGRAM_1

4.1.14.5 List of attributes of the entity Estado Auto

Name	Code	Data Type	Mandatory	Inherited From
id_estadoAuto	ID_ESTADOAUTO	Variable characters (5)	X	
nombre_estadoAuto	NOMBRE_ESTADOAUTO	Variable characters (10)	X	

4.1.14.6 Entity attribute id_estadoAuto of the entity Estado Auto

4.1.14.6.1 Card of the entity attribute id_estadoAuto of the entity Estado Auto

Name	id_estadoAuto
Code	ID_ESTADOAUTO
Comment	
Data Type	Variable characters (5)
Mandatory	Yes
Inherited From	<None>

4.1.14.6.2 Check of the entity attribute id_estadoAuto of the entity Estado Auto

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Cannot Modify	No
List Of Values	

4.1.14.6.3 Server validation rule of the entity attribute id_estadoAuto of the entity Estado Auto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.14.6.4 List of all dependencies of the entity attribute id_estadoAuto

Name	Code	Class Name
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.14.6.5 List of primary relationship joins of the entity attribute id_estadoAuto

Parent Attribute	Child Attribute
id_estadoAuto	id_estadoAuto

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primar y Identifi er</i>
Identifier_1	IDENTIFIER_1	Entity 'Estado_Auto'	X

4.1.14.7 Entity attribute nombre_estadoAuto of the entity Estado_Auto

4.1.14.7.1 Card of the entity attribute nombre_estadoAuto of the entity Estado_Auto

<i>Name</i>	nombre_estadoAuto
<i>Code</i>	NOMBRE_ESTADOAUTO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (10)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.14.7.2 Check of the entity attribute nombre_estadoAuto of the entity Estado_Auto

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.14.7.3 Server validation rule of the entity attribute nombre_estadoAuto of the entity Estado_Auto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.14.8 List of identifiers of the entity Estado_Auto

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primar y Identifi er</i>
Identifier_1	IDENTIFIER_1	Entity 'Estado_Auto'	X

4.1.14.9 Identifier Identifier_1 of the entity Estado_Auto

4.1.14.9.1 Card of the identifier Identifier_1 of the entity Estado_Auto

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.14.9.2 List of attributes of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandat ory</i>	<i>Inherited From</i>
id_estadoAuto	ID_ESTADOAUTO	Variable characters (5)	X	

4.1.14.9.3 List of all dependencies of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_29	RELATIONSHIP_29	Relationship

4.1.14.9.4 List of relationships of the entity identifier Identifier_1

Name	Code	Parent	Generate	Entity 2	Entity 1	Dependent Role	Entity 1 -> Entity 2 Role Cardinality	Entity 2 -> Entity 1 Role Cardinality
Relationship_29	RELATIONSHIP_29	Logical Data Model 'LogicalDataModel_1'	X	Stock_Auto	Estado_Auto		1,n	1,1

4.1.15 Entity Estado_Parte**4.1.15.1 Card of entity Estado_Parte**

Name	Estado_Parte
Code	ESTADO_PARTE
Parent	Logical Data Model 'LogicalDataModel_1'
Comment	
Generate	Yes
Number	

4.1.15.2 List of all dependencies of the entity Estado_Parte

Name	Code	Class Name
Relationship_30	RELATIONSHIP_30	Relationship

4.1.15.3 List of relationships of the entity Estado_Parte

Name	Code	Generate	Entity 2	Entity 1	Dependent Role	Entity 1 -> Entity 2 Role Cardinality	Entity 2 -> Entity 1 Role Cardinality
Relationship_30	RELATIONSHIP_30	X	Stock_Parte	Estado_Parte		1,n	1,1

4.1.15.4 List of diagrams containing the entity Estado_Parte

Name	Code
Diagram_1	DIAGRAM_1

4.1.15.5 List of attributes of the entity Estado_Parte

Name	Code	Data Type	Mandatory	Inherited From
id_estadoParte	ID_ESTADOPARTE	Variable characters (5)	X	
nombre_estadoParte	NOMBRE_ESTADOPARTE	Variable characters (10)	X	

4.1.15.6 Entity attribute id_estadoParte of the entity Estado_Parte**4.1.15.6.1 Card of the entity attribute id_estadoParte of the entity Estado_Parte**

Name	id_estadoParte
------	----------------

<i>Code</i>	ID_ESTADOPARTE
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.15.6.2 Check of the entity attribute id_estadoParte of the entity Estado Parte

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.15.6.3 Server validation rule of the entity attribute id_estadoParte of the entity Estado Parte

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.15.6.4 List of all dependencies of the entity attribute id_estadoParte

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
? Identifier_1	? IDENTIFIER_1	Relationship Join Identifier

4.1.15.6.5 List of primary relationship joins of the entity attribute id_estadoParte

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_estadoParte	id_estadoParte

4.1.15.6.6 List of identifiers of the entity attribute id_estadoParte

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Estado_Parte'	X

4.1.15.7 Entity attribute nombre_estadoParte of the entity Estado Parte

4.1.15.7.1 Card of the entity attribute nombre_estadoParte of the entity Estado Parte

<i>Name</i>	nombre_estadoParte
<i>Code</i>	NOMBRE_ESTADOPARTE
<i>Comment</i>	
<i>Data Type</i>	Variable characters (10)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.15.7.2 Check of the entity attribute nombre_estadoParte of the entity Estado Parte

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	

<i>Cannot Modify</i> <i>List Of Values</i>	No
---	----

4.1.15.7.3 Server validation rule of the entity attribute nombre_estadoParte of the entity Estado Parte

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.15.8 List of identifiers of the entity Estado Parte

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Estado_Parte'	X

4.1.15.9 Identifier Identifier 1 of the entity Estado Parte

4.1.15.9.1 Card of the identifier Identifier 1 of the entity Estado Parte

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.15.9.2 List of attributes of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_estadoParte	ID_ESTADOPARTE	Variable characters (5)	X	

4.1.15.9.3 List of all dependencies of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_30	RELATIONSHIP_30	Relationship

4.1.15.9.4 List of relationships of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_30	RELATIONSHIP_30	Logical Data Model 'LogicalDataModel_1'	X	Stock_Parte	Estado_Parte		1,n	1,1

4.1.16 Entity Factura

4.1.16.1 Card of entity Factura

<i>Name</i>	Factura
<i>Code</i>	FACTURA
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate Number</i>	Yes

4.1.16.2 List of all dependencies of the entity Factura

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_4	RELATIONSHIP_4	Relationship
Relationship_14	RELATIONSHIP_14	Relationship
Relationship_15	RELATIONSHIP_15	Relationship
Relationship_24	RELATIONSHIP_24	Relationship
Relationship_25	RELATIONSHIP_25	Relationship
Relationship_26	RELATIONSHIP_26	Relationship

4.1.16.3 List of relationships of the entity Factura

<i>Name</i>	<i>Code</i>	<i>General</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_4	RELATIONSHIP_4	X	Factura	Cliente		1,n	1,1
Relationship_14	RELATIONSHIP_14	X	Factura	Cotizacion		1,n	0,1
Relationship_15	RELATIONSHIP_15	X	Factura	Empleado		1,n	1,1
Relationship_24	RELATIONSHIP_24	X	Detalle_Factura	Factura	Detalle_Factura -> Factura	1,n	1,1
Relationship_25	RELATIONSHIP_25	X	Factura	Tipo_Factura		1,n	1,1
Relationship_26	RELATIONSHIP_26	X	Factura	Proveedor		1,n	0,1

4.1.16.4 List of diagrams containing the entity Factura

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.16.5 List of attributes of the entity Factura

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_factura	ID_FACTURA	Variable characters (5)	X	
cedula	CEDULA	Variable characters (10)	X	
id_cotizacion	ID_COTIZACION	Variable characters (5)		
id_empleado	ID_EMPLEADO	Variable characters (5)	X	
id_tipoFactura	ID_TIPOFACTURA	Variable characters (5)	X	
id_proveedor	ID_PROVEEDOR	Variable characters (5)		

4.1.16.6 Entity attribute id factura of the entity Factura**4.1.16.6.1 Card of the entity attribute id factura of the entity Factura**

<i>Name</i>	<i>id_factura</i>
-------------	-------------------

<i>Code</i>	ID_FACTURA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.16.6.2 Check of the entity attribute id factura of the entity Factura

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.16.6.3 Server validation rule of the entity attribute id factura of the entity Factura

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.16.6.4 List of all dependencies of the entity attribute id factura

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
? Identifier_1	? IDENTIFIER_1	Relationship Join Identifier

4.1.16.6.5 List of primary relationship joins of the entity attribute id factura

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_factura	id_factura

4.1.16.6.6 List of identifiers of the entity attribute id factura

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Factura'	X

4.1.16.7 Entity attribute cedula of the entity Factura

4.1.16.7.1 Card of the entity attribute cedula of the entity Factura

<i>Name</i>	cedula
<i>Code</i>	CEDULA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (10)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.16.7.2 Check of the entity attribute cedula of the entity Factura

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	

<i>Cannot Modify</i> <i>List Of Values</i>	No
---	----

4.1.16.7.3 Server validation rule of the entity attribute cedula of the entity Factura

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.16.7.4 List of all dependencies of the entity attribute cedula

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.16.7.5 List of foreign relationship joins of the entity attribute cedula

<i>Parent Attribute</i>	<i>Child Attribute</i>
cedula	cedula

4.1.16.8 Entity attribute id_cotizacion of the entity Factura

4.1.16.8.1 Card of the entity attribute id_cotizacion of the entity Factura

<i>Name</i>	id_cotizacion
<i>Code</i>	ID_COTIZACION
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.16.8.2 Check of the entity attribute id_cotizacion of the entity Factura

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.16.8.3 Server validation rule of the entity attribute id_cotizacion of the entity Factura

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.16.8.4 List of all dependencies of the entity attribute id_cotizacion

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.16.8.5 List of foreign relationship joins of the entity attribute id_cotizacion

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_cotizacion	id_cotizacion

4.1.16.9 Entity attribute id_empleado of the entity Factura

4.1.16.9.1 Card of the entity attribute id_empleado of the entity Factura

<i>Name</i>	id_empleado
<i>Code</i>	ID_EMPLEADO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)

<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.16.9.2 Check of the entity attribute id_empleado of the entity Factura

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.16.9.3 Server validation rule of the entity attribute id_empleado of the entity Factura

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.16.9.4 List of all dependencies of the entity attribute id_empleado

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.16.9.5 List of foreign relationship joins of the entity attribute id_empleado

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_empleado	id_empleado

4.1.16.10 Entity attribute id_tipoFactura of the entity Factura**4.1.16.10.1 Card of the entity attribute id_tipoFactura of the entity Factura**

<i>Name</i>	id_tipoFactura
<i>Code</i>	ID_TIPOFACTURA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.16.10.2 Check of the entity attribute id_tipoFactura of the entity Factura

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.16.10.3 Server validation rule of the entity attribute id_tipoFactura of the entity Factura

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.16.10.4 List of all dependencies of the entity attribute id_tipoFactura

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoFactura	id_tipoFactura

4.1.16.11 Entity attribute id proveedor of the entity Factura

4.1.16.11.1 Card of the entity attribute id proveedor of the entity Factura

<i>Name</i>	id_proveedor
<i>Code</i>	ID_PROVEEDOR
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.16.11.2 Check of the entity attribute id proveedor of the entity Factura

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.16.11.3 Server validation rule of the entity attribute id proveedor of the entity Factura

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.16.11.4 List of all dependencies of the entity attribute id proveedor

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.16.11.5 List of foreign relationship joins of the entity attribute id proveedor

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_proveedor	id_proveedor

4.1.16.12 List of identifiers of the entity Factura

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Factura'	X

4.1.16.13 Identifier Identifier 1 of the entity Factura

4.1.16.13.1 Card of the identifier Identifier 1 of the entity Factura

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.16.13.2 List of attributes of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_factura	ID_FACTURA	Variable characters (5)	X	

4.1.16.13.3 List of all dependencies of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_24	RELATIONSHIP_24	Relationship

4.1.16.13.4 List of relationships of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_24	RELATIONSHIP_24	Logical Data Model 'LogicalDataModel_1'	X	Detalle_Factura	Factura	Detalle_Factura -> Factura	1,n	1,1

4.1.17 Entity Garantia

4.1.17.1 Card of entity Garantia

<i>Name</i>	Garantia
<i>Code</i>	GARANTIA
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.17.2 List of all dependencies of the entity Garantia

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_11	RELATIONSHIP_11	Relationship

4.1.17.3 List of relationships of the entity Garantia

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_11	RELATIONSHIP_11	X	Registro	Garantia		1,n	1,1

4.1.17.4 List of diagrams containing the entity Garantia

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.17.5 List of attributes of the entity Garantia

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_garantia	ID_GARANTIA	Variable characters (5)	X	

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
tiempo_garantia	TIEMPO_GARANTIA	Variable characters (15)	X	

4.1.17.6 Entity attribute id_garantia of the entity Garantia

4.1.17.6.1 Card of the entity attribute id_garantia of the entity Garantia

<i>Name</i>	id_garantia
<i>Code</i>	ID_GARANTIA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.17.6.2 Check of the entity attribute id_garantia of the entity Garantia

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.17.6.3 Server validation rule of the entity attribute id_garantia of the entity Garantia

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.17.6.4 List of all dependencies of the entity attribute id_garantia

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
? Identifier_1	? IDENTIFIER_1	Relationship Join Identifier

4.1.17.6.5 List of primary relationship joins of the entity attribute id_garantia

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_garantia	id_garantia

4.1.17.6.6 List of identifiers of the entity attribute id_garantia

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Garantia'	X

4.1.17.7 Entity attribute tiempo_garantia of the entity Garantia

4.1.17.7.1 Card of the entity attribute tiempo_garantia of the entity Garantia

<i>Name</i>	tiempo_garantia
<i>Code</i>	TIEMPO_GARANTIA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (15)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.17.7.2 Check of the entity attribute tiempo_garantia of the entity Garantia

Minimum Value	No
Maximum Value	
Default Value	
Unit	
Format	
Cannot Modify	
List Of Values	

4.1.17.7.3 Server validation rule of the entity attribute tiempo_garantia of the entity Garantia

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.17.8 List of identifiers of the entity Garantia

Name	Code	Parent	Primary Identifier
Identifier_1	IDENTIFIER_1	Entity 'Garantia'	X

4.1.17.9 Identifier Identifier_1 of the entity Garantia**4.1.17.9.1 Card of the identifier Identifier_1 of the entity Garantia**

Name	Identifier_1
Code	IDENTIFIER_1
Comment	
Primary Identifier	Yes

4.1.17.9.2 List of attributes of the entity identifier Identifier_1

Name	Code	Data Type	Mandatory	Inherited From
id_garantia	ID_GARANTIA	Variable characters (5)	X	

4.1.17.9.3 List of all dependencies of the entity identifier Identifier_1

Name	Code	Class Name
Relationship_11	RELATIONSHIP_11	Relationship

4.1.17.9.4 List of relationships of the entity identifier Identifier_1

Name	Code	Parent	Generate	Entity 2	Entity 1	Dependent Role	Entity 1 -> Entity 2 Role Cardinality	Entity 2 -> Entity 1 Role Cardinality
Relationship_11	RELATIONSHIP_11	Logical Data Model 'LogicalDataModel_1'	X	Registro	Garantia		1,n	1,1

4.1.18 Entity Grupo Financiero

<i>Name</i>	Grupo_Financiero
<i>Code</i>	GRUPO_FINANCIERO
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.18.2 List of all dependencies of the entity Grupo Financiero

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_20	RELATIONSHIP_20	Relationship

4.1.18.3 List of relationships of the entity Grupo Financiero

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinalit y</i>	<i>Entity 2 -> Entity 1 Role Cardinalit y</i>
Relationship_20	RELATIONSHIP_20	X	Acuerdo_Pago	Grupo_Financiero		1,n	0,1

4.1.18.4 List of diagrams containing the entity Grupo Financiero

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.18.5 List of attributes of the entity Grupo Financiero

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_grupoFinanciero	ID_GRUPOFINANCIERO	Variable characters (5)	X	
nombre_grupoFinanciero	NOMBRE_GRUPOFINANCIERO	Variable characters (10)	X	

4.1.18.6 Entity attribute id_grupoFinanciero of the entity Grupo Financiero

4.1.18.6.1 Card of the entity attribute id_grupoFinanciero of the entity Grupo Financiero

<i>Name</i>	id_grupoFinanciero
<i>Code</i>	ID_GRUPOFINANCIERO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.18.6.2 Check of the entity attribute id_grupoFinanciero of the entity Grupo Financiero

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.18.6.3 Server validation rule of the entity attribute id_grupoFinanciero of the entity Grupo Financiero

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.18.6.4 List of all dependencies of the entity attribute id_grupoFinanciero

Name	Code	Class Name
? Identifier_1	? IDENTIFIER_1	Relationship Join Identifier

4.1.18.6.5 List of primary relationship joins of the entity attribute id_grupoFinanciero

Parent Attribute	Child Attribute
id_grupoFinanciero	id_grupoFinanciero

4.1.18.6.6 List of identifiers of the entity attribute id_grupoFinanciero

Name	Code	Parent	Primary Identifier
Identifier_1	IDENTIFIER_1	Entity 'Grupo_Financiero'	X

4.1.18.7 Entity attribute nombre_grupoFinanciero of the entity Grupo Financiero**4.1.18.7.1 Card of the entity attribute nombre_grupoFinanciero of the entity Grupo Financiero**

Name	nombre_grupoFinanciero
Code	NOMBRE_GRUPOFINANCIERO
Comment	
Data Type	Variable characters (10)
Mandatory	Yes
Inherited From	<None>

4.1.18.7.2 Check of the entity attribute nombre_grupoFinanciero of the entity Grupo Financiero

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Cannot Modify	No
List Of Values	

4.1.18.7.3 Server validation rule of the entity attribute nombre_grupoFinanciero of the entity Grupo Financiero

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.18.8 List of identifiers of the entity Grupo Financiero

Name	Code	Parent	Primary Identifier
Identifier_1	IDENTIFIER_1	Entity 'Grupo_Financiero'	X

4.1.18.9 Identifier Identifier_1 of the entity Grupo Financiero**4.1.18.9.1 Card of the identifier Identifier_1 of the entity Grupo Financiero**

Name	Identifier_1
------	--------------

<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.18.9.2 List of attributes of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_grupoFinanciero	ID_GRUPOFINANCIERO	Variable characters (5)	X	

4.1.18.9.3 List of all dependencies of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_20	RELATIONSHIP_20	Relationship

4.1.18.9.4 List of relationships of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_20	RELATIONSHIP_20	Logical Data Model 'LogicalDataModel_1'	X	Acuerdo_Pago	Grupo_Financiero		1,n	0,1

4.1.19 Entity Historico Precio Auto**4.1.19.1 Card of entity Historico Precio Auto**

<i>Name</i>	Historico_Precio_Auto
<i>Code</i>	HISTORICO_PRECIO_AUTO
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.19.2 List of all dependencies of the entity Historico Precio Auto

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_36	RELATIONSHIP_36	Relationship

4.1.19.3 List of relationships of the entity Historico Precio Auto

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_36	RELATIONSHIP_36	X	Historico_Precio_Auto	Auto		1,n	1,1

4.1.19.4 List of diagrams containing the entity Historico Precio Auto

<i>Name</i>	<i>Code</i>
-------------	-------------

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.19.5 List of attributes of the entity Historico Precio Auto

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_historicoAuto	ID_HISTORICOAUTO	Variable characters (5)	X	
id_auto	ID_AUTO	Variable characters (5)	X	
precio_historicoAuto	PRECIO_HISTORICO AUTO	Long integer	X	

4.1.19.6 Entity attribute id_historicoAuto of the entity Historico Precio Auto

4.1.19.6.1 Card of the entity attribute id_historicoAuto of the entity Historico Precio Auto

<i>Name</i>	id_historicoAuto
<i>Code</i>	ID_HISTORICOAUTO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.19.6.2 Check of the entity attribute id_historicoAuto of the entity Historico Precio Auto

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.19.6.3 Server validation rule of the entity attribute id_historicoAuto of the entity Historico Precio Auto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.19.6.4 List of all dependencies of the entity attribute id_historicoAuto

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Identifier_1	IDENTIFIER_1	Identifier

4.1.19.6.5 List of identifiers of the entity attribute id_historicoAuto

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Historico_Precio_Auto'	X

4.1.19.7 Entity attribute id_auto of the entity Historico Precio Auto

4.1.19.7.1 Card of the entity attribute id_auto of the entity Historico Precio Auto

<i>Name</i>	id_auto
<i>Code</i>	ID_AUTO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)

<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.19.7.2 Check of the entity attribute id_auto of the entity Historico Precio Auto

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.19.7.3 Server validation rule of the entity attribute id_auto of the entity Historico Precio Auto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.19.7.4 List of all dependencies of the entity attribute id_auto

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.19.7.5 List of foreign relationship joins of the entity attribute id_auto

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_auto	id_auto

4.1.19.8 Entity attribute precio_historicoAuto of the entity Historico Precio Auto

4.1.19.8.1 Card of the entity attribute precio_historicoAuto of the entity Historico Precio Auto

<i>Name</i>	precio_historicoAuto
<i>Code</i>	PRECIO_HISTORICOAUTO
<i>Comment</i>	
<i>Data Type</i>	Long integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.19.8.2 Check of the entity attribute precio_historicoAuto of the entity Historico Precio Auto

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.19.8.3 Server validation rule of the entity attribute precio_historicoAuto of the entity Historico Precio Auto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.19.9 List of identifiers of the entity Historico Precio Auto

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Historico_Precio_Auto'	X

4.1.19.10 Identifier Identifier 1 of the entity Historico Precio Auto**4.1.19.10.1 Card of the identifier Identifier 1 of the entity Historico Precio Auto**

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.19.10.2 List of attributes of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_historicoAuto	ID_HISTORICOAUTO	Variable characters (5)	X	

4.1.20 Entity Historico Precio Parte**4.1.20.1 Card of entity Historico Precio Parte**

<i>Name</i>	Historico_Precio_Parte
<i>Code</i>	HISTORICO_PRECIO_PARTE
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.20.2 List of all dependencies of the entity Historico Precio Parte

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_37	RELATIONSHIP_37	Relationship

4.1.20.3 List of relationships of the entity Historico Precio Parte

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_37	RELATIONSHIP_37	X	Historico_Precio_Parte	Parte		1,n	1,1

4.1.20.4 List of diagrams containing the entity Historico Precio Parte

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.20.5 List of attributes of the entity Historico Precio Parte

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_historicoParte	ID_HISTORICOPARTE	Variable characters (5)	X	
id_parte	ID_PARTE	Variable characters (5)	X	
precio_historicoParte	PRECIO_HISTORICO PARTE	Long integer	X	

4.1.20.6 Entity attribute id_historicoParte of the entity Historico Precio Parte

<i>Name</i>	id_historicoParte
<i>Code</i>	ID_HISTORICOPARTE
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.20.6.2 Check of the entity attribute id_historicoParte of the entity Historico Precio Parte

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.20.6.3 Server validation rule of the entity attribute id_historicoParte of the entity Historico Precio Parte

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.20.6.4 List of all dependencies of the entity attribute id_historicoParte

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Identifier_1	IDENTIFIER_1	Identifier

4.1.20.6.5 List of identifiers of the entity attribute id_historicoParte

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Historico_Precio_Parte'	X

4.1.20.7 Entity attribute id parte of the entity Historico Precio Parte

4.1.20.7.1 Card of the entity attribute id parte of the entity Historico Precio Parte

<i>Name</i>	id_parte
<i>Code</i>	ID_PARTE
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.20.7.2 Check of the entity attribute id parte of the entity Historico Precio Parte

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.20.7.3 Server validation rule of the entity attribute id parte of the entity Historico Precio Parte

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.20.7.4 List of all dependencies of the entity attribute id_parte

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.20.7.5 List of foreign relationship joins of the entity attribute id_parte

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_parte	id_parte

4.1.20.8 Entity attribute precio_historicoParte of the entity Historico Precio Parte

4.1.20.8.1 Card of the entity attribute precio_historicoParte of the entity Historico Precio Parte

<i>Name</i>	precio_historicoParte
<i>Code</i>	PRECIO_HISTORICOPARTE
<i>Comment</i>	
<i>Data Type</i>	Long integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.20.8.2 Check of the entity attribute precio_historicoParte of the entity Historico Precio Parte

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.20.8.3 Server validation rule of the entity attribute precio_historicoParte of the entity Historico Precio Parte

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.20.9 List of identifiers of the entity Historico Precio Parte

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Historico_Precio_Parte'	X

4.1.20.10 Identifier Identifier 1 of the entity Historico Precio Parte

4.1.20.10.1 Card of the identifier Identifier 1 of the entity Historico Precio Parte

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.20.10.2 List of attributes of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_historicoParte	ID_HISTORICOPARTE	Variable characters (5)	X	

4.1.21 Entity Historico Precio Registro**4.1.21.1 Card of entity Historico Precio Registro**

<i>Name</i>	Historico_Precio_Registro
<i>Code</i>	HISTORICO_PRECIO_REGISTRO
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.21.2 List of all dependencies of the entity Historico Precio Registro

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_12	RELATIONSHIP_12	Relationship

4.1.21.3 List of relationships of the entity Historico Precio Registro

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinalit y</i>	<i>Entity 2 -> Entity 1 Role Cardinalit y</i>
Relationship_12	RELATIONSHIP_12	X	Historico_Precio_Registro	Registro		0,n	0,1

4.1.21.4 List of diagrams containing the entity Historico Precio Registro

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.21.5 List of attributes of the entity Historico Precio Registro

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_historicoRegistro	ID_HISTORICOREGISTRO	Variable characters (5)	X	
id_registro	ID_REGISTRO	Variable characters (5)		
precio_historicoRegistro	PRECIO_HISTORICOREGISTRO	Long integer	X	

4.1.21.6 Entity attribute id historicoRegistro of the entity Historico Precio Registro**4.1.21.6.1 Card of the entity attribute id historicoRegistro of the entity Historico Precio Registro**

<i>Name</i>	id_historicoRegistro
<i>Code</i>	ID_HISTORICOREGISTRO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.21.6.2 Check of the entity attribute id historicoRegistro of the entity Historico Precio Registro

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	

<i>Format</i>	No
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.21.6.3 Server validation rule of the entity attribute id_historicoRegistro of the entity Historico Precio Registro

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.21.6.4 List of all dependencies of the entity attribute id_historicoRegistro

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Identifier_1	IDENTIFIER_1	Identifier

4.1.21.6.5 List of identifiers of the entity attribute id_historicoRegistro

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Historico_Precio_Registro'	X

4.1.21.7 Entity attribute id_registro of the entity Historico Precio Registro

4.1.21.7.1 Card of the entity attribute id_registro of the entity Historico Precio Registro

<i>Name</i>	id_registro
<i>Code</i>	ID_REGISTRO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.21.7.2 Check of the entity attribute id_registro of the entity Historico Precio Registro

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.21.7.3 Server validation rule of the entity attribute id_registro of the entity Historico Precio Registro

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.21.7.4 List of all dependencies of the entity attribute id_registro

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.21.7.5 List of foreign relationship joins of the entity attribute id_registro

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_registro	id_registro

4.1.21.8 Entity attribute precio_historicoRegistro of the entity Historico Precio Registro

4.1.21.8.1 Card of the entity attribute precio_historicoRegistro of the entity Historico Precio Registro

<i>Name</i>	precio_historicoRegistro
<i>Code</i>	PRECIO_HISTORICOREGISTRO
<i>Comment</i>	
<i>Data Type</i>	Long integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.21.8.2 Check of the entity attribute precio_historicoRegistro of the entity Historico Precio Registro

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.21.8.3 Server validation rule of the entity attribute precio_historicoRegistro of the entity Historico Precio Registro

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.21.9 List of identifiers of the entity Historico Precio Registro

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Historico_Precio_Registro'	X

4.1.21.10 Identifier Identifier 1 of the entity Historico Precio Registro**4.1.21.10.1 Card of the identifier Identifier 1 of the entity Historico Precio Registro**

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.21.10.2 List of attributes of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_historicoRegistro	ID_HISTORICOREGISTRO	Variable characters (5)	X	

4.1.22 Entity Metodo Pago**4.1.22.1 Card of entity Metodo Pago**

<i>Name</i>	Metodo_Pago
<i>Code</i>	METODO_PAGO
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes

Number	
--------	--

4.1.22.2 List of all dependencies of the entity Metodo Pago

Name	Code	Class Name
Relationship_18	RELATIONSHIP_18	Relationship

4.1.22.3 List of relationships of the entity Metodo Pago

Name	Code	Generate	Entity 2	Entity 1	Dependent Role	Entity 1 -> Entity 2 Role Cardinality	Entity 2 -> Entity 1 Role Cardinality
Relationship_18	RELATIONSHIP_18	X	Acuerdo_Pago	Metodo_Pago		1,n	1,1

4.1.22.4 List of diagrams containing the entity Metodo Pago

Name	Code
Diagram_1	DIAGRAM_1

4.1.22.5 List of attributes of the entity Metodo Pago

Name	Code	Data Type	Mandatory	Inherited From
id_metodoPago	ID_METODOPAGO	Variable characters (5)	X	
nombre_metodoPago	NOMBRE_METODOPAGO	Variable characters (10)	X	

4.1.22.6 Entity attribute id_metodoPago of the entity Metodo Pago**4.1.22.6.1 Card of the entity attribute id_metodoPago of the entity Metodo Pago**

Name	id_metodoPago
Code	ID_METODOPAGO
Comment	
Data Type	Variable characters (5)
Mandatory	Yes
Inherited From	<None>

4.1.22.6.2 Check of the entity attribute id_metodoPago of the entity Metodo Pago

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Cannot Modify	No
List Of Values	

4.1.22.6.3 Server validation rule of the entity attribute id_metodoPago of the entity Metodo Pago

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.22.6.4 List of all dependencies of the entity attribute id_metodoPago

Name	Code	Class Name
?	?	Relationship Join

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Identifier_1	IDENTIFIER_1	Identifier

4.1.22.6.5 List of primary relationship joins of the entity attribute id_metodoPago

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_metodoPago	id_metodoPago

4.1.22.6.6 List of identifiers of the entity attribute id_metodoPago

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Metodo_Pago'	X

4.1.22.7 Entity attribute nombre_metodoPago of the entity Metodo Pago

4.1.22.7.1 Card of the entity attribute nombre_metodoPago of the entity Metodo Pago

<i>Name</i>	nombre_metodoPago
<i>Code</i>	NOMBRE_METODOPAGO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (10)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.22.7.2 Check of the entity attribute nombre_metodoPago of the entity Metodo Pago

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.22.7.3 Server validation rule of the entity attribute nombre_metodoPago of the entity Metodo Pago

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.22.8 List of identifiers of the entity Metodo Pago

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Metodo_Pago'	X

4.1.22.9 Identifier Identifier 1 of the entity Metodo Pago

4.1.22.9.1 Card of the identifier Identifier 1 of the entity Metodo Pago

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_metodoPago	ID_METODOPAGO	Variable characters (5)	X	

4.1.22.9.3 List of all dependencies of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_18	RELATIONSHIP_18	Relationship

4.1.22.9.4 List of relationships of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_18	RELATIONSHIP_18	Logical Data Model 'LogicalDataModel_1'	X	Acuerdo_Pago	Metodo_Pago		1,n	1,1

4.1.23 Entity Parte

4.1.23.1 Card of entity Parte

<i>Name</i>	Parte
<i>Code</i>	PARTE
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.23.2 List of all dependencies of the entity Parte

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_34	RELATIONSHIP_34	Relationship
Relationship_37	RELATIONSHIP_37	Relationship
Relationship_38	RELATIONSHIP_38	Relationship
Relationship_44	RELATIONSHIP_44	Relationship

4.1.23.3 List of relationships of the entity Parte

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_34	RELATIONSHIP_34	X	Stock_Parte	Parte		1,n	1,1
Relationship_37	RELATIONSHIP_37	X	Historico_Precio_Parte	Parte		1,n	1,1
Relationship_38	RELATIONSHIP_38	X	Parte	Tipo_Parte		1,n	1,1

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_44	RELATIONSHIP_44	X	Parte	Parte_Auto	Parte_Auto -> Parte	1,1	1,n

4.1.23.4 List of diagrams containing the entity Parte

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.23.5 List of attributes of the entity Parte

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_parte	ID_PARTE	Variable characters (5)	X	
id_tipoParte	ID_TIPOPARTE	Variable characters (5)	X	
nombre_parte	NOMBRE_PARTE	Variable characters (15)	X	

4.1.23.6 Entity attribute id parte of the entity Parte

4.1.23.6.1 Card of the entity attribute id parte of the entity Parte

<i>Name</i>	id_parte
<i>Code</i>	ID_PARTE
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.23.6.2 Check of the entity attribute id parte of the entity Parte

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.23.6.3 Server validation rule of the entity attribute id parte of the entity Parte

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.23.6.4 List of all dependencies of the entity attribute id parte

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join
?	?	Relationship Join
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.23.6.5 List of primary relationship joins of the entity attribute id parte

<i>Parent Attribute</i>	<i>Child Attribute</i>
-------------------------	------------------------

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_parte	id_parte
id_parte	id_parte
id_parte	id_parte

4.1.23.6.6 List of identifiers of the entity attribute id_parte

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Parte'	X

4.1.23.7 Entity attribute id_tipoParte of the entity Parte

4.1.23.7.1 Card of the entity attribute id_tipoParte of the entity Parte

<i>Name</i>	id_tipoParte
<i>Code</i>	ID_TIOPARTE
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.23.7.2 Check of the entity attribute id_tipoParte of the entity Parte

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.23.7.3 Server validation rule of the entity attribute id_tipoParte of the entity Parte

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.23.7.4 List of all dependencies of the entity attribute id_tipoParte

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.23.7.5 List of foreign relationship joins of the entity attribute id_tipoParte

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoParte	id_tipoParte

4.1.23.8 Entity attribute nombre_parte of the entity Parte

4.1.23.8.1 Card of the entity attribute nombre_parte of the entity Parte

<i>Name</i>	nombre_parte
<i>Code</i>	NOMBRE_PARTE
<i>Comment</i>	
<i>Data Type</i>	Variable characters (15)
<i>Mandatory</i>	Yes

<i>Inherited From</i>	<None>
-----------------------	--------

4.1.23.8.2 Check of the entity attribute nombre_parte of the entity Parte

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.23.8.3 Server validation rule of the entity attribute nombre_parte of the entity Parte

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.23.9 List of identifiers of the entity Parte

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Parte'	X

4.1.23.10 Identifier Identifier_1 of the entity Parte

4.1.23.10.1 Card of the identifier Identifier_1 of the entity Parte

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.23.10.2 List of attributes of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_parte	ID_PARTE	Variable characters (5)	X	

4.1.23.10.3 List of all dependencies of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_34	RELATIONSHIP_34	Relationship
Relationship_37	RELATIONSHIP_37	Relationship
Relationship_44	RELATIONSHIP_44	Relationship

4.1.23.10.4 List of relationships of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_34	RELATIONSHIP_34	Logical Data Model 'LogicalDataModel_1'	X	Stock_Parte	Parte		1,n	1,1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_37	RELATIONSHIP_37	Logical Data Model 'LogicalDataModel_1'	X	Historico_Preciso_Parte	Parte		1,n	1,1
Relationship_44	RELATIONSHIP_44	Logical Data Model 'LogicalDataModel_1'	X	Parte	Parte_Auto	Parte_Auto -> Parte	1,1	1,n

4.1.24 Entity Parte Auto

4.1.24.1 Card of entity Parte Auto

<i>Name</i>	Parte_Auto
<i>Code</i>	PARTE_AUTO
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.24.2 List of all dependencies of the entity Parte Auto

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_44	RELATIONSHIP_45	Relationship
Relationship_44	RELATIONSHIP_44	Relationship

4.1.24.3 List of relationships of the entity Parte Auto

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_44	RELATIONSHIP_45	X	Parte_Auto	Auto	Parte_Auto -> Auto	1,n	1,1
Relationship_44	RELATIONSHIP_44	X	Parte	Parte_Auto	Parte_Auto -> Parte	1,1	1,n

4.1.24.4 List of diagrams containing the entity Parte Auto

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.24.5 List of attributes of the entity Parte Auto

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
-------------	-------------	------------------	------------------	-----------------------

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_parte	ID_PARTE	Variable characters (5)	X	
id_auto	ID_AUTO	Variable characters (5)	X	

4.1.24.6 Entity attribute id_parte of the entity Parte_Auto

4.1.24.6.1 Card of the entity attribute id_parte of the entity Parte_Auto

<i>Name</i>	id_parte
<i>Code</i>	ID_PARTE
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.24.6.2 Check of the entity attribute id_parte of the entity Parte_Auto

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.24.6.3 Server validation rule of the entity attribute id_parte of the entity Parte_Auto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.24.6.4 List of all dependencies of the entity attribute id_parte

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.24.6.5 List of foreign relationship joins of the entity attribute id_parte

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_parte	id_parte

4.1.24.6.6 List of identifiers of the entity attribute id_parte

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Parte_Auto'	X

4.1.24.7 Entity attribute id_auto of the entity Parte_Auto

4.1.24.7.1 Card of the entity attribute id_auto of the entity Parte_Auto

<i>Name</i>	id_auto
<i>Code</i>	ID_AUTO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes

<i>Inherited From</i>	<None>
-----------------------	--------

4.1.24.7.2 Check of the entity attribute id_auto of the entity Parte_Auto

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.24.7.3 Server validation rule of the entity attribute id_auto of the entity Parte_Auto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.24.7.4 List of all dependencies of the entity attribute id_auto

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
? Identifier_1	? IDENTIFIER_1	Relationship Join Identifier

4.1.24.7.5 List of foreign relationship joins of the entity attribute id_auto

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_auto	id_auto

4.1.24.7.6 List of identifiers of the entity attribute id_auto

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Parte_Auto'	X

4.1.24.8 List of identifiers of the entity Parte_Auto

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Parte_Auto'	X

4.1.24.9 Identifier Identifier_1 of the entity Parte_Auto

4.1.24.9.1 Card of the identifier Identifier_1 of the entity Parte_Auto

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.24.9.2 List of attributes of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_parte	ID_PARTE	Variable characters (5)	X	
id_auto	ID_AUTO	Variable characters (5)	X	

4.1.25 Entity Proceso

4.1.25.1 Card of entity Proceso

<i>Name</i>	Proceso
<i>Code</i>	PROCESO
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.25.2 List of all dependencies of the entity Proceso

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_6	RELATIONSHIP_6	Relationship
Relationship_7	RELATIONSHIP_7	Relationship

4.1.25.3 List of relationships of the entity Proceso

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_6	RELATIONSHIP_6	X	Proceso	Cotizacion		1,n	1,1
Relationship_7	RELATIONSHIP_7	X	Proceso	Tipo_Proceso		1,n	1,1

4.1.25.4 List of diagrams containing the entity Proceso

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.25.5 List of attributes of the entity Proceso

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_proceso	ID_PROCESO	Variable characters (5)	X	
id_cotizacion	ID_COTIZACION	Variable characters (5)	X	
id_tipoProceso	ID_TIPOPROCESO	Variable characters (5)	X	
fecha_proceso	FECHA_PROCESO	Date	X	
empleado_cotizacion	EMPLEADO_COTIZACION	Variable characters (5)	X	

4.1.25.6 Entity attribute id_proceso of the entity Proceso**4.1.25.6.1 Card of the entity attribute id_proceso of the entity Proceso**

<i>Name</i>	id_proceso
<i>Code</i>	ID_PROCESO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.25.6.2 Check of the entity attribute id_proceso of the entity Proceso

<i>Minimum Value</i>	
----------------------	--

Maximum Value	No
Default Value	
Unit	
Format	
Cannot Modify	
List Of Values	

4.1.25.6.3 Server validation rule of the entity attribute id_proceso of the entity Proceso

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.25.6.4 List of all dependencies of the entity attribute id_proceso

Name	Code	Class Name
Identifier_1	IDENTIFIER_1	Identifier

4.1.25.6.5 List of identifiers of the entity attribute id_proceso

Name	Code	Parent	Primary Identifier
Identifier_1	IDENTIFIER_1	Entity 'Proceso'	X

4.1.25.7 Entity attribute id_cotizacion of the entity Proceso

4.1.25.7.1 Card of the entity attribute id_cotizacion of the entity Proceso

Name	id_cotizacion
Code	ID_COTIZACION
Comment	
Data Type	Variable characters (5)
Mandatory	Yes
Inherited From	<None>

4.1.25.7.2 Check of the entity attribute id_cotizacion of the entity Proceso

Minimum Value	No
Maximum Value	
Default Value	
Unit	
Format	
Cannot Modify	
List Of Values	

4.1.25.7.3 Server validation rule of the entity attribute id_cotizacion of the entity Proceso

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.25.7.4 List of all dependencies of the entity attribute id_cotizacion

Name	Code	Class Name
?	?	Relationship Join

4.1.25.7.5 List of foreign relationship joins of the entity attribute id_cotizacion

Parent Attribute	Child Attribute
id_cotizacion	id_cotizacion

4.1.25.8 Entity attribute id_tipoProceso of the entity Proceso**4.1.25.8.1 Card of the entity attribute id_tipoProceso of the entity Proceso**

<i>Name</i>	id_tipoProceso
<i>Code</i>	ID_TIPOPROCESO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.25.8.2 Check of the entity attribute id_tipoProceso of the entity Proceso

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.25.8.3 Server validation rule of the entity attribute id_tipoProceso of the entity Proceso

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.25.8.4 List of all dependencies of the entity attribute id_tipoProceso

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.25.8.5 List of foreign relationship joins of the entity attribute id_tipoProceso

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoProceso	id_tipoProceso

4.1.25.9 Entity attribute fecha_proceso of the entity Proceso**4.1.25.9.1 Card of the entity attribute fecha_proceso of the entity Proceso**

<i>Name</i>	fecha_proceso
<i>Code</i>	FECHA_PROCESO
<i>Comment</i>	
<i>Data Type</i>	Date
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.25.9.2 Check of the entity attribute fecha_proceso of the entity Proceso

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.25.9.3 Server validation rule of the entity attribute fecha_proceso of the entity Proceso

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.25.10 Entity attribute empleado cotizacion of the entity Proceso

4.1.25.10.1 Card of the entity attribute empleado cotizacion of the entity Proceso

<i>Name</i>	empleado_cotizacion
<i>Code</i>	EMPLEADO_COTIZACION
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.25.10.2 Check of the entity attribute empleado cotizacion of the entity Proceso

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.25.10.3 Server validation rule of the entity attribute empleado cotizacion of the entity Proceso

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.25.11 List of identifiers of the entity Proceso

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Proceso'	X

4.1.25.12 Identifier Identifier 1 of the entity Proceso

4.1.25.12.1 Card of the identifier Identifier 1 of the entity Proceso

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.25.12.2 List of attributes of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_proceso	ID_PROCESO	Variable characters (5)	X	

4.1.26 Entity Proveedor

4.1.26.1 Card of entity Proveedor

<i>Name</i>	Proveedor
<i>Code</i>	PROVEEDOR
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes

Number	
--------	--

4.1.26.2 List of all dependencies of the entity Proveedor

Name	Code	Class Name
Relationship_26	RELATIONSHIP_26	Relationship

4.1.26.3 List of relationships of the entity Proveedor

Name	Code	Generate	Entity 2	Entity 1	Dependent Role	Entity 1 -> Entity 2 Role Cardinality	Entity 2 -> Entity 1 Role Cardinality
Relationship_26	RELATIONSHIP_26	X	Factura	Proveedor		1,n	0,1

4.1.26.4 List of diagrams containing the entity Proveedor

Name	Code
Diagram_1	DIAGRAM_1

4.1.26.5 List of attributes of the entity Proveedor

Name	Code	Data Type	Mandatory	Inherited From
id_proveedor	ID_PROVEEDOR	Variable characters (5)	X	
nombre_proveedor	NOMBRE_PROVEEDOR	Variable characters (15)	X	

4.1.26.6 Entity attribute id_proveedor of the entity Proveedor**4.1.26.6.1 Card of the entity attribute id_proveedor of the entity Proveedor**

Name	id_proveedor
Code	ID_PROVEEDOR
Comment	
Data Type	Variable characters (5)
Mandatory	Yes
Inherited From	<None>

4.1.26.6.2 Check of the entity attribute id_proveedor of the entity Proveedor

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Cannot Modify	No
List Of Values	

4.1.26.6.3 Server validation rule of the entity attribute id_proveedor of the entity Proveedor

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.26.6.4 List of all dependencies of the entity attribute id_proveedor

Name	Code	Class Name
?	?	Relationship Join

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Identifier_1	IDENTIFIER_1	Identifier

4.1.26.6.5 List of primary relationship joins of the entity attribute id proveedor

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_proveedor	id_proveedor

4.1.26.6.6 List of identifiers of the entity attribute id proveedor

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Proveedor'	X

4.1.26.7 Entity attribute nombre proveedor of the entity Proveedor

4.1.26.7.1 Card of the entity attribute nombre proveedor of the entity Proveedor

<i>Name</i>	nombre_proveedor
<i>Code</i>	NOMBRE_PROVEEDOR
<i>Comment</i>	
<i>Data Type</i>	Variable characters (15)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.26.7.2 Check of the entity attribute nombre proveedor of the entity Proveedor

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.26.7.3 Server validation rule of the entity attribute nombre proveedor of the entity Proveedor

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.26.8 List of identifiers of the entity Proveedor

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Proveedor'	X

4.1.26.9 Identifier Identifier 1 of the entity Proveedor

4.1.26.9.1 Card of the identifier Identifier 1 of the entity Proveedor

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_proveedor	ID_PROVEEDOR	Variable characters (5)	X	

4.1.26.9.3 List of all dependencies of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_26	RELATIONSHIP_26	Relationship

4.1.26.9.4 List of relationships of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_26	RELATIONSHIP_26	Logical Data Model 'LogicalDataModel_1'	X	Factura	Proveedor		1,n	0,1

4.1.27 Entity Registro

4.1.27.1 Card of entity Registro

<i>Name</i>	Registro
<i>Code</i>	REGISTRO
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.27.2 List of all dependencies of the entity Registro

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Mensajero	MENSAJERO	Relationship
Recepcionista	RECEPCIONISTA	Relationship
Relationship_8	RELATIONSHIP_8	Relationship
Relationship_9	RELATIONSHIP_9	Relationship
Relationship_10	RELATIONSHIP_10	Relationship
Relationship_11	RELATIONSHIP_11	Relationship
Relationship_12	RELATIONSHIP_12	Relationship

4.1.27.3 List of relationships of the entity Registro

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Mensajero	MENSAJERO	X	Registro	Empleado		1,n	0,1
Recepcionista	RECEPCIONISTA	X	Registro	Empleado		1,n	1,1

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_8	RELATIONSHIP_8	X	Registro	Cotizacion		1,n	1,1
Relationship_9	RELATIONSHIP_9	X	Registro	Tipo_Registro		1,n	1,1
Relationship_10	RELATIONSHIP_10	X	Registro	Aseguradora		1,n	0,1
Relationship_11	RELATIONSHIP_11	X	Registro	Garantia		1,n	1,1
Relationship_12	RELATIONSHIP_12	X	Historico_Precio_Registro	Registro		0,n	0,1

4.1.27.4 List of diagrams containing the entity Registro

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.27.5 List of attributes of the entity Registro

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_registro	ID_REGISTRO	Variable characters (5)	X	
id_cotizacion	ID_COTIZACION	Variable characters (5)	X	
id_tipoRegistro	ID_TIPOREGISTRO	Variable characters (5)	X	
id_aseguradora	ID_ASEGURADORA	Variable characters (5)		
id_garantia	ID_GARANTIA	Variable characters (5)	X	
id_empleado	ID_EMPLEADO	Variable characters (5)	X	
Emp_id_empleado	EMP_ID_EMPLEADO	Variable characters (5)		

4.1.27.6 Entity attribute id_registro of the entity Registro

4.1.27.6.1 Card of the entity attribute id_registro of the entity Registro

<i>Name</i>	id_registro
<i>Code</i>	ID_REGISTRO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.27.6.2 Check of the entity attribute id_registro of the entity Registro

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No

<i>List Of Values</i>	
-----------------------	--

4.1.27.6.3 Server validation rule of the entity attribute id_registro of the entity Registro

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.27.6.4 List of all dependencies of the entity attribute id_registro

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
? Identifier_1	? IDENTIFIER_1	Relationship Join Identifier

4.1.27.6.5 List of primary relationship joins of the entity attribute id_registro

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_registro	id_registro

4.1.27.6.6 List of identifiers of the entity attribute id_registro

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Registro'	X

4.1.27.7 Entity attribute id_cotizacion of the entity Registro

4.1.27.7.1 Card of the entity attribute id_cotizacion of the entity Registro

<i>Name</i>	id_cotizacion
<i>Code</i>	ID_COTIZACION
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.27.7.2 Check of the entity attribute id_cotizacion of the entity Registro

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.27.7.3 Server validation rule of the entity attribute id_cotizacion of the entity Registro

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.27.7.4 List of all dependencies of the entity attribute id_cotizacion

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.27.7.5 List of foreign relationship joins of the entity attribute id_cotizacion

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_cotizacion	id_cotizacion

4.1.27.8 Entity attribute id tipoRegistro of the entity Registro**4.1.27.8.1 Card of the entity attribute id tipoRegistro of the entity Registro**

<i>Name</i>	id_tipoRegistro
<i>Code</i>	ID_TIPOREGISTRO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.27.8.2 Check of the entity attribute id tipoRegistro of the entity Registro

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.27.8.3 Server validation rule of the entity attribute id tipoRegistro of the entity Registro

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.27.8.4 List of all dependencies of the entity attribute id tipoRegistro

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.27.8.5 List of foreign relationship joins of the entity attribute id tipoRegistro

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoRegistro	id_tipoRegistro

4.1.27.9 Entity attribute id aseguradora of the entity Registro**4.1.27.9.1 Card of the entity attribute id aseguradora of the entity Registro**

<i>Name</i>	id_aseguradora
<i>Code</i>	ID_ASEGURADORA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.27.9.2 Check of the entity attribute id aseguradora of the entity Registro

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.27.9.3 Server validation rule of the entity attribute id aseguradora of the entity Registro

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.27.9.4 List of all dependencies of the entity attribute id aseguradora

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.27.9.5 List of foreign relationship joins of the entity attribute id aseguradora

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_aseguradora	id_aseguradora

4.1.27.10 Entity attribute id garantia of the entity Registro

4.1.27.10.1 Card of the entity attribute id garantia of the entity Registro

<i>Name</i>	id_garantia
<i>Code</i>	ID_GARANTIA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.27.10.2 Check of the entity attribute id garantia of the entity Registro

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.27.10.3 Server validation rule of the entity attribute id garantia of the entity Registro

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.27.10.4 List of all dependencies of the entity attribute id garantia

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.27.10.5 List of foreign relationship joins of the entity attribute id garantia

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_garantia	id_garantia

4.1.27.11 Entity attribute id empleado of the entity Registro

4.1.27.11.1 Card of the entity attribute id empleado of the entity Registro

<i>Name</i>	id_empleado
<i>Code</i>	ID_EMPLEADO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.27.11.2 Check of the entity attribute id empleado of the entity Registro

<i>Minimum Value</i>	
----------------------	--

Maximum Value	No
Default Value	
Unit	
Format	
Cannot Modify	
List Of Values	

4.1.27.11.3 Server validation rule of the entity attribute id_empleado of the entity Registro

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.27.11.4 List of all dependencies of the entity attribute id_empleado

Name	Code	Class Name
?	?	Relationship Join

4.1.27.11.5 List of foreign relationship joins of the entity attribute id_empleado

Parent Attribute	Child Attribute
id_empleado	id_empleado

4.1.27.12 Entity attribute Emp_id_empleado of the entity Registro

4.1.27.12.1 Card of the entity attribute Emp_id_empleado of the entity Registro

Name	Emp_id_empleado
Code	EMP_ID_EMPLEADO
Comment	
Data Type	Variable characters (5)
Mandatory	No
Inherited From	<None>

4.1.27.12.2 Check of the entity attribute Emp_id_empleado of the entity Registro

Minimum Value	No
Maximum Value	
Default Value	
Unit	
Format	
Cannot Modify	
List Of Values	

4.1.27.12.3 Server validation rule of the entity attribute Emp_id_empleado of the entity Registro

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.27.12.4 List of all dependencies of the entity attribute Emp_id_empleado

Name	Code	Class Name
?	?	Relationship Join

4.1.27.12.5 List of foreign relationship joins of the entity attribute Emp_id_empleado

Parent Attribute	Child Attribute
id_empleado	Emp_id_empleado

4.1.27.13 List of identifiers of the entity Registro

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Registro'	X

4.1.27.14 Identifier Identifier 1 of the entity Registro

4.1.27.14.1 Card of the identifier Identifier 1 of the entity Registro

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.27.14.2 List of attributes of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_registro	ID_REGISTRO	Variable characters (5)	X	

4.1.27.14.3 List of all dependencies of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_12	RELATIONSHIP_12	Relationship

4.1.27.14.4 List of relationships of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_12	RELATIONSHIP_12	Logical Data Model 'LogicalDataModel_1'	X	Historico_Precio_Registro	Registro		0,n	0,1

4.1.28 Entity Salario

4.1.28.1 Card of entity Salario

<i>Name</i>	Salario
<i>Code</i>	SALARIO
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate Number</i>	Yes

4.1.28.2 List of all dependencies of the entity Salario

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_42	RELATIONSHIP_42	Relationship

4.1.28.3 List of relationships of the entity Salario

Name	Code	Generate	Entity 2	Entity 1	Dependent Role	Entity 1 -> Entity 2 Role Cardinality	Entity 2 -> Entity 1 Role Cardinality
Relationship_42	RELATIONSHIP_42	X	Empleado	Salario		1,n	1,1

4.1.28.4 List of diagrams containing the entity Salario

Name	Code
Diagram_1	DIAGRAM_1

4.1.28.5 List of attributes of the entity Salario

Name	Code	Data Type	Mandatory	Inherited From
id_salario	ID_SALARIO	Variable characters (5)	X	
cantidad_salario	CANTIDAD_SALARIO	Integer	X	

4.1.28.6 Entity attribute id_salario of the entity Salario

4.1.28.6.1 Card of the entity attribute id_salario of the entity Salario

Name	id_salario
Code	ID_SALARIO
Comment	
Data Type	Variable characters (5)
Mandatory	Yes
Inherited From	<None>

4.1.28.6.2 Check of the entity attribute id_salario of the entity Salario

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Cannot Modify	No
List Of Values	

4.1.28.6.3 Server validation rule of the entity attribute id_salario of the entity Salario

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.28.6.4 List of all dependencies of the entity attribute id_salario

Name	Code	Class Name
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.28.6.5 List of primary relationship joins of the entity attribute id_salario

Parent Attribute	Child Attribute
id_salario	id_salario

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primar y Identifi er</i>
Identifier_1	IDENTIFIER_1	Entity 'Salario'	X

4.1.28.7 Entity attribute cantidad salario of the entity Salario

4.1.28.7.1 Card of the entity attribute cantidad salario of the entity Salario

<i>Name</i>	cantidad_salario
<i>Code</i>	CANTIDAD_SALARIO
<i>Comment</i>	
<i>Data Type</i>	Integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.28.7.2 Check of the entity attribute cantidad salario of the entity Salario

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.28.7.3 Server validation rule of the entity attribute cantidad salario of the entity Salario

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.28.8 List of identifiers of the entity Salario

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primar y Identifi er</i>
Identifier_1	IDENTIFIER_1	Entity 'Salario'	X

4.1.28.9 Identifier Identifier 1 of the entity Salario

4.1.28.9.1 Card of the identifier Identifier 1 of the entity Salario

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.28.9.2 List of attributes of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandat ory</i>	<i>Inherited From</i>
id_salario	ID_SALARIO	Variable characters (5)	X	

4.1.28.9.3 List of all dependencies of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_42	RELATIONSHIP_42	Relationship

4.1.28.9.4 List of relationships of the entity identifier Identifier_1

Name	Code	Parent	Generate	Entity 2	Entity 1	Dependent Role	Entity 1 -> Entity 2 Role Cardinality	Entity 2 -> Entity 1 Role Cardinality
Relationship_42	RELATIONSHIP_42	Logical Data Model 'LogicalDataModel_1'	X	Empleado	Salario		1,n	1,1

4.1.29 Entity Stock_Auto**4.1.29.1 Card of entity Stock_Auto**

Name	Stock_Auto
Code	STOCK_AUTO
Parent	Logical Data Model 'LogicalDataModel_1'
Comment	
Generate	Yes
Number	

4.1.29.2 List of all dependencies of the entity Stock_Auto

Name	Code	Class Name
Relationship_27	RELATIONSHIP_27	Relationship
Relationship_29	RELATIONSHIP_29	Relationship
Relationship_32	RELATIONSHIP_32	Relationship
Relationship_35	RELATIONSHIP_35	Relationship

4.1.29.3 List of relationships of the entity Stock_Auto

Name	Code	Generate	Entity 2	Entity 1	Dependent Role	Entity 1 -> Entity 2 Role Cardinality	Entity 2 -> Entity 1 Role Cardinality
Relationship_27	RELATIONSHIP_27	X	Stock_Auto	Detalle_Factura		1,n	1,1
Relationship_29	RELATIONSHIP_29	X	Stock_Auto	Estado_Auto		1,n	1,1
Relationship_32	RELATIONSHIP_32	X	Stock_Auto	Tipo_Movimiento		1,n	1,1
Relationship_35	RELATIONSHIP_35	X	Stock_Auto	Auto		1,n	1,1

4.1.29.4 List of diagrams containing the entity Stock_Auto

Name	Code
Diagram_1	DIAGRAM_1

4.1.29.5 List of attributes of the entity Stock Auto

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_stockAuto	ID_STOCKAUTO	Variable characters (5)	X	
id_factura	ID_FACTURA	Variable characters (5)	X	
id_estadoAuto	ID_ESTADOAUTO	Variable characters (5)	X	
id_tipoMovimiento	ID_TIPOMOVIMIENTO	Variable characters (5)	X	
id_auto	ID_AUTO	Variable characters (5)	X	
cantidad_auto	CANTIDAD_AUTO	Integer	X	

4.1.29.6 Entity attribute id stockAuto of the entity Stock Auto**4.1.29.6.1 Card of the entity attribute id stockAuto of the entity Stock Auto**

<i>Name</i>	id_stockAuto
<i>Code</i>	ID_STOCKAUTO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.29.6.2 Check of the entity attribute id stockAuto of the entity Stock Auto

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.29.6.3 Server validation rule of the entity attribute id stockAuto of the entity Stock Auto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.29.6.4 List of all dependencies of the entity attribute id stockAuto

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Identifier_1	IDENTIFIER_1	Identifier

4.1.29.6.5 List of identifiers of the entity attribute id stockAuto

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Stock_Auto'	X

4.1.29.7 Entity attribute id factura of the entity Stock Auto**4.1.29.7.1 Card of the entity attribute id factura of the entity Stock Auto**

<i>Name</i>	id_factura
<i>Code</i>	ID_FACTURA
<i>Comment</i>	

<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.29.7.2 Check of the entity attribute id_factura of the entity Stock_Auto

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.29.7.3 Server validation rule of the entity attribute id_factura of the entity Stock_Auto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.29.7.4 List of all dependencies of the entity attribute id_factura

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.29.7.5 List of foreign relationship joins of the entity attribute id_factura

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_factura	id_factura

4.1.29.8 Entity attribute id_estadoAuto of the entity Stock_Auto**4.1.29.8.1 Card of the entity attribute id_estadoAuto of the entity Stock_Auto**

<i>Name</i>	id_estadoAuto
<i>Code</i>	ID_ESTADOAUTO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.29.8.2 Check of the entity attribute id_estadoAuto of the entity Stock_Auto

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.29.8.3 Server validation rule of the entity attribute id_estadoAuto of the entity Stock_Auto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.29.8.4 List of all dependencies of the entity attribute id_estadoAuto

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.29.8.5 List of foreign relationship joins of the entity attribute id_estadoAuto

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_estadoAuto	id_estadoAuto

4.1.29.9 Entity attribute id_tipoMovimiento of the entity Stock Auto**4.1.29.9.1 Card of the entity attribute id_tipoMovimiento of the entity Stock Auto**

<i>Name</i>	id_tipoMovimiento
<i>Code</i>	ID_TIPOMOVIMIENTO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.29.9.2 Check of the entity attribute id_tipoMovimiento of the entity Stock Auto

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.29.9.3 Server validation rule of the entity attribute id_tipoMovimiento of the entity Stock Auto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.29.9.4 List of all dependencies of the entity attribute id_tipoMovimiento

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.29.9.5 List of foreign relationship joins of the entity attribute id_tipoMovimiento

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoMovimiento	id_tipoMovimiento

4.1.29.10 Entity attribute id_auto of the entity Stock Auto**4.1.29.10.1 Card of the entity attribute id_auto of the entity Stock Auto**

<i>Name</i>	id_auto
<i>Code</i>	ID_AUTO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.29.10.2 Check of the entity attribute id_auto of the entity Stock Auto

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	

<i>Format</i>	No
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.29.10.3 Server validation rule of the entity attribute id_auto of the entity Stock_Auto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.29.10.4 List of all dependencies of the entity attribute id_auto

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.29.10.5 List of foreign relationship joins of the entity attribute id_auto

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_auto	id_auto

4.1.29.11 Entity attribute cantidad_auto of the entity Stock_Auto

4.1.29.11.1 Card of the entity attribute cantidad_auto of the entity Stock_Auto

<i>Name</i>	cantidad_auto
<i>Code</i>	CANTIDAD_AUTO
<i>Comment</i>	
<i>Data Type</i>	Integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.29.11.2 Check of the entity attribute cantidad_auto of the entity Stock_Auto

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.29.11.3 Server validation rule of the entity attribute cantidad_auto of the entity Stock_Auto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.29.12 List of identifiers of the entity Stock_Auto

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Stock_Auto'	X

4.1.29.13 Identifier Identifier_1 of the entity Stock_Auto

4.1.29.13.1 Card of the identifier Identifier_1 of the entity Stock_Auto

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.29.13.2 List of attributes of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_stockAuto	ID_STOCKAUTO	Variable characters (5)	X	

4.1.30 Entity Stock Parte**4.1.30.1 Card of entity Stock Parte**

<i>Name</i>	Stock_Parte
<i>Code</i>	STOCK_PARTE
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.30.2 List of all dependencies of the entity Stock Parte

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_28	RELATIONSHIP_28	Relationship
Relationship_30	RELATIONSHIP_30	Relationship
Relationship_31	RELATIONSHIP_31	Relationship
Relationship_34	RELATIONSHIP_34	Relationship

4.1.30.3 List of relationships of the entity Stock Parte

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_28	RELATIONSHIP_28	X	Stock_Parte	Detalle_Factura		1,n	1,1
Relationship_30	RELATIONSHIP_30	X	Stock_Parte	Estado_Parte		1,n	1,1
Relationship_31	RELATIONSHIP_31	X	Stock_Parte	Tipo_Movimiento		1,n	1,1
Relationship_34	RELATIONSHIP_34	X	Stock_Parte	Parte		1,n	1,1

4.1.30.4 List of diagrams containing the entity Stock Parte

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.30.5 List of attributes of the entity Stock Parte

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_stockParte	ID_STOCKPARTE	Variable characters (5)	X	
id_factura	ID_FACTURA	Variable characters (5)	X	
id_estadoParte	ID_ESTADOPARTE	Variable characters (5)	X	

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_tipoMovimiento	ID_TIPOMOVIMIENTO	Variable characters (5)	X	
id_parte	ID_PARTE	Variable characters (5)	X	
cantidad_parte	CANTIDAD_PARTE	Integer	X	

4.1.30.6 Entity attribute id stockParte of the entity Stock Parte

4.1.30.6.1 Card of the entity attribute id stockParte of the entity Stock Parte

<i>Name</i>	id_stockParte
<i>Code</i>	ID_STOCKPARTE
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.30.6.2 Check of the entity attribute id stockParte of the entity Stock Parte

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.30.6.3 Server validation rule of the entity attribute id stockParte of the entity Stock Parte

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.30.6.4 List of all dependencies of the entity attribute id stockParte

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Identifier_1	IDENTIFIER_1	Identifier

4.1.30.6.5 List of identifiers of the entity attribute id stockParte

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Stock_Parte'	X

4.1.30.7 Entity attribute id factura of the entity Stock Parte

4.1.30.7.1 Card of the entity attribute id factura of the entity Stock Parte

<i>Name</i>	id_factura
<i>Code</i>	ID_FACTURA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

<i>Minimum Value</i> <i>Maximum Value</i> <i>Default Value</i> <i>Unit</i> <i>Format</i> <i>Cannot Modify</i> <i>List Of Values</i>	No
---	----

4.1.30.7.3 Server validation rule of the entity attribute id factura of the entity Stock Parte

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.30.7.4 List of all dependencies of the entity attribute id factura

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.30.7.5 List of foreign relationship joins of the entity attribute id factura

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_factura	id_factura

4.1.30.8 Entity attribute id estadoParte of the entity Stock Parte

4.1.30.8.1 Card of the entity attribute id estadoParte of the entity Stock Parte

<i>Name</i>	id_estadoParte
<i>Code</i>	ID_ESTADOPARTE
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.30.8.2 Check of the entity attribute id estadoParte of the entity Stock Parte

<i>Minimum Value</i> <i>Maximum Value</i> <i>Default Value</i> <i>Unit</i> <i>Format</i> <i>Cannot Modify</i> <i>List Of Values</i>	No
---	----

4.1.30.8.3 Server validation rule of the entity attribute id estadoParte of the entity Stock Parte

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.30.8.4 List of all dependencies of the entity attribute id estadoParte

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.30.8.5 List of foreign relationship joins of the entity attribute id estadoParte

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_estadoParte	id_estadoParte

4.1.30.9 Entity attribute id tipoMovimiento of the entity Stock Parte

4.1.30.9.1 Card of the entity attribute id_tipoMovimiento of the entity Stock Parte

<i>Name</i>	id_tipoMovimiento
<i>Code</i>	ID_TIPOMOVIMIENTO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.30.9.2 Check of the entity attribute id_tipoMovimiento of the entity Stock Parte

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.30.9.3 Server validation rule of the entity attribute id_tipoMovimiento of the entity Stock Parte

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.30.9.4 List of all dependencies of the entity attribute id_tipoMovimiento

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.30.9.5 List of foreign relationship joins of the entity attribute id_tipoMovimiento

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoMovimiento	id_tipoMovimiento

4.1.30.10 Entity attribute id_parte of the entity Stock Parte**4.1.30.10.1 Card of the entity attribute id_parte of the entity Stock Parte**

<i>Name</i>	id_parte
<i>Code</i>	ID_PARTE
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.30.10.2 Check of the entity attribute id_parte of the entity Stock Parte

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.30.10.3 Server validation rule of the entity attribute id_parte of the entity Stock Parte

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.30.10.4 List of all dependencies of the entity attribute id_parte

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.30.10.5 List of foreign relationship joins of the entity attribute id_parte

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_parte	id_parte

4.1.30.11 Entity attribute cantidad_parte of the entity Stock Parte**4.1.30.11.1 Card of the entity attribute cantidad_parte of the entity Stock Parte**

<i>Name</i>	cantidad_parte
<i>Code</i>	CANTIDAD_PARTE
<i>Comment</i>	
<i>Data Type</i>	Integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.30.11.2 Check of the entity attribute cantidad_parte of the entity Stock Parte

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.30.11.3 Server validation rule of the entity attribute cantidad_parte of the entity Stock Parte

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.30.12 List of identifiers of the entity Stock Parte

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Stock_Parte'	X

4.1.30.13 Identifier Identifier_1 of the entity Stock Parte**4.1.30.13.1 Card of the identifier Identifier_1 of the entity Stock Parte**

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.30.13.2 List of attributes of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_stockParte	ID_STOCKPARTE	Variable characters (5)	X	

4.1.31 Entity Tipo Caracteristica**4.1.31.1 Card of entity Tipo Caracteristica**

<i>Name</i>	Tipo_Caracteristica
<i>Code</i>	TIPO_CARACTERISTICA
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.31.2 List of all dependencies of the entity Tipo Caracteristica

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_39	RELATIONSHIP_39	Relationship

4.1.31.3 List of relationships of the entity Tipo Caracteristica

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinalit y</i>	<i>Entity 2 -> Entity 1 Role Cardinalit y</i>
Relationship_39	RELATIONSHIP_39	X	Caracteristica	Tipo_Caracteristica		1,n	1,1

4.1.31.4 List of diagrams containing the entity Tipo Caracteristica

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.31.5 List of attributes of the entity Tipo Caracteristica

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_tipoCaracteristica	ID_TIPOCARACTERISTICA	Variable characters (5)	X	
nombre_tipoCaracteristica	NOMBRE_TIPOCARACTERISTICA	Variable characters (10)	X	

4.1.31.6 Entity attribute id_tipoCaracteristica of the entity Tipo Caracteristica**4.1.31.6.1 Card of the entity attribute id_tipoCaracteristica of the entity Tipo Caracteristica**

<i>Name</i>	id_tipoCaracteristica
<i>Code</i>	ID_TIPOCARACTERISTICA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.31.6.2 Check of the entity attribute id_tipoCaracteristica of the entity Tipo Caracteristica

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	

<i>Cannot Modify</i> <i>List Of Values</i>	No
---	----

4.1.31.6.3 Server validation rule of the entity attribute id tipoCaracteristica of the entity Tipo Caracteristica

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.31.6.4 List of all dependencies of the entity attribute id tipoCaracteristica

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
? Identifier_1	? IDENTIFIER_1	Relationship Join Identifier

4.1.31.6.5 List of primary relationship joins of the entity attribute id tipoCaracteristica

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoCaracteristica	id_tipoCaracteristica

4.1.31.6.6 List of identifiers of the entity attribute id tipoCaracteristica

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Tipo_Caracteristica'	X

4.1.31.7 Entity attribute nombre tipoCaracteristica of the entity Tipo Caracteristica

4.1.31.7.1 Card of the entity attribute nombre tipoCaracteristica of the entity Tipo Caracteristica

<i>Name</i>	nombre_tipoCaracteristica
<i>Code</i>	NOMBRE_TIPOCARACTERISTICA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (10)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.31.7.2 Check of the entity attribute nombre tipoCaracteristica of the entity Tipo Caracteristica

<i>Minimum Value</i> <i>Maximum Value</i> <i>Default Value</i> <i>Unit</i> <i>Format</i> <i>Cannot Modify</i> <i>List Of Values</i>	No
---	----

4.1.31.7.3 Server validation rule of the entity attribute nombre tipoCaracteristica of the entity Tipo Caracteristica

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.31.8 List of identifiers of the entity Tipo Caracteristica

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Tipo_Caracteristica'	X

4.1.31.9 Identifier Identifier 1 of the entity Tipo Caracteristica**4.1.31.9.1 Card of the identifier Identifier 1 of the entity Tipo Caracteristica**

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.31.9.2 List of attributes of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_tipoCaracteristica	ID_TIPOCARACTERISTICA	Variable characters (5)	X	

4.1.31.9.3 List of all dependencies of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_39	RELATIONSHIP_39	Relationship

4.1.31.9.4 List of relationships of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_39	RELATIONSHIP_39	Logical Data Model 'LogicalDataModel_1'	X	Caracteristica	Tipo_Caracteristica		1,n	1,1

4.1.32 Entity Tipo Contacto**4.1.32.1 Card of entity Tipo Contacto**

<i>Name</i>	Tipo_Contacto
<i>Code</i>	TIPO_CONTACTO
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.32.2 List of all dependencies of the entity Tipo Contacto

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_1	RELATIONSHIP_1	Relationship

4.1.32.3 List of relationships of the entity Tipo Contacto

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_1	RELATIONSHIP_1	X	Contacto	Tipo_Contacto		1,n	1,1

4.1.32.4 List of diagrams containing the entity Tipo Contacto

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.32.5 List of attributes of the entity Tipo Contacto

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_tipoContacto	ID_TIPOCONTACTO	Variable characters (5)	X	
nombre_tipoContacto	NOMBRE_TIPOCONTACTO	Variable characters (10)	X	

4.1.32.6 Entity attribute id tipoContacto of the entity Tipo Contacto**4.1.32.6.1 Card of the entity attribute id tipoContacto of the entity Tipo Contacto**

<i>Name</i>	id_tipoContacto
<i>Code</i>	ID_TIPOCONTACTO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.32.6.2 Check of the entity attribute id tipoContacto of the entity Tipo Contacto

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.32.6.3 Server validation rule of the entity attribute id tipoContacto of the entity Tipo Contacto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.32.6.4 List of all dependencies of the entity attribute id tipoContacto

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.32.6.5 List of primary relationship joins of the entity attribute id tipoContacto

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoContacto	id_tipoContacto

4.1.32.6.6 List of identifiers of the entity attribute id tipoContacto

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Tipo_Contacto'	X

4.1.32.7 Entity attribute nombre tipoContacto of the entity Tipo Contacto

4.1.32.7.1 Card of the entity attribute nombre_tipoContacto of the entity Tipo_Contacto

<i>Name</i>	nombre_tipoContacto
<i>Code</i>	NOMBRE_TIPOCONTACTO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (10)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.32.7.2 Check of the entity attribute nombre_tipoContacto of the entity Tipo_Contacto

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.32.7.3 Server validation rule of the entity attribute nombre_tipoContacto of the entity Tipo_Contacto

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.32.8 List of identifiers of the entity Tipo_Contacto

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Tipo_Contacto'	X

4.1.32.9 Identifier Identifier_1 of the entity Tipo_Contacto**4.1.32.9.1 Card of the identifier Identifier_1 of the entity Tipo_Contacto**

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.32.9.2 List of attributes of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_tipoContacto	ID_TIPOCONTACTO	Variable characters (5)	X	

4.1.32.9.3 List of all dependencies of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_1	RELATIONSHIP_1	Relationship

4.1.32.9.4 List of relationships of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>

Name	Code	Parent	Generate	Entity 2	Entity 1	Dependent Role	Entity 1 -> Entity 2 Role Cardinality	Entity 2 -> Entity 1 Role Cardinality
Relationship_1	RELATIONSHIP_1	Logical Data Model 'LogicalDataModel_1'	X	Contacto	Tipo_Contacto		1,n	1,1

4.1.33 Entity Tipo Factura

4.1.33.1 Card of entity Tipo Factura

Name	Tipo_Factura
Code	TIPO_FACTURA
Parent	Logical Data Model 'LogicalDataModel_1'
Comment	
Generate	Yes
Number	

4.1.33.2 List of all dependencies of the entity Tipo Factura

Name	Code	Class Name
Relationship_25	RELATIONSHIP_25	Relationship

4.1.33.3 List of relationships of the entity Tipo Factura

Name	Code	Generate	Entity 2	Entity 1	Dependent Role	Entity 1 -> Entity 2 Role Cardinality	Entity 2 -> Entity 1 Role Cardinality
Relationship_25	RELATIONSHIP_25	X	Factura	Tipo_Factura		1,n	1,1

4.1.33.4 List of diagrams containing the entity Tipo Factura

Name	Code
Diagram_1	DIAGRAM_1

4.1.33.5 List of attributes of the entity Tipo Factura

Name	Code	Data Type	Mandatory	Inherited From
id_tipoFactura	ID_TIPOFACTURA	Variable characters (5)	X	
nombre_tipoFactura	NOMBRE_TIPOFACTURA	Variable characters (10)	X	

4.1.33.6 Entity attribute id_tipoFactura of the entity Tipo Factura

4.1.33.6.1 Card of the entity attribute id_tipoFactura of the entity Tipo Factura

Name	id_tipoFactura
Code	ID_TIPOFACTURA
Comment	

<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.33.6.2 Check of the entity attribute id_tipoFactura of the entity Tipo Factura

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.33.6.3 Server validation rule of the entity attribute id_tipoFactura of the entity Tipo Factura

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.33.6.4 List of all dependencies of the entity attribute id_tipoFactura

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.33.6.5 List of primary relationship joins of the entity attribute id_tipoFactura

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoFactura	id_tipoFactura

4.1.33.6.6 List of identifiers of the entity attribute id_tipoFactura

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Tipo_Factura'	X

4.1.33.7 Entity attribute nombre_tipoFactura of the entity Tipo Factura

4.1.33.7.1 Card of the entity attribute nombre_tipoFactura of the entity Tipo Factura

<i>Name</i>	nombre_tipoFactura
<i>Code</i>	NOMBRE_TIPOFACTURA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (10)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.33.7.2 Check of the entity attribute nombre_tipoFactura of the entity Tipo Factura

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.33.7.3 Server validation rule of the entity attribute nombre tipoFactura of the entity Tipo Factura

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.33.8 List of identifiers of the entity Tipo Factura

Name	Code	Parent	Primary Identifier
Identifier_1	IDENTIFIER_1	Entity 'Tipo_Factura'	X

4.1.33.9 Identifier Identifier 1 of the entity Tipo Factura**4.1.33.9.1 Card of the identifier Identifier 1 of the entity Tipo Factura**

Name	Identifier_1
Code	IDENTIFIER_1
Comment	
Primary Identifier	Yes

4.1.33.9.2 List of attributes of the entity identifier Identifier 1

Name	Code	Data Type	Mandatory	Inherited From
id_tipoFactura	ID_TIPOFACTURA	Variable characters (5)	X	

4.1.33.9.3 List of all dependencies of the entity identifier Identifier 1

Name	Code	Class Name
Relationship_25	RELATIONSHIP_25	Relationship

4.1.33.9.4 List of relationships of the entity identifier Identifier 1

Name	Code	Parent	Generate	Entity 2	Entity 1	Dependent Role	Entity 1 -> Entity 2 Role Cardinality	Entity 2 -> Entity 1 Role Cardinality
Relationship_25	RELATIONSHIP_25	Logical Data Model 'LogicalDataModel_1'	X	Factura	Tipo_Factura		1,n	1,1

4.1.34 Entity Tipo Movimiento**4.1.34.1 Card of entity Tipo Movimiento**

Name	Tipo_Movimiento
Code	TIPO_MOVIMIENTO
Parent	Logical Data Model 'LogicalDataModel_1'
Comment	
Generate Number	Yes

4.1.34.2 List of all dependencies of the entity Tipo Movimiento

Name	Code	Class Name
Relationship_31	RELATIONSHIP_31	Relationship

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_32	RELATIONSHIP_32	Relationship

4.1.34.3 List of relationships of the entity Tipo Movimiento

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_31	RELATIONSHIP_31	X	Stock_Parte	Tipo_Movimiento		1,n	1,1
Relationship_32	RELATIONSHIP_32	X	Stock_Auto	Tipo_Movimiento		1,n	1,1

4.1.34.4 List of diagrams containing the entity Tipo Movimiento

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.34.5 List of attributes of the entity Tipo Movimiento

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_tipoMovimiento	ID_TIPOMOVIMIENTO	Variable characters (5)	X	
nombre_tipoMovimiento	NOMBRE_TIPOMOVIMIENTO	Variable characters (10)	X	

4.1.34.6 Entity attribute id_tipoMovimiento of the entity Tipo Movimiento

4.1.34.6.1 Card of the entity attribute id_tipoMovimiento of the entity Tipo Movimiento

<i>Name</i>	id_tipoMovimiento
<i>Code</i>	ID_TIPOMOVIMIENTO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.34.6.2 Check of the entity attribute id_tipoMovimiento of the entity Tipo Movimiento

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.34.6.3 Server validation rule of the entity attribute id_tipoMovimiento of the entity Tipo Movimiento

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.34.6.4 List of all dependencies of the entity attribute id_tipoMovimiento

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
-------------	-------------	-------------------

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.34.6.5 List of primary relationship joins of the entity attribute id tipoMovimiento

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoMovimiento	id_tipoMovimiento
id_tipoMovimiento	id_tipoMovimiento

4.1.34.6.6 List of identifiers of the entity attribute id tipoMovimiento

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Tipo_Movimiento'	X

4.1.34.7 Entity attribute nombre tipoMovimiento of the entity Tipo Movimiento

4.1.34.7.1 Card of the entity attribute nombre tipoMovimiento of the entity Tipo Movimiento

<i>Name</i>	nombre_tipoMovimiento
<i>Code</i>	NOMBRE_TIPOMOVIMIENTO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (10)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.34.7.2 Check of the entity attribute nombre tipoMovimiento of the entity Tipo Movimiento

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.34.7.3 Server validation rule of the entity attribute nombre tipoMovimiento of the entity Tipo Movimiento

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.34.8 List of identifiers of the entity Tipo Movimiento

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Tipo_Movimiento'	X

4.1.34.9 Identifier Identifier 1 of the entity Tipo Movimiento

4.1.34.9.1 Card of the identifier Identifier 1 of the entity Tipo Movimiento

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1

<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.34.9.2 List of attributes of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_tipoMovimiento	ID_TIPOMOVIMIENT O	Variable characters (5)	X	

4.1.34.9.3 List of all dependencies of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_31	RELATIONSHIP_31	Relationship
Relationship_32	RELATIONSHIP_32	Relationship

4.1.34.9.4 List of relationships of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_31	RELATIONSHIP_31	Logical Data Model 'LogicalDataModel_1'	X	Stock_Parte	Tipo_Movimiento		1,n	1,1
Relationship_32	RELATIONSHIP_32	Logical Data Model 'LogicalDataModel_1'	X	Stock_Auto	Tipo_Movimiento		1,n	1,1

4.1.35 Entity Tipo_Parte**4.1.35.1 Card of entity Tipo_Parte**

<i>Name</i>	Tipo_Parte
<i>Code</i>	TIPO_PARTE
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.35.2 List of all dependencies of the entity Tipo_Parte

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_38	RELATIONSHIP_38	Relationship

4.1.35.3 List of relationships of the entity Tipo_Parte

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>

Name	Code	Generate	Entity 2	Entity 1	Dependent Role	Entity 1 -> Entity 2 Role Cardinality	Entity 2 -> Entity 1 Role Cardinality
Relationship_38	RELATIONSHIP_38	X	Parte	Tipo_Parte		1,n	1,1

4.1.35.4 List of diagrams containing the entity Tipo Parte

Name	Code
Diagram_1	DIAGRAM_1

4.1.35.5 List of attributes of the entity Tipo Parte

Name	Code	Data Type	Mandatory	Inherited From
id_tipoParte	ID_TIPOPARTE	Variable characters (5)	X	
nombre_tipoParte	NOMBRE_TIPOPARTE	Variable characters (10)	X	

4.1.35.6 Entity attribute id_tipoParte of the entity Tipo Parte

4.1.35.6.1 Card of the entity attribute id_tipoParte of the entity Tipo Parte

Name	id_tipoParte
Code	ID_TIPOPARTE
Comment	
Data Type	Variable characters (5)
Mandatory	Yes
Inherited From	<None>

4.1.35.6.2 Check of the entity attribute id_tipoParte of the entity Tipo Parte

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Cannot Modify	No
List Of Values	

4.1.35.6.3 Server validation rule of the entity attribute id_tipoParte of the entity Tipo Parte

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.35.6.4 List of all dependencies of the entity attribute id_tipoParte

Name	Code	Class Name
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.35.6.5 List of primary relationship joins of the entity attribute id_tipoParte

Parent Attribute	Child Attribute
id_tipoParte	id_tipoParte

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Tipo_Parte'	X

4.1.35.7 Entity attribute nombre_tipoParte of the entity Tipo_Parte

4.1.35.7.1 Card of the entity attribute nombre_tipoParte of the entity Tipo_Parte

<i>Name</i>	nombre_tipoParte
<i>Code</i>	NOMBRE_TIPOPARTE
<i>Comment</i>	
<i>Data Type</i>	Variable characters (10)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.35.7.2 Check of the entity attribute nombre_tipoParte of the entity Tipo_Parte

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.35.7.3 Server validation rule of the entity attribute nombre_tipoParte of the entity Tipo_Parte

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.35.8 List of identifiers of the entity Tipo_Parte

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Tipo_Parte'	X

4.1.35.9 Identifier Identifier_1 of the entity Tipo_Parte

4.1.35.9.1 Card of the identifier Identifier_1 of the entity Tipo_Parte

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.35.9.2 List of attributes of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_tipoParte	ID_TIPOPARTE	Variable characters (5)	X	

4.1.35.9.3 List of all dependencies of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_38	RELATIONSHIP_38	Relationship

4.1.35.9.4 List of relationships of the entity identifier Identifier_1

Name	Code	Parent	Generate	Entity 2	Entity 1	Dependent Role	Entity 1 -> Entity 2 Role Cardinality	Entity 2 -> Entity 1 Role Cardinality
Relationship_38	RELATIONSHIP_38	Logical Data Model 'LogicalDataModel_1'	X	Parte	Tipo_Parte		1,n	1,1

4.1.36 Entity Tipo_Proceso**4.1.36.1 Card of entity Tipo_Proceso**

Name	Tipo_Proceso
Code	TIPO_PROCESO
Parent	Logical Data Model 'LogicalDataModel_1'
Comment	
Generate	Yes
Number	

4.1.36.2 List of all dependencies of the entity Tipo_Proceso

Name	Code	Class Name
Relationship_7	RELATIONSHIP_7	Relationship

4.1.36.3 List of relationships of the entity Tipo_Proceso

Name	Code	Generate	Entity 2	Entity 1	Dependent Role	Entity 1 -> Entity 2 Role Cardinality	Entity 2 -> Entity 1 Role Cardinality
Relationship_7	RELATIONSHIP_7	X	Proceso	Tipo_Proceso		1,n	1,1

4.1.36.4 List of diagrams containing the entity Tipo_Proceso

Name	Code
Diagram_1	DIAGRAM_1

4.1.36.5 List of attributes of the entity Tipo_Proceso

Name	Code	Data Type	Mandatory	Inherited From
id_tipoProceso	ID_TIPOPROCESO	Variable characters (5)	X	
nombre_tipoProceso	NOMBRE_TIPOPROCESO	Variable characters (10)	X	

4.1.36.6 Entity attribute id_tipoProceso of the entity Tipo_Proceso**4.1.36.6.1 Card of the entity attribute id_tipoProceso of the entity Tipo_Proceso**

Name	id_tipoProceso
Code	ID_TIPOPROCESO

<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.36.6.2 Check of the entity attribute id tipoProceso of the entity Tipo Proceso

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.36.6.3 Server validation rule of the entity attribute id tipoProceso of the entity Tipo Proceso

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.36.6.4 List of all dependencies of the entity attribute id tipoProceso

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.36.6.5 List of primary relationship joins of the entity attribute id tipoProceso

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoProceso	id_tipoProceso

4.1.36.6.6 List of identifiers of the entity attribute id tipoProceso

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Tipo_Proceso'	X

4.1.36.7 Entity attribute nombre tipoProceso of the entity Tipo Proceso

4.1.36.7.1 Card of the entity attribute nombre tipoProceso of the entity Tipo Proceso

<i>Name</i>	nombre_tipoProceso
<i>Code</i>	NOMBRE_TIPOPROCESO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (10)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.36.7.2 Check of the entity attribute nombre tipoProceso of the entity Tipo Proceso

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No

List Of Values	
----------------	--

4.1.36.7.3 Server validation rule of the entity attribute nombre tipoProceso of the entity Tipo Proceso

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.36.8 List of identifiers of the entity Tipo Proceso

Name	Code	Parent	Primary Identifier
Identifier_1	IDENTIFIER_1	Entity 'Tipo_Proceso'	X

4.1.36.9 Identifier Identifier 1 of the entity Tipo Proceso

4.1.36.9.1 Card of the identifier Identifier 1 of the entity Tipo Proceso

Name	Identifier_1
Code	IDENTIFIER_1
Comment	
Primary Identifier	Yes

4.1.36.9.2 List of attributes of the entity identifier Identifier 1

Name	Code	Data Type	Mandatory	Inherited From
id_tipoProceso	ID_TIPOPROCESO	Variable characters (5)	X	

4.1.36.9.3 List of all dependencies of the entity identifier Identifier 1

Name	Code	Class Name
Relationship_7	RELATIONSHIP_7	Relationship

4.1.36.9.4 List of relationships of the entity identifier Identifier 1

Name	Code	Parent	Generate	Entity 2	Entity 1	Dependent Role	Entity 1 -> Entity 2 Role Cardinality	Entity 2 -> Entity 1 Role Cardinality
Relationship_7	RELATIONSHIP_7	Logical Data Model 'LogicalDataModel_1'	X	Proceso	Tipo_Proceso		1,n	1,1

4.1.37 Entity Tipo Registro

4.1.37.1 Card of entity Tipo Registro

Name	Tipo_Registro
Code	TIPO_REGISTRO
Parent	Logical Data Model 'LogicalDataModel_1'
Comment	
Generate Number	Yes

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_9	RELATIONSHIP_9	Relationship

4.1.37.3 List of relationships of the entity Tipo_Registro

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_9	RELATIONSHIP_9	X	Registro	Tipo_Registro		1,n	1,1

4.1.37.4 List of diagrams containing the entity Tipo_Registro

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.37.5 List of attributes of the entity Tipo_Registro

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_tipoRegistro	ID_TIPOREGISTRO	Variable characters (5)	X	
nombre_tipoRegistro	NOMBRE_TIPOREGISTRO	Variable characters (10)	X	

4.1.37.6 Entity attribute id_tipoRegistro of the entity Tipo_Registro

4.1.37.6.1 Card of the entity attribute id_tipoRegistro of the entity Tipo_Registro

<i>Name</i>	id_tipoRegistro
<i>Code</i>	ID_TIPOREGISTRO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.37.6.2 Check of the entity attribute id_tipoRegistro of the entity Tipo_Registro

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.37.6.3 Server validation rule of the entity attribute id_tipoRegistro of the entity Tipo_Registro

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.37.6.4 List of all dependencies of the entity attribute id_tipoRegistro

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
? Identifier_1	? IDENTIFIER_1	Relationship Join Identifier

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoRegistro	id_tipoRegistro

4.1.37.6.6 List of identifiers of the entity attribute id_tipoRegistro

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Tipo_Registro'	X

4.1.37.7 Entity attribute nombre_tipoRegistro of the entity Tipo_Registro

4.1.37.7.1 Card of the entity attribute nombre_tipoRegistro of the entity Tipo_Registro

<i>Name</i>	nombre_tipoRegistro
<i>Code</i>	NOMBRE_TIPOREGISTRO
<i>Comment</i>	
<i>Data Type</i>	Variable characters (10)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.37.7.2 Check of the entity attribute nombre_tipoRegistro of the entity Tipo_Registro

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.37.7.3 Server validation rule of the entity attribute nombre_tipoRegistro of the entity Tipo_Registro

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.37.8 List of identifiers of the entity Tipo_Registro

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Tipo_Registro'	X

4.1.37.9 Identifier Identifier_1 of the entity Tipo_Registro

4.1.37.9.1 Card of the identifier Identifier_1 of the entity Tipo_Registro

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.37.9.2 List of attributes of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_tipoRegistro	ID_TIPOREGISTRO	Variable characters (5)	X	

4.1.37.9.3 List of all dependencies of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_9	RELATIONSHIP_9	Relationship

4.1.37.9.4 List of relationships of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_9	RELATIONSHIP_9	Logical Data Model 'LogicalDataModel_1'	X	Registro	Tipo_Registro		1,n	1,1

4.1.38 Entity Tipo Tarjeta**4.1.38.1 Card of entity Tipo Tarjeta**

<i>Name</i>	Tipo_Tarjeta
<i>Code</i>	TIPO_TARJETA
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.38.2 List of all dependencies of the entity Tipo Tarjeta

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_19	RELATIONSHIP_19	Relationship

4.1.38.3 List of relationships of the entity Tipo Tarjeta

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_19	RELATIONSHIP_19	X	Acuerdo_Pago	Tipo_Tarjeta		1,n	0,1

4.1.38.4 List of diagrams containing the entity Tipo Tarjeta

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.38.5 List of attributes of the entity Tipo Tarjeta

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_tipoTarjeta	ID_TIPOTARJETA	Variable characters (5)	X	
nombre_tipoTarjeta	NOMBRE_TIPOTARJETA	Variable characters (10)	X	

4.1.38.6 Entity attribute id tipoTarjeta of the entity Tipo Tarjeta**4.1.38.6.1 Card of the entity attribute id tipoTarjeta of the entity Tipo Tarjeta**

<i>Name</i>	id_tipoTarjeta
<i>Code</i>	ID_TIPOTARJETA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (5)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.38.6.2 Check of the entity attribute id tipoTarjeta of the entity Tipo Tarjeta

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.38.6.3 Server validation rule of the entity attribute id tipoTarjeta of the entity Tipo Tarjeta

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.38.6.4 List of all dependencies of the entity attribute id tipoTarjeta

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.38.6.5 List of primary relationship joins of the entity attribute id tipoTarjeta

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoTarjeta	id_tipoTarjeta

4.1.38.6.6 List of identifiers of the entity attribute id tipoTarjeta

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Tipo_Tarjeta'	X

4.1.38.7 Entity attribute nombre tipoTarjeta of the entity Tipo Tarjeta**4.1.38.7.1 Card of the entity attribute nombre tipoTarjeta of the entity Tipo Tarjeta**

<i>Name</i>	nombre_tipoTarjeta
<i>Code</i>	NOMBRE_TIPOTARJETA
<i>Comment</i>	
<i>Data Type</i>	Variable characters (10)
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.38.7.2 Check of the entity attribute nombre tipoTarjeta of the entity Tipo Tarjeta

<i>Minimum Value</i>	
<i>Maximum Value</i>	

<i>Default Value</i> <i>Unit</i> <i>Format</i> <i>Cannot Modify</i> <i>List Of Values</i>	No
---	----

4.1.38.7.3 Server validation rule of the entity attribute nombre tipoTarjeta of the entity Tipo Tarjeta

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.38.8 List of identifiers of the entity Tipo Tarjeta

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Tipo_Tarjeta'	X

4.1.38.9 Identifier Identifier 1 of the entity Tipo Tarjeta

4.1.38.9.1 Card of the identifier Identifier 1 of the entity Tipo Tarjeta

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.38.9.2 List of attributes of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
id_tipoTarjeta	ID_TIPOTARJETA	Variable characters (5)	X	

4.1.38.9.3 List of all dependencies of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Relationship_19	RELATIONSHIP_19	Relationship

4.1.38.9.4 List of relationships of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Relationship_19	RELATIONSHIP_19	Logical Data Model 'Logical DataModel_1'	X	Acuerdo_Pago	Tipo_Tarjeta		1,n	0,1

5 Relationships

5.1 Model level

5.1.1 Relationship Mensajero

5.1.1.1 Card of relationship Mensajero

<i>Name</i>	Mensajero
<i>Code</i>	MENSAJERO
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Empleado
<i>Entity 2</i>	Registro
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	0,1

5.1.1.2 List of diagrams containing the relationship Mensajero

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.1.3 List of relationship joins of the relationship Mensajero

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_empleado	Emp_id_empleado

5.1.1.4 Relationship join id empleado = Emp id empleado of the relationship Mensajero

5.1.1.4.1 Card of the relationship join id empleado = Emp id empleado of the relationship Mensajero

<i>Child Attribute</i>	Emp_id_empleado
<i>Parent Attribute</i>	id_empleado

5.1.2 Relationship Recepcionista

5.1.2.1 Card of relationship Recepcionista

<i>Name</i>	Recepcionista
<i>Code</i>	RECEPCIONISTA
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Empleado
<i>Entity 2</i>	Registro
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.2.3 List of relationship joins of the relationship Recepcionista

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_empleado	id_empleado

5.1.2.4 Relationship join id_empleado = id_empleado of the relationship Recepcionista

5.1.2.4.1 Card of the relationship join id_empleado = id_empleado of the relationship Recepcionista

<i>Child Attribute</i>	id_empleado
<i>Parent Attribute</i>	id_empleado

5.1.3 Relationship Relationship_1

5.1.3.1 Card of relationship Relationship_1

<i>Name</i>	Relationship_1
<i>Code</i>	RELATIONSHIP_1
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Tipo_Contacto
<i>Entity 2</i>	Contacto
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.3.2 List of diagrams containing the relationship Relationship_1

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.3.3 List of relationship joins of the relationship Relationship_1

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoContacto	id_tipoContacto

5.1.3.4 Relationship join id_tipoContacto = id_tipoContacto of the relationship Relationship_1

5.1.3.4.1 Card of the relationship join id_tipoContacto = id_tipoContacto of the relationship Relationship_1

<i>Child Attribute</i>	id_tipoContacto
<i>Parent Attribute</i>	id_tipoContacto

5.1.4 Relationship Relationship_2

5.1.4.1 Card of relationship Relationship_2

<i>Name</i>	Relationship_2
<i>Code</i>	RELATIONSHIP_2
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes

<i>Entity 1</i>	Cliente
<i>Entity 2</i>	Contacto
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.4.2 List of diagrams containing the relationship Relationship_2

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.4.3 List of relationship joins of the relationship Relationship_2

<i>Parent Attribute</i>	<i>Child Attribute</i>
cedula	cedula

5.1.4.4 Relationship join cedula = cedula of the relationship Relationship_2

5.1.4.4.1 Card of the relationship join cedula = cedula of the relationship Relationship_2

<i>Child Attribute</i>	cedula
<i>Parent Attribute</i>	cedula

5.1.5 Relationship Relationship_3

5.1.5.1 Card of relationship Relationship_3

<i>Name</i>	Relationship_3
<i>Code</i>	RELATIONSHIP_3
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Cliente
<i>Entity 2</i>	Cotizacion
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.5.2 List of diagrams containing the relationship Relationship_3

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.5.3 List of relationship joins of the relationship Relationship_3

<i>Parent Attribute</i>	<i>Child Attribute</i>
cedula	cedula

5.1.5.4 Relationship join cedula = cedula of the relationship Relationship_3

5.1.5.4.1 Card of the relationship join cedula = cedula of the relationship Relationship_3

<i>Child Attribute</i>	cedula
<i>Parent Attribute</i>	cedula

5.1.6 Relationship Relationship_4**5.1.6.1 Card of relationship Relationship_4**

<i>Name</i>	Relationship_4
<i>Code</i>	RELATIONSHIP_4
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Cliente
<i>Entity 2</i>	Factura
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.6.2 List of diagrams containing the relationship Relationship_4

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.6.3 List of relationship joins of the relationship Relationship_4

<i>Parent Attribute</i>	<i>Child Attribute</i>
cedula	cedula

5.1.6.4 Relationship join cedula = cedula of the relationship Relationship_4**5.1.6.4.1 Card of the relationship join cedula = cedula of the relationship Relationship_4**

<i>Child Attribute</i>	cedula
<i>Parent Attribute</i>	cedula

5.1.7 Relationship Relationship_5**5.1.7.1 Card of relationship Relationship_5**

<i>Name</i>	Relationship_5
<i>Code</i>	RELATIONSHIP_5
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Cotizacion
<i>Entity 2</i>	Detalle_Cotizacion
<i>Dependent Role</i>	Detalle_Cotizacion -> Cotizacion
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.7.2 List of diagrams containing the relationship Relationship_5

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_cotizacion	id_cotizacion

5.1.7.4 Relationship join id_cotizacion = id_cotizacion of the relationship Relationship_5

5.1.7.4.1 Card of the relationship join id_cotizacion = id_cotizacion of the relationship Relationship_5

<i>Child Attribute</i>	id_cotizacion
<i>Parent Attribute</i>	id_cotizacion

5.1.8 Relationship Relationship_6

5.1.8.1 Card of relationship Relationship_6

<i>Name</i>	Relationship_6
<i>Code</i>	RELATIONSHIP_6
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Cotizacion
<i>Entity 2</i>	Proceso
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.8.2 List of diagrams containing the relationship Relationship_6

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.8.3 List of relationship joins of the relationship Relationship_6

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_cotizacion	id_cotizacion

5.1.8.4 Relationship join id_cotizacion = id_cotizacion of the relationship Relationship_6

5.1.8.4.1 Card of the relationship join id_cotizacion = id_cotizacion of the relationship Relationship_6

<i>Child Attribute</i>	id_cotizacion
<i>Parent Attribute</i>	id_cotizacion

5.1.9 Relationship Relationship_7

5.1.9.1 Card of relationship Relationship_7

<i>Name</i>	Relationship_7
<i>Code</i>	RELATIONSHIP_7
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Tipo_Proceso
<i>Entity 2</i>	Proceso
<i>Dependent Role</i>	<None>

Entity 1 -> Entity 2 Role Cardinality	1,n
Entity 2 -> Entity 1 Role Cardinality	1,1

5.1.9.2 List of diagrams containing the relationship Relationship 7

Name	Code
Diagram_1	DIAGRAM_1

5.1.9.3 List of relationship joins of the relationship Relationship 7

Parent Attribute	Child Attribute
id_tipoProceso	id_tipoProceso

5.1.9.4 Relationship join id_tipoProceso = id_tipoProceso of the relationship Relationship 7

5.1.9.4.1 Card of the relationship join id_tipoProceso = id_tipoProceso of the relationship Relationship 7

Child Attribute	id_tipoProceso
Parent Attribute	id_tipoProceso

5.1.10 Relationship Relationship 8

5.1.10.1 Card of relationship Relationship 8

Name	Relationship_8
Code	RELATIONSHIP_8
Parent	Logical Data Model 'LogicalDataModel_1'
Comment	
Generate	Yes
Entity 1	Cotizacion
Entity 2	Registro
Dependent Role	<None>
Entity 1 -> Entity 2 Role Cardinality	1,n
Entity 2 -> Entity 1 Role Cardinality	1,1

5.1.10.2 List of diagrams containing the relationship Relationship 8

Name	Code
Diagram_1	DIAGRAM_1

5.1.10.3 List of relationship joins of the relationship Relationship 8

Parent Attribute	Child Attribute
id_cotizacion	id_cotizacion

5.1.10.4 Relationship join id_cotizacion = id_cotizacion of the relationship Relationship 8

5.1.10.4.1 Card of the relationship join id_cotizacion = id_cotizacion of the relationship Relationship 8

Child Attribute	id_cotizacion
Parent Attribute	id_cotizacion

5.1.11 Relationship Relationship 9

<i>Name</i>	Relationship_9
<i>Code</i>	RELATIONSHIP_9
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Tipo_Registro
<i>Entity 2</i>	Registro
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.11.2 List of diagrams containing the relationship Relationship_9

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.11.3 List of relationship joins of the relationship Relationship_9

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoRegistro	id_tipoRegistro

5.1.11.4 Relationship join id_tipoRegistro = id_tipoRegistro of the relationship Relationship_9

5.1.11.4.1 Card of the relationship join id_tipoRegistro = id_tipoRegistro of the relationship Relationship_9

<i>Child Attribute</i>	id_tipoRegistro
<i>Parent Attribute</i>	id_tipoRegistro

5.1.12 Relationship Relationship_10

5.1.12.1 Card of relationship Relationship_10

<i>Name</i>	Relationship_10
<i>Code</i>	RELATIONSHIP_10
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Aseguradora
<i>Entity 2</i>	Registro
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	0,1

5.1.12.2 List of diagrams containing the relationship Relationship_10

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.12.3 List of relationship joins of the relationship Relationship_10

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_aseguradora	id_aseguradora

5.1.12.4 Relationship join id_aseguradora = id_aseguradora of the relationship Relationship_10**5.1.12.4.1 Card of the relationship join id_aseguradora = id_aseguradora of the relationship Relationship_10**

<i>Child Attribute</i>	id_aseguradora
<i>Parent Attribute</i>	id_aseguradora

5.1.13 Relationship Relationship_11**5.1.13.1 Card of relationship Relationship_11**

<i>Name</i>	Relationship_11
<i>Code</i>	RELATIONSHIP_11
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Garantia
<i>Entity 2</i>	Registro
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.13.2 List of diagrams containing the relationship Relationship_11

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.13.3 List of relationship joins of the relationship Relationship_11

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_garantia	id_garantia

5.1.13.4 Relationship join id_garantia = id_garantia of the relationship Relationship_11**5.1.13.4.1 Card of the relationship join id_garantia = id_garantia of the relationship Relationship_11**

<i>Child Attribute</i>	id_garantia
<i>Parent Attribute</i>	id_garantia

5.1.14 Relationship Relationship_12**5.1.14.1 Card of relationship Relationship_12**

<i>Name</i>	Relationship_12
<i>Code</i>	RELATIONSHIP_12
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Registro
<i>Entity 2</i>	Historico_Precio_Registro
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	0,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	0,1

5.1.14.2 List of diagrams containing the relationship Relationship_12

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.14.3 List of relationship joins of the relationship Relationship_12

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_registro	id_registro

5.1.14.4 Relationship join id_registro = id_registro of the relationship Relationship_12**5.1.14.4.1 Card of the relationship join id_registro = id_registro of the relationship Relationship_12**

<i>Child Attribute</i>	id_registro
<i>Parent Attribute</i>	id_registro

5.1.15 Relationship Relationship_13**5.1.15.1 Card of relationship Relationship_13**

<i>Name</i>	Relationship_13
<i>Code</i>	RELATIONSHIP_13
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Empleado
<i>Entity 2</i>	Cotizacion
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.15.2 List of diagrams containing the relationship Relationship_13

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.15.3 List of relationship joins of the relationship Relationship_13

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_empleado	id_empleado

5.1.15.4 Relationship join id_empleado = id_empleado of the relationship Relationship_13**5.1.15.4.1 Card of the relationship join id_empleado = id_empleado of the relationship Relationship_13**

<i>Child Attribute</i>	id_empleado
<i>Parent Attribute</i>	id_empleado

5.1.16 Relationship Relationship_14**5.1.16.1 Card of relationship Relationship_14**

<i>Name</i>	Relationship_14
<i>Code</i>	RELATIONSHIP_14
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'

<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Cotizacion
<i>Entity 2</i>	Factura
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	0,1

5.1.16.2 List of diagrams containing the relationship Relationship_14

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.16.3 List of relationship joins of the relationship Relationship_14

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_cotizacion	id_cotizacion

5.1.16.4 Relationship join id_cotizacion = id_cotizacion of the relationship Relationship_14**5.1.16.4.1 Card of the relationship join id_cotizacion = id_cotizacion of the relationship Relationship_14**

<i>Child Attribute</i>	id_cotizacion
<i>Parent Attribute</i>	id_cotizacion

5.1.17 Relationship Relationship_15**5.1.17.1 Card of relationship Relationship_15**

<i>Name</i>	Relationship_15
<i>Code</i>	RELATIONSHIP_15
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Empleado
<i>Entity 2</i>	Factura
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.17.2 List of diagrams containing the relationship Relationship_15

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.17.3 List of relationship joins of the relationship Relationship_15

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_empleado	id_empleado

5.1.17.4 Relationship join id_empleado = id_empleado of the relationship Relationship_15

<i>Child Attribute</i>	id_empleado
<i>Parent Attribute</i>	id_empleado

5.1.18 Relationship Relationship_18

5.1.18.1 Card of relationship Relationship_18

<i>Name</i>	Relationship_18
<i>Code</i>	RELATIONSHIP_18
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Metodo_Pago
<i>Entity 2</i>	Acuerdo_Pago
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.18.2 List of diagrams containing the relationship Relationship_18

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.18.3 List of relationship joins of the relationship Relationship_18

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_metodoPago	id_metodoPago

5.1.18.4 Relationship join id_metodoPago = id_metodoPago of the relationship Relationship_18

5.1.18.4.1 Card of the relationship join id_metodoPago = id_metodoPago of the relationship Relationship_18

<i>Child Attribute</i>	id_metodoPago
<i>Parent Attribute</i>	id_metodoPago

5.1.19 Relationship Relationship_19

5.1.19.1 Card of relationship Relationship_19

<i>Name</i>	Relationship_19
<i>Code</i>	RELATIONSHIP_19
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Tipo_Tarjeta
<i>Entity 2</i>	Acuerdo_Pago
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	0,1

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.19.3 List of relationship joins of the relationship Relationship_19

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoTarjeta	id_tipoTarjeta

5.1.19.4 Relationship join id_tipoTarjeta = id_tipoTarjeta of the relationship Relationship_19

5.1.19.4.1 Card of the relationship join id_tipoTarjeta = id_tipoTarjeta of the relationship Relationship_19

<i>Child Attribute</i>	id_tipoTarjeta
<i>Parent Attribute</i>	id_tipoTarjeta

5.1.20 Relationship Relationship_20

5.1.20.1 Card of relationship Relationship_20

<i>Name</i>	Relationship_20
<i>Code</i>	RELATIONSHIP_20
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Grupo_Financiero
<i>Entity 2</i>	Acuerdo_Pago
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	0,1

5.1.20.2 List of diagrams containing the relationship Relationship_20

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.20.3 List of relationship joins of the relationship Relationship_20

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_grupoFinanciero	id_grupoFinanciero

5.1.20.4 Relationship join id_grupoFinanciero = id_grupoFinanciero of the relationship Relationship_20

5.1.20.4.1 Card of the relationship join id_grupoFinanciero = id_grupoFinanciero of the relationship Relationship_20

<i>Child Attribute</i>	id_grupoFinanciero
<i>Parent Attribute</i>	id_grupoFinanciero

5.1.21 Relationship Relationship_21

5.1.21.1 Card of relationship Relationship_21

<i>Name</i>	Relationship_21
<i>Code</i>	RELATIONSHIP_21
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	

<i>Generate</i>	Yes
<i>Entity 1</i>	Banco
<i>Entity 2</i>	Acuerdo_Pago
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	0,1

5.1.21.2 List of diagrams containing the relationship Relationship_21

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.21.3 List of relationship joins of the relationship Relationship_21

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_banco	id_banco

5.1.21.4 Relationship join id_banco = id_banco of the relationship Relationship_21

5.1.21.4.1 Card of the relationship join id_banco = id_banco of the relationship Relationship_21

<i>Child Attribute</i>	id_banco
<i>Parent Attribute</i>	id_banco

5.1.22 Relationship Relationship_22

5.1.22.1 Card of relationship Relationship_22

<i>Name</i>	Relationship_22
<i>Code</i>	RELATIONSHIP_22
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Cotizacion
<i>Entity 2</i>	Acuerdo_Pago
<i>Dependent Role</i>	Acuerdo_Pago -> Cotizacion
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.22.2 List of diagrams containing the relationship Relationship_22

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.22.3 List of relationship joins of the relationship Relationship_22

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_cotizacion	id_cotizacion

5.1.22.4 Relationship join id_cotizacion = id_cotizacion of the relationship Relationship_22

5.1.22.4.1 Card of the relationship join id_cotizacion = id_cotizacion of the relationship Relationship_22

<i>Child Attribute</i>	id_cotizacion
------------------------	---------------

<i>Parent Attribute</i>	id_cotizacion
-------------------------	---------------

5.1.23 Relationship Relationship_23

5.1.23.1 Card of relationship Relationship_23

<i>Name</i>	Relationship_23
<i>Code</i>	RELATIONSHIP_23
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Acuerdo_Pago
<i>Entity 2</i>	Detalle_Factura
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	0,1

5.1.23.2 List of diagrams containing the relationship Relationship_23

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.23.3 List of relationship joins of the relationship Relationship_23

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_cotizacion	id_cotizacion
id_acuerdoPago	id_acuerdoPago

5.1.23.4 Relationship join id_cotizacion = id_cotizacion of the relationship Relationship_23

5.1.23.4.1 Card of the relationship join id_cotizacion = id_cotizacion of the relationship Relationship_23

<i>Child Attribute</i>	id_cotizacion
<i>Parent Attribute</i>	id_cotizacion

5.1.23.5 Relationship join id_acuerdoPago = id_acuerdoPago of the relationship Relationship_23

5.1.23.5.1 Card of the relationship join id_acuerdoPago = id_acuerdoPago of the relationship Relationship_23

<i>Child Attribute</i>	id_acuerdoPago
<i>Parent Attribute</i>	id_acuerdoPago

5.1.24 Relationship Relationship_24

5.1.24.1 Card of relationship Relationship_24

<i>Name</i>	Relationship_24
<i>Code</i>	RELATIONSHIP_24
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Factura
<i>Entity 2</i>	Detalle_Factura
<i>Dependent Role</i>	Detalle_Factura -> Factura

Entity 1 -> Entity 2 Role Cardinality	1,n
Entity 2 -> Entity 1 Role Cardinality	1,1

5.1.24.2 List of diagrams containing the relationship Relationship_24

Name	Code
Diagram_1	DIAGRAM_1

5.1.24.3 List of relationship joins of the relationship Relationship_24

Parent Attribute	Child Attribute
id_factura	id_factura

5.1.24.4 Relationship join id_factura = id_factura of the relationship Relationship_24**5.1.24.4.1 Card of the relationship join id_factura = id_factura of the relationship Relationship_24**

Child Attribute	id_factura
Parent Attribute	id_factura

5.1.25 Relationship Relationship_25**5.1.25.1 Card of relationship Relationship_25**

Name	Relationship_25
Code	RELATIONSHIP_25
Parent	Logical Data Model 'LogicalDataModel_1'
Comment	
Generate	Yes
Entity 1	Tipo_Factura
Entity 2	Factura
Dependent Role	<None>
Entity 1 -> Entity 2 Role Cardinality	1,n
Entity 2 -> Entity 1 Role Cardinality	1,1

5.1.25.2 List of diagrams containing the relationship Relationship_25

Name	Code
Diagram_1	DIAGRAM_1

5.1.25.3 List of relationship joins of the relationship Relationship_25

Parent Attribute	Child Attribute
id_tipoFactura	id_tipoFactura

5.1.25.4 Relationship join id_tipoFactura = id_tipoFactura of the relationship Relationship_25**5.1.25.4.1 Card of the relationship join id_tipoFactura = id_tipoFactura of the relationship Relationship_25**

Child Attribute	id_tipoFactura
Parent Attribute	id_tipoFactura

5.1.26 Relationship Relationship_26

<i>Name</i>	Relationship_26
<i>Code</i>	RELATIONSHIP_26
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Proveedor
<i>Entity 2</i>	Factura
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	0,1

5.1.26.2 List of diagrams containing the relationship Relationship_26

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.26.3 List of relationship joins of the relationship Relationship_26

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_proveedor	id_proveedor

5.1.26.4 Relationship join id_proveedor = id_proveedor of the relationship Relationship_26

5.1.26.4.1 Card of the relationship join id_proveedor = id_proveedor of the relationship Relationship_26

<i>Child Attribute</i>	id_proveedor
<i>Parent Attribute</i>	id_proveedor

5.1.27 Relationship Relationship_27

5.1.27.1 Card of relationship Relationship_27

<i>Name</i>	Relationship_27
<i>Code</i>	RELATIONSHIP_27
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Detalle_Factura
<i>Entity 2</i>	Stock_Auto
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.27.2 List of diagrams containing the relationship Relationship_27

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.27.3 List of relationship joins of the relationship Relationship_27

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_factura	id_factura

5.1.27.4 Relationship join id_factura = id_factura of the relationship Relationship_27**5.1.27.4.1 Card of the relationship join id_factura = id_factura of the relationship Relationship_27**

<i>Child Attribute</i>	id_factura
<i>Parent Attribute</i>	id_factura

5.1.28 Relationship Relationship_28**5.1.28.1 Card of relationship Relationship_28**

<i>Name</i>	Relationship_28
<i>Code</i>	RELATIONSHIP_28
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Detalle_Factura
<i>Entity 2</i>	Stock_Parte
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.28.2 List of diagrams containing the relationship Relationship_28

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.28.3 List of relationship joins of the relationship Relationship_28

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_factura	id_factura

5.1.28.4 Relationship join id_factura = id_factura of the relationship Relationship_28**5.1.28.4.1 Card of the relationship join id_factura = id_factura of the relationship Relationship_28**

<i>Child Attribute</i>	id_factura
<i>Parent Attribute</i>	id_factura

5.1.29 Relationship Relationship_29**5.1.29.1 Card of relationship Relationship_29**

<i>Name</i>	Relationship_29
<i>Code</i>	RELATIONSHIP_29
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Estado_Auto
<i>Entity 2</i>	Stock_Auto
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.29.2 List of diagrams containing the relationship Relationship_29

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.29.3 List of relationship joins of the relationship Relationship_29

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_estadoAuto	id_estadoAuto

5.1.29.4 Relationship join id_estadoAuto = id_estadoAuto of the relationship Relationship_29**5.1.29.4.1 Card of the relationship join id_estadoAuto = id_estadoAuto of the relationship Relationship_29**

<i>Child Attribute</i>	id_estadoAuto
<i>Parent Attribute</i>	id_estadoAuto

5.1.30 Relationship Relationship_30**5.1.30.1 Card of relationship Relationship_30**

<i>Name</i>	Relationship_30
<i>Code</i>	RELATIONSHIP_30
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Estado_Parte
<i>Entity 2</i>	Stock_Parte
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.30.2 List of diagrams containing the relationship Relationship_30

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.30.3 List of relationship joins of the relationship Relationship_30

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_estadoParte	id_estadoParte

5.1.30.4 Relationship join id_estadoParte = id_estadoParte of the relationship Relationship_30**5.1.30.4.1 Card of the relationship join id_estadoParte = id_estadoParte of the relationship Relationship_30**

<i>Child Attribute</i>	id_estadoParte
<i>Parent Attribute</i>	id_estadoParte

5.1.31 Relationship Relationship_31**5.1.31.1 Card of relationship Relationship_31**

<i>Name</i>	Relationship_31
<i>Code</i>	RELATIONSHIP_31
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'

<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Tipo_Movimiento
<i>Entity 2</i>	Stock_Parte
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.31.2 List of diagrams containing the relationship Relationship_31

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.31.3 List of relationship joins of the relationship Relationship_31

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoMovimiento	id_tipoMovimiento

5.1.31.4 Relationship join id_tipoMovimiento = id_tipoMovimiento of the relationship Relationship_31

5.1.31.4.1 Card of the relationship join id_tipoMovimiento = id_tipoMovimiento of the relationship Relationship_31

<i>Child Attribute</i>	id_tipoMovimiento
<i>Parent Attribute</i>	id_tipoMovimiento

5.1.32 Relationship Relationship_32

5.1.32.1 Card of relationship Relationship_32

<i>Name</i>	Relationship_32
<i>Code</i>	RELATIONSHIP_32
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Tipo_Movimiento
<i>Entity 2</i>	Stock_Auto
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.32.2 List of diagrams containing the relationship Relationship_32

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.32.3 List of relationship joins of the relationship Relationship_32

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoMovimiento	id_tipoMovimiento

5.1.32.4 Relationship join id_tipoMovimiento = id_tipoMovimiento of the relationship Relationship_32

5.1.32.4.1 Card of the relationship join id_tipoMovimiento = id_tipoMovimiento of the relationship Relationship_32

<i>Child Attribute</i>	id_tipoMovimiento
<i>Parent Attribute</i>	id_tipoMovimiento

5.1.33 Relationship Relationship_34

5.1.33.1 Card of relationship Relationship_34

<i>Name</i>	Relationship_34
<i>Code</i>	RELATIONSHIP_34
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Parte
<i>Entity 2</i>	Stock_Parte
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.33.2 List of diagrams containing the relationship Relationship_34

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.33.3 List of relationship joins of the relationship Relationship_34

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_parte	id_parte

5.1.33.4 Relationship join id_parte = id_parte of the relationship Relationship_34

5.1.33.4.1 Card of the relationship join id_parte = id_parte of the relationship Relationship_34

<i>Child Attribute</i>	id_parte
<i>Parent Attribute</i>	id_parte

5.1.34 Relationship Relationship_35

5.1.34.1 Card of relationship Relationship_35

<i>Name</i>	Relationship_35
<i>Code</i>	RELATIONSHIP_35
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Auto
<i>Entity 2</i>	Stock_Auto
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.34.2 List of diagrams containing the relationship Relationship_35

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.34.3 List of relationship joins of the relationship Relationship_35

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_auto	id_auto

5.1.34.4 Relationship join id_auto = id_auto of the relationship Relationship_35**5.1.34.4.1 Card of the relationship join id_auto = id_auto of the relationship Relationship_35**

<i>Child Attribute</i>	id_auto
<i>Parent Attribute</i>	id_auto

5.1.35 Relationship Relationship_36**5.1.35.1 Card of relationship Relationship_36**

<i>Name</i>	Relationship_36
<i>Code</i>	RELATIONSHIP_36
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Auto
<i>Entity 2</i>	Historico_Precio_Auto
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.35.2 List of diagrams containing the relationship Relationship_36

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.35.3 List of relationship joins of the relationship Relationship_36

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_auto	id_auto

5.1.35.4 Relationship join id_auto = id_auto of the relationship Relationship_36**5.1.35.4.1 Card of the relationship join id_auto = id_auto of the relationship Relationship_36**

<i>Child Attribute</i>	id_auto
<i>Parent Attribute</i>	id_auto

5.1.36 Relationship Relationship_37**5.1.36.1 Card of relationship Relationship_37**

<i>Name</i>	Relationship_37
<i>Code</i>	RELATIONSHIP_37
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'

<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Parte
<i>Entity 2</i>	Historico_Precio_Parte
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.36.2 List of diagrams containing the relationship Relationship_37

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.36.3 List of relationship joins of the relationship Relationship_37

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_parte	id_parte

5.1.36.4 Relationship join id_parte = id_parte of the relationship Relationship_37**5.1.36.4.1 Card of the relationship join id_parte = id_parte of the relationship Relationship_37**

<i>Child Attribute</i>	id_parte
<i>Parent Attribute</i>	id_parte

5.1.37 Relationship Relationship_38**5.1.37.1 Card of relationship Relationship_38**

<i>Name</i>	Relationship_38
<i>Code</i>	RELATIONSHIP_38
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Tipo_Parte
<i>Entity 2</i>	Parte
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.37.2 List of diagrams containing the relationship Relationship_38

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.37.3 List of relationship joins of the relationship Relationship_38

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoParte	id_tipoParte

5.1.37.4 Relationship join id_tipoParte = id_tipoParte of the relationship Relationship_38

<i>Child Attribute</i>	id_tipoParte
<i>Parent Attribute</i>	id_tipoParte

5.1.38 Relationship Relationship_39

5.1.38.1 Card of relationship Relationship_39

<i>Name</i>	Relationship_39
<i>Code</i>	RELATIONSHIP_39
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Tipo_Caracteristica
<i>Entity 2</i>	Caracteristica
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.38.2 List of diagrams containing the relationship Relationship_39

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.38.3 List of relationship joins of the relationship Relationship_39

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_tipoCaracteristica	id_tipoCaracteristica

5.1.38.4 Relationship join id_tipoCaracteristica = id_tipoCaracteristica of the relationship Relationship_39

5.1.38.4.1 Card of the relationship join id_tipoCaracteristica = id_tipoCaracteristica of the relationship Relationship_39

<i>Child Attribute</i>	id_tipoCaracteristica
<i>Parent Attribute</i>	id_tipoCaracteristica

5.1.39 Relationship Relationship_40

5.1.39.1 Card of relationship Relationship_40

<i>Name</i>	Relationship_40
<i>Code</i>	RELATIONSHIP_40
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Caracteristica
<i>Entity 2</i>	Caracteristica
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	0,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	0,1

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.39.3 List of relationship joins of the relationship Relationship_40

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_caracteristica	Car_id_caracteristica

5.1.39.4 Relationship join id_caracteristica = Car_id_caracteristica of the relationship Relationship_40

5.1.39.4.1 Card of the relationship join id_caracteristica = Car_id_caracteristica of the relationship Relationship_40

<i>Child Attribute</i>	Car_id_caracteristica
<i>Parent Attribute</i>	id_caracteristica

5.1.40 Relationship Relationship_42

5.1.40.1 Card of relationship Relationship_42

<i>Name</i>	Relationship_42
<i>Code</i>	RELATIONSHIP_42
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Salario
<i>Entity 2</i>	Empleado
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.40.2 List of diagrams containing the relationship Relationship_42

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.40.3 List of relationship joins of the relationship Relationship_42

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_salario	id_salario

5.1.40.4 Relationship join id_salario = id_salario of the relationship Relationship_42

5.1.40.4.1 Card of the relationship join id_salario = id_salario of the relationship Relationship_42

<i>Child Attribute</i>	id_salario
<i>Parent Attribute</i>	id_salario

5.1.41 Relationship Relationship_43

5.1.41.1 Card of relationship Relationship_43

<i>Name</i>	Relationship_43
<i>Code</i>	RELATIONSHIP_43
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	

<i>Generate</i>	Yes
<i>Entity 1</i>	Cargo
<i>Entity 2</i>	Empleado
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.41.2 List of diagrams containing the relationship Relationship_43

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.41.3 List of relationship joins of the relationship Relationship_43

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_cargo	id_cargo

5.1.41.4 Relationship join id_cargo = id_cargo of the relationship Relationship_43**5.1.41.4.1 Card of the relationship join id_cargo = id_cargo of the relationship Relationship_43**

<i>Child Attribute</i>	id_cargo
<i>Parent Attribute</i>	id_cargo

5.1.42 Relationship Relationship_44**5.1.42.1 Card of relationship Relationship_44**

<i>Name</i>	Relationship_44
<i>Code</i>	RELATIONSHIP_45
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Auto
<i>Entity 2</i>	Parte_Auto
<i>Dependent Role</i>	Parte_Auto -> Auto
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.42.2 List of diagrams containing the relationship Relationship_44

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.42.3 List of relationship joins of the relationship Relationship_44

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_auto	id_auto

5.1.42.4 Relationship join id_auto = id_auto of the relationship Relationship_44**5.1.42.4.1 Card of the relationship join id_auto = id_auto of the relationship Relationship_44**

<i>Child Attribute</i>	id_auto
------------------------	---------

<i>Parent Attribute</i>	id_auto
-------------------------	---------

5.1.43 Relationship Relationship_44

5.1.43.1 Card of relationship Relationship_44

<i>Name</i>	Relationship_44
<i>Code</i>	RELATIONSHIP_44
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Parte_Auto
<i>Entity 2</i>	Parte
<i>Dependent Role</i>	Parte_Auto -> Parte
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,1
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,n

5.1.43.2 List of diagrams containing the relationship Relationship_44

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.43.3 List of relationship joins of the relationship Relationship_44

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_parte	id_parte

5.1.43.4 Relationship join id_parte = id_parte of the relationship Relationship_44

5.1.43.4.1 Card of the relationship join id_parte = id_parte of the relationship Relationship_44

<i>Child Attribute</i>	id_parte
<i>Parent Attribute</i>	id_parte

5.1.44 Relationship Relationship_46

5.1.44.1 Card of relationship Relationship_46

<i>Name</i>	Relationship_46
<i>Code</i>	RELATIONSHIP_46
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Auto_Caracteristica
<i>Entity 2</i>	Caracteristica
<i>Dependent Role</i>	Auto_Caracteristica -> Caracteristica
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,1
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,n

5.1.44.2 List of diagrams containing the relationship Relationship_46

<i>Name</i>	<i>Code</i>
-------------	-------------

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.44.3 List of relationship joins of the relationship Relationship_46

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_caracteristica	id_caracteristica

5.1.44.4 Relationship join id_caracteristica = id_caracteristica of the relationship Relationship_46

5.1.44.4.1 Card of the relationship join id_caracteristica = id_caracteristica of the relationship Relationship_46

<i>Child Attribute</i>	id_caracteristica
<i>Parent Attribute</i>	id_caracteristica

5.1.45 Relationship Relationship_46

5.1.45.1 Card of relationship Relationship_46

<i>Name</i>	Relationship_46
<i>Code</i>	RELATIONSHIP_47
<i>Parent</i>	Logical Data Model 'LogicalDataModel_1'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Auto
<i>Entity 2</i>	Auto_Caracteristica
<i>Dependent Role</i>	Auto_Caracteristica -> Auto
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.45.2 List of diagrams containing the relationship Relationship_46

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.45.3 List of relationship joins of the relationship Relationship_46

<i>Parent Attribute</i>	<i>Child Attribute</i>
id_auto	id_auto

5.1.45.4 Relationship join id_auto = id_auto of the relationship Relationship_46

5.1.45.4.1 Card of the relationship join id_auto = id_auto of the relationship Relationship_46

<i>Child Attribute</i>	id_auto
<i>Parent Attribute</i>	id_auto

