

Engineering: DB Introduction to Databases

brannerchinese (/dashboard)

Courseware (/courses/Engineering/db/2014_1/courseware)

Course Info (/courses/Engineering/db/2014_1/info)

Discussion (/courses/Engineering/db/2014_1/discussion/forum)

Wiki (/courses/Engineering/db/2014 1/course wiki)

Progress (/courses/Engineering/db/2014_1/progress)

Syllabus (/courses/Engineering/db/2014 1/ecb24bd5517b470bbf30f8be67d29c7b/)

Readings (/courses/Engineering/db/2014_1/d7164b54dc614cb7835fe8aea4b9b3a9/)

Software Guides (/courses/Engineering/db/2014_1/a9ce7e86f39c4f8aa833215e22c02e20/)

Extra Problems (/courses/Engineering/db/2014 1/cdd688fe03544c8aa1f9cff9d6ff0b53/)

Additional Info (/courses/Engineering/db/2014_1/82c5fa0444034bf8bf57a1f40214cdf6/)

Q2 (1.0/1.0 points)

Which of the following expressons does NOT return the names and GPAs of students with HS>1000 who applied to CS and were rejected?

 \circ $\pi_{sName,GPA}(\sigma_{Student.sID=Apply.sID}(\sigma_{HS>1000}(Student) \times \sigma_{major=`CS`\land dec=`R`}(Apply)))$

 \circ $\pi_{sName,GPA}(\sigma_{Student.sID=Apply.sID \land HS>1000 \land major=`CS` \land dec=`R`}(Student \times \pi_{sID,major,dec}Apply))$

 \bullet $\sigma_{Student.sID=Apply.sID}(\pi_{sName.GPA}(\sigma_{HS>1000}Student \times \sigma_{major=`CS`\land dec=`R`}Apply))$

~

Save

Submit

Show Answer(s)

You have used 1 of 4 submissions

Terms of Service (/tos) Privacy Policy (/tos#privacy) Honor Code (/tos#honor) Copyright (/tos#copyright) Careers (/about#careers) Contact (/about#contact) Help (/faq)

Built on OpenEdX (http://code.edx.org).

Stainford University

(http://www.stanford.edu)

SU Home (http://www.stanford.edu)
Maps & Directions (http://visit.stanford.edu/plan/maps.html)
Search Stanford (http://www.stanford.edu/search/)
Terms of Use (http://www.stanford.edu/site/terms.html)
Copyright Complaints (http://www.stanford.edu/site/copyright.html)