

In the modern era of embodied Artificial Intelligence (AI) systems, the integration of Natural Language Processing (NLP) and Computer Vision (CV) foundational models trained on extensive data has propelled efforts to develop generalist robotic policies. These advancements have enabled intelligent agents to recognize patterns and perform manipulative tasks with increasing proficiency. However, despite these efforts, current models often fall short in **reasoning**, **planning**, and **executing** *long-horizon* tasks. The challenges of autonomously generating strategies, employing hierarchical reasoning, and making informed decisions remain unresolved in embodied AI. My research interests are driven by these challenges and focus on the intersection of NLP and robotics, where I aim to:

- (1) **Develop embodied agents that follow and interact with natural language *collaboratively*.**
- (2) **Leverage language for reasoning and planning to navigate complex environments and solve long-horizon tasks.**

My interests are shaped by my past research experiences, which involved Reinforcement Learning (RL) for robotics, language and vision-guided manipulation, 3D perception, and natural language reasoning.

Reinforcement Learning and the Need for Reasoning Robotics is inherently collaborative, yet enabling true *autonomous* cooperation in *multi-agent* systems remains a significant challenge. To pursue my interest in collaborative agents, I joined the **Collaborative Robotics Lab** at the **University of Virginia** (UVA) with **Prof. Tariq Iqbal**, focusing on researching multi-agent RL to develop collaborative robotic policies. I developed simulation environments for complex assembly tasks and designed offline centralized RL policies that enabled robots to collaborate effectively. However, I realized that our robots' successes heavily depended on meticulously crafted reward functions, which required labor-intensive and supervised design processes. This reliance highlighted a significant limitation: *the inability of robots to adapt to new environments without extensive human input*. Observing this, I became curious about whether robots could mimic how humans navigate complex environments through innate reasoning rather than external supervision.

Language and Vision Guided Robotic Manipulation Motivated by the limitations of reward supervision in RL policies, I explored *language* and *vision*-driven approaches to enable robots to *reason* and *act* autonomously. Supported by the Dean's Engineering Research Scholarship at UVA, I collaborated with colleagues at the Collaborative Robotics Lab to develop *GLOMA: Grounded Location for Object Manipulation*, a novel framework that leverages large language models (LLM) and image diffusion models to generate goal images for robotic manipulation tasks based on language instructions. I presented an approach that leverages an LLM's reasoning abilities to predict rearranged bounding boxes of objects in a scene based on a prompt. Then, I used a diffusion model to generate the new scene conditioned on these newly arranged bounding boxes. This advancement enables robots to execute goal-conditioned policies—such as RL and Behavioral Cloning (BC)—without the need for manually crafted reward functions, allowing them to autonomously *imagine* subgoals for long-horizon tasks in complex environments. As the project leader, I led the development of the *GLOMA* model, from conceptualization to implementation, including creating the manipulation dataset and fine-tuning the base language model to enhance its reasoning capabilities. I presented *GLOMA* at multiple research symposiums, highlighting its innovative approach. As robotics scenarios grow more complex, however, I realized that traditional 2D image-based methods fail to capture the 3D semantics and inherent object relationships of natural environments. This realization motivated me to explore 3D-based methods for fine-grained robotic perception.

Advancing Robotic Perception with 3D Gaussian Splatting To continue goal synthesis motivated by autonomous robotic policies, I expanded this capability to 3D by collaborating with **Prof. Jia-Bin Huang** at the **University of Maryland** and colleagues from **MIT**. Our ongoing research addresses the limitations of 2D image-based goal synthesis, which falls short in environments requiring 3D understanding, such as scenarios involving vertical displacement that cannot be captured in 2D. We leverage 3D Gaussian Splatting (3DGS) for highly accurate 3D field representation, enabling more effective robotic perception. To enhance semantic understanding, we inject embeddings from large 2D foundational models into 3DGS, allowing robots to comprehend scene semantics and perform object-level edits. This process is supported by video segmentation to maintain temporal consistency and ensure reliable integration of 2D training data into 3D scenes. Although full results are still pending, initial findings indicate that goal synthesis in 3D space can facilitate robust and adaptable robotic policies due to the rich environmental understanding

provided by 3DGS. As the project lead, I developed the codebase and experimented with different approaches for embedding injection. This is very much an active line of research, and I am excited to continue exploring the potential of language-embedded 3DGS in robotic perception and manipulation.

Advancing Robotic Perception with 3D Gaussian Splatting To continue goal synthesis motivated by autonomous robotic policies, I expanded this capability to 3D by collaborating with **Prof. Jia-Bin Huang** at the **University of Maryland** and colleagues from **MIT**. Our ongoing research addresses the limitations of 2D image-based goal synthesis, which falls short in environments requiring 3D understanding, such as scenarios involving vertical displacement that cannot be captured in 2D. We leverage 3D Gaussian Splatting (3DGS) for highly accurate 3D field representation, enabling more effective robotic perception. To enhance semantic understanding, we inject embeddings from large 2D foundational models into 3DGS, allowing robots to comprehend scene semantics and perform object-level edits. Our preliminary results demonstrate that 3D goal synthesis enables more robust and precise robotic manipulation. As project lead, I developed the codebase and explored various embedding injection techniques to achieve this enhanced performance.

Future Plans I plan to extend my research in skill-conditioned reasoning and planning for embodied agents by developing systems that utilize **complex semantic concepts** (e.g., *object affordances*, *spatial relations*, *grasping strategies*, *object interaction strategies*) to enhance their understanding of the physical world. In addition to acquiring useful skill manipulation priors (e.g., *picking*, *grasping*, *placing*), learning complex semantic concepts enables embodied agents to **reason** about the objects and scenes they interact with, and to **plan** and **execute** their actions based on this understanding. This approach could facilitate the development of **robust generalist robotic policies** capable of performing language-guided manipulation in complex scenes. I will leverage insights from NLP and multimodal communities, which have made significant progress in modeling semantic structures across various perceptual inputs. Furthermore, building on my work with 3DGS, I believe richer 3D environment representations can enhance concept learning, allowing agents more informed reasoning about the physical world.

Building on my experience and passion for collaborative agents, I also aim to develop embodied agents that can **reason, plan, and execute tasks collaboratively**. While modern foundational LLM systems are capable of conversing with humans, current robotic systems have yet to fully leverage this capability for collaboration, either with other agents or with humans in the physical world. By developing agents that can reason and plan based on natural language instructions, we can enable robots to perform *collaborative* tasks, such as assembling furniture, cooking, or cleaning. To achieve this, I plan to integrate existing NLP methods for collaborative dialogue into embodied AI, combining them with robotic manipulation systems to enable collaborative task execution.

Why UC Irvine The M.S. Computer Science at UCI provides the strong academic rigor and diverse research community necessary for my pursuit of a future Ph.D. in embodied AI. To strengthen my technical background in computer vision, I am excited about taking courses such as *Advanced 3D Computer Graphics*. I am also eager to take UCI's project-based courses, including *Project in Artificial Intelligence*. The hands-on nature of these courses suits my personal learning style and will enable me to enrich my foundational knowledge of AI.

In addition to the rigorous coursework offered at UCI, I am particularly drawn to the opportunity to conduct research in the M.S. CS Thesis Plan. I am very interested in collaborating with **Prof. Unnat Jain**, whose focus on language-guided robot learning and self-supervised learning aligns closely with my own research goals in NLP and robotics. Additionally, I am excited to explore potential collaborations with **Prof. Roy Fox**, whose work in imitation learning, skill learning, and RL complements my research background and future ambitions. Additionally, I am drawn to the research of **Prof. Sameer Singh**, whose lab conducts reasoning research in NLP. Their work inspires me to use these concepts to improve reasoning capabilities in embodied agents. Lastly, I am excited to engage with the larger ML community at UCI, such as the *Center for Machine Learning and Intelligent Systems*, where there are diverse and interdisciplinary research projects that I can both contribute to and learn from.