CSCI 3104 Spring 2023 Instructors: Chandra Kanth Nagesh and Prof. Ryan Layer

Quiz 20 Standard 20 – (Divide & Conquer) QuickSort

| Due Date | TODO |
|-----------------------------------------------------------------|-------------------------------------------|
| Name | Blake Raphael |
| Student ID | $\dots \dots \dots \dots \dots 109752312$ |
| Quiz Code (enter in Canvas to get access to the LaTeX template) | MQRYY |
| Contents | |
| Instructions | 1 |
| Honor Code (Make Sure to Virtually Sign) | 2 |
| 20 Standard 20 – (Divide & Conquer) QuickSort (4 points) | 3 |

Instructions

- You may either type your work using this template, or you may handwrite your work and embed it as an image in this template. If you choose to handwrite your work, the image must be legible, and oriented so that we do not have to rotate our screens to grade your work. We have included some helpful LaTeX commands for including and rotating images commented out near the end of the LaTeX template.
- You should submit your work through the **class Gradescope page** only. Please submit one PDF file, compiled using this LATEX template.
- You may not need a full page for your solutions; pagebreaks are there to help Gradescope automatically find where each problem is. Even if you do not attempt every problem, please submit this document with no fewer pages than the blank template (or Gradescope has issues with it).
- You may not collaborate with other students. Copying from any source is an Honor Code violation. Furthermore, all submissions must be in your own words and reflect your understanding of the material. If there is any confusion about this policy, it is your responsibility to clarify before the due date.
- Posting to any service including, but not limited to Chegg, Discord, Reddit, StackExchange, etc., for help on an assignment is a violation of the Honor Code.
- You **must** virtually sign the Honor Code (see Section). Failure to do so will result in your assignment not being graded.

Honor Code (Make Sure to Virtually Sign)

Problem HC. • My submission is in my own words and reflects my understanding of the material.

- Any collaborations and external sources have been clearly cited in this document.
- I have not posted to external services including, but not limited to Chegg, Reddit, StackExchange, etc.

• I have neither copied nor provided others solutions they can copy.

Agreed (I agree to the above, Blake Raphael).

20 Standard 20 – (Divide & Conquer) QuickSort (4 points)

Problem 20. Consider a modified version of QUICKSORT, in which the PARTITION subroutine always chooses the 9-th largest element for a list of size $n \geq 9$. You may assume PARTITION still takes $\Theta(n)$ time on lists of length n. (4 points)

Do the following three parts of the question.

1. Write down the recurrence relation for the runtime of this modified version of QUICKSORT. Justify your recurrence relation in 1–2 sentences. (1 point)

Answer.

$$T(n) = \begin{cases} \Theta(n) & : n < 9, \\ T(9) + T(n - 9) + \Theta(n) & : n \ge 9. \end{cases}$$

This would be our recurrence relation because we recurse on the 9th largest element for every recursion call.

2. Solve your recurrence relation from part (1), by any method you choose. Show your work. Find a function f(n) such that the runtime T(n) is $T(n) = \Theta(f(n))$. (2 points)

Answer. We see that:

$$T(n) = T(n-10) + \Theta(n-9) + \Theta(n))$$

$$= T(n-11) + \Theta(n-10) + \Theta(n-1) + \Theta(n)$$

$$= T(n-9+k) + \Theta(n-((9+k)+1)) + \dots + \Theta(n)$$

So $T(n) \in \Theta(n^2)$

- 3. Write down the following three functions and put them in order from smallest to largest. If two are asymptotically equal (Θ of one another), you should clearly indicate this. (1 point)
 - the best-case running time of QUICKSORT (when it always chooses the best possible pivot),
 - the worst-case running time of QUICKSORT (when it always chooses the worst possible pivot),
 - your answer from part (2) above.

You do not need to recalculate the best- and worst-case runtimes, those you can get from class notes.

Answer. The ordering for runtimes of quicksort is as follows: Best Runtime < Answer from part $2 \in \Theta(\text{Worst Runtime})$.