

Behavioral, neural, and psychiatric correlates of social feedback

Brent I. Rappaport¹, Autumn Kujawa², Kodi B. Arfer³, Samantha Pegg², Danielle Kelly⁴,
Joan L. Luby⁴, & Deanna M. Barch^{1,4,5}

¹ Psychological & Brain Science, Washington University in St. Louis

² Department of Psychology & Human Development, Vanderbilt University

³ Center for HIV Identification, Prevention, and Treatment Services, University of California

⁴ Department of Psychiatry, School of Medicine, Washington University in St. Louis

⁵ Department of Radiology, School of Medicine, Washington University in St. Louis

1 Psychological & Brain Science, Washington University in St. Louis, St. Louis, MO

2 Department of Psychology & Human Development, Vanderbilt University, Nashville,

TN

3 Center for HIV Identification, Prevention, and Treatment Services, University of

California, Los Angeles, Los Angeles, CA

4 Department of Psychiatry, School of Medicine, Washington University in St. Louis,

St. Louis, MO

5 Department of Radiology, School of Medicine, Washington University in St. Louis,

St. Louis, MO

The authors made the following contributions. Brent I. Rappaport: Conceptualization,
Formal Analysis, Writing - Original Draft Preparation, Writing - Review & Editing; Autumn
Kujawa: Methodology, Conceptualization, Writing - Review & Editing; Kodi B. Arfer:
Software, Writing - Review & Editing; Samantha Pegg: Formal Analysis, Writing - Review
& Editing; Danielle Kelly: Writing - Review & Editing, Supervision, Resources, Funding
acquisition; Joan L. Luby: Resources, Funding acquisition, Writing - Review & Editing;
Deanna M. Barch: Conceptualization, Supervision, Resources, Funding acquisition, Writing -
Review & Editing.

Correspondence concerning this article should be addressed to Brent I. Rappaport,
One Brookings Drive St. Louis, MO 63130. E-mail: brappaport@wustl.edu

Table 1
Demographics of study sample

Variable	Sample (N=114)
Age	18.52 (1.1)
SES (income to need)	3.61 (2.35)
Sex (female)	57 (50%)
White or Caucasian	69 (60.53%)
Black or African American	33 (28.95%)
Multiracial	12 (10.53%)
Hispanic	3 (2.63%)
Recent psychotropic medication use	13 (12.38%)

Note. N=9 missing recent psychotropic medication use.
Mean (SD) for continuous variables or N (%) for
categorical variables presented.

29 Behavioral, neural, and psychiatric correlates of social feedback

30 **Tables**

31 **Demographics**

32 **Correlations**

Table 2
Correlations between variables of interest

	Mean_SD	RewP	FN	Reward Bias	Loss Avoidance	Depression	Social Anxiety
RewP	0 (1.02)	—	0.829	0.013	0.032	-0.08	0.049
FN	0 (1.01)	0.03	—	0.028	0.196	-0.007	0.116
Reward Bias	0.19 (0.57)	0.1	0.099	—	-0.053	0.074	0.024
Loss Avoidance	0.25 (0.61)	0.107	0.107	0.1	—	0.16	0.04
Depression	11.43 (12.91)	0.096	0.096	0.098	0.096	—	0.54
Social Anxiety	4.72 (4.18)	0.095	0.094	0.104	0.101	0.067	—

Note. Correlations coefficients (r) are presented in the upper diagonal, while residual standard errors (rse) are presented in the lower diagonal

Association between RewP/FN and reward bias and loss avoidance

Association between RewP/FN and depression and social anxiety severity

Association between Reward bias/loss avoidance and depression and social anxiety severity

Structural equation modeling of hypotheses

Figures

Figure 1




Figure 1. Depiction of island getaway trial and schematic of PILT

(#fig:Figure 1)

Figure 2

Warning: attributes are not identical across measure variables;

they will be dropped

Figure 3

Table 3

Multiple regressions of RewP/FN predicted by behavioral reward bias and loss avoidance and psychopathology

Predictors	RewP			FN		
	β	CI	p	β	CI	p
Reward bias and loss avoidance						
Intercept	0.07	(-0.244, 0.386)	0.66	0.04	(-0.282, 0.353)	0.82
Reward Bias	-0.02	(-0.235, 0.189)	0.83	0.02	(-0.186, 0.223)	0.86
Loss Avoidance	0.12	(-0.119, 0.349)	0.33	0.25	(0.016, 0.487)	0.04
Age	0.06	(-0.13, 0.254)	0.52	0.01	(-0.181, 0.203)	0.91
Sex	-0.10	(-0.481, 0.277)	0.59	0.00	(-0.376, 0.383)	0.98
Black or AA	-0.12	(-0.6, 0.365)	0.63	-0.13	(-0.615, 0.357)	0.60
Multiracial	0.02	(-0.661, 0.705)	0.95	-0.15	(-0.831, 0.536)	0.67
Hispanic	0.44	(-0.8, 1.67)	0.49	0.56	(-0.674, 1.793)	0.37
SES	0.26	(0.02, 0.495)	0.03	0.17	(-0.073, 0.405)	0.17
Psychopathology						
Intercept	0.07	(-0.244, 0.387)	0.66	0.07	(-0.249, 0.395)	0.65
Depression	-0.12	(-0.367, 0.124)	0.33	-0.09	(-0.334, 0.162)	0.49
Social Anxiety	0.11	(-0.115, 0.336)	0.33	0.16	(-0.069, 0.389)	0.17
Age	0.04	(-0.155, 0.232)	0.69	-0.02	(-0.218, 0.178)	0.84
Sex	-0.11	(-0.488, 0.268)	0.56	-0.05	(-0.439, 0.331)	0.78
Black or AA	-0.12	(-0.596, 0.365)	0.64	-0.14	(-0.63, 0.35)	0.57
Multiracial	0.04	(-0.653, 0.731)	0.91	-0.20	(-0.903, 0.508)	0.58
Hispanic	0.50	(-0.735, 1.746)	0.42	0.58	(-0.68, 1.848)	0.36
SES	0.20	(-0.011, 0.417)	0.06	0.08	(-0.143, 0.293)	0.50

Table 4

Multiple regressions of Reward bias/loss avoidance predicted by psychopathology

	Reward bias			Loss avoidance		
	β	CI	p	β	CI	p
Intercept	-0.01	(-0.358, 0.332)	0.94	0.22	(-0.117, 0.562)	0.20
Depression	0.07	(-0.18, 0.312)	0.60	0.20	(-0.037, 0.438)	0.10
Social Anxiety	-0.02	(-0.262, 0.216)	0.85	-0.04	(-0.269, 0.182)	0.70
Age	-0.09	(-0.29, 0.106)	0.36	-0.06	(-0.255, 0.127)	0.51
Sex	-0.18	(-0.614, 0.265)	0.43	-0.21	(-0.62, 0.197)	0.30
Black or AA	0.21	(-0.296, 0.709)	0.42	-0.21	(-0.728, 0.304)	0.42
Multiracial	0.51	(-0.244, 1.268)	0.18	-0.49	(-1.165, 0.179)	0.15
Hispanic	-0.52	(-1.762, 0.728)	0.41	-0.13	(-1.317, 1.059)	0.83
SES	0.23	(0.005, 0.461)	0.04	-0.35	(-0.581, -0.119)	0.00

Table 5

Model fit of SEM model of hypotheses

Fit measure	Simplified model	Full model
chisq	18.97	7.11
df	12.00	4.00
pvalue	0.09	0.13
cfi	0.96	0.98
rmsea	0.07	0.08
srmr	0.06	0.03
aic	2,372.37	2,376.52
bic	2,413.42	2,439.45

Note. Delta $\chi^2 = 13.61$




Figure 2. ERP waveforms to acceptance and rejection feedback

(#fig:Facet plots together)




Figure 3. RewP to social acceptance and income to needs ratio

(#fig:I2N plot)

Supplement

Aim 1: with discriminability

Psychotropic meds supplementary analysis

Other ERP components

Table 6

Multiple regressions of RewP/FN predicted by behavioral reward bias and loss avoidance covarying for accuracy

	RewP			FN		
	β	CI	p	β	CI	p
Intercept	0.12	(-0.537, 0.774)	0.72	0.22	(-0.443, 0.891)	0.51
Reward Bias	0.02	(-0.211, 0.257)	0.85	0.06	(-0.154, 0.284)	0.56
Loss Avoidance	0.12	(-0.122, 0.355)	0.33	0.24	(0.002, 0.486)	0.05
PILT-P Accuracy	-0.29	(-0.895, 0.311)	0.33	-0.37	(-0.924, 0.192)	0.19
PILT-N Accuracy	0.26	(-0.321, 0.832)	0.37	0.23	(-0.347, 0.799)	0.42
Age	0.07	(-0.123, 0.268)	0.46	0.02	(-0.181, 0.211)	0.88
Sex	-0.13	(-0.51, 0.256)	0.51	-0.02	(-0.402, 0.367)	0.93
Black or AA	-0.23	(-0.763, 0.298)	0.39	-0.26	(-0.785, 0.268)	0.33
Multiracial	0.08	(-0.613, 0.764)	0.83	-0.09	(-0.775, 0.599)	0.80
Hispanic	0.38	(-0.855, 1.615)	0.54	0.51	(-0.72, 1.741)	0.41
SES	0.24	(0.004, 0.485)	0.05	0.16	(-0.086, 0.396)	0.20

Table 7

Multiple regressions of RewP/FN predicted by behavioral reward bias and loss avoidance and psychopathology covarying for recent psychotropic medication use

Predictors	RewP			FN		
	β	CI	p	β	CI	p
Reward bias and loss avoidance						
Intercept	0.07	(-0.244, 0.386)	0.66	0.04	(-0.282, 0.353)	0.82
Reward Bias	-0.02	(-0.235, 0.189)	0.83	0.02	(-0.186, 0.223)	0.86
Loss Avoidance	0.12	(-0.119, 0.349)	0.33	0.25	(0.016, 0.487)	0.04
Age	0.06	(-0.13, 0.254)	0.52	0.01	(-0.181, 0.203)	0.91
Sex	-0.10	(-0.481, 0.277)	0.59	0.00	(-0.376, 0.383)	0.98
Black or AA	-0.12	(-0.6, 0.365)	0.63	-0.13	(-0.615, 0.357)	0.60
Multiracial	0.02	(-0.661, 0.705)	0.95	-0.15	(-0.831, 0.536)	0.67
Hispanic	0.44	(-0.8, 1.67)	0.49	0.56	(-0.674, 1.793)	0.37
SES	0.26	(0.02, 0.495)	0.03	0.17	(-0.073, 0.405)	0.17
Psychopathology						
Intercept	0.07	(-0.244, 0.387)	0.66	0.07	(-0.249, 0.395)	0.65
Depression	-0.12	(-0.367, 0.124)	0.33	-0.09	(-0.334, 0.162)	0.49
Social Anxiety	0.11	(-0.115, 0.336)	0.33	0.16	(-0.069, 0.389)	0.17
Age	0.04	(-0.155, 0.232)	0.69	-0.02	(-0.218, 0.178)	0.84
Sex	-0.11	(-0.488, 0.268)	0.56	-0.05	(-0.439, 0.331)	0.78
Black or AA	-0.12	(-0.596, 0.365)	0.64	-0.14	(-0.63, 0.35)	0.57
Multiracial	0.04	(-0.653, 0.731)	0.91	-0.20	(-0.903, 0.508)	0.58
Hispanic	0.50	(-0.735, 1.746)	0.42	0.58	(-0.68, 1.848)	0.36
SES	0.20	(-0.011, 0.417)	0.06	0.08	(-0.143, 0.293)	0.50

Table 8

Multiple regressions of Reward bias/loss avoidance predicted by psychopathology covarying for recent psychotropic medication use

	Reward bias			Loss avoidance		
	β	CI	p	β	CI	p
Intercept	-0.04	(-0.424, 0.334)	0.81	0.21	(-0.157, 0.581)	0.25
Depression	0.09	(-0.172, 0.349)	0.50	0.22	(-0.034, 0.472)	0.09
Social Anxiety	-0.08	(-0.362, 0.202)	0.57	-0.08	(-0.334, 0.182)	0.56
Age	-0.12	(-0.338, 0.088)	0.25	-0.09	(-0.296, 0.111)	0.37
Sex	-0.28	(-0.745, 0.186)	0.23	-0.16	(-0.591, 0.282)	0.48
Black or AA	0.23	(-0.319, 0.786)	0.40	-0.22	(-0.798, 0.352)	0.44
Multiracial	0.55	(-0.258, 1.352)	0.18	-0.37	(-1.095, 0.351)	0.31
Hispanic	-0.50	(-1.771, 0.776)	0.44	-0.22	(-1.437, 0.987)	0.71
SES	0.26	(0.019, 0.511)	0.04	-0.31	(-0.558, -0.069)	0.01
Psychotropic medicine use	0.32	(-0.337, 0.98)	0.33	-0.31	(-0.926, 0.307)	0.32

Table 9

Multiple regressions of P2/N1 predicted by behavioral reward bias and loss avoidance and psychopathology covarying for recent psychotropic medication use

Predictors	P2			N1		
	β	CI	p	β	CI	p
Reward bias and loss avoidance						
Intercept	0.07	(-0.244, 0.386)	0.66	0.04	(-0.282, 0.353)	0.82
Reward Bias	-0.02	(-0.235, 0.189)	0.83	0.02	(-0.186, 0.223)	0.86
Loss Avoidance	0.12	(-0.119, 0.349)	0.33	0.25	(0.016, 0.487)	0.04
Age	0.06	(-0.13, 0.254)	0.52	0.01	(-0.181, 0.203)	0.91
Sex	-0.10	(-0.481, 0.277)	0.59	0.00	(-0.376, 0.383)	0.98
Black or AA	-0.12	(-0.6, 0.365)	0.63	-0.13	(-0.615, 0.357)	0.60
Multiracial	0.02	(-0.661, 0.705)	0.95	-0.15	(-0.831, 0.536)	0.67
Hispanic	0.44	(-0.8, 1.67)	0.49	0.56	(-0.674, 1.793)	0.37
SES	0.26	(0.02, 0.495)	0.03	0.17	(-0.073, 0.405)	0.17
Psychopathology						
Intercept	0.07	(-0.244, 0.387)	0.66	0.07	(-0.249, 0.395)	0.65
Depression	-0.12	(-0.367, 0.124)	0.33	-0.09	(-0.334, 0.162)	0.49
Social Anxiety	0.11	(-0.115, 0.336)	0.33	0.16	(-0.069, 0.389)	0.17
Age	0.04	(-0.155, 0.232)	0.69	-0.02	(-0.218, 0.178)	0.84
Sex	-0.11	(-0.488, 0.268)	0.56	-0.05	(-0.439, 0.331)	0.78
Black or AA	-0.12	(-0.596, 0.365)	0.64	-0.14	(-0.63, 0.35)	0.57
Multiracial	0.04	(-0.653, 0.731)	0.91	-0.20	(-0.903, 0.508)	0.58
Hispanic	0.50	(-0.735, 1.746)	0.42	0.58	(-0.68, 1.848)	0.36
SES	0.20	(-0.011, 0.417)	0.06	0.08	(-0.143, 0.293)	0.50