

Funding source (choose one):

State

Federal X

CNM Grant Procurement Memo

Applies to:

Federal purchases \$10,000 and above or,

State purchases \$20,000 and above

Purchases less than \$60,000

Grant/Project Title: Dept of Ed Quantum Learning Lab

Project Director/PI: Brian Rashap

Grant number within Workday: GR300448

Description of goods or services: Optical Table

Benefit to grant and CNM: Describe how/why this purchase will meet objectives of project.

The Quantum Learning Lab's neutral atom magneto-optical traps need to be setup on optical tables with the correct dampening to ensure the correct photonic alignment for trapping Rb-85 atoms.

Estimated dollar amount: \$11,500

Rationale for method of procurement: Describe how quotes were gathered

Direct quotes from three suppliers of Optical Tables.

<u>Contractor selection or rejection:</u> Name each vendor and indicate whether selected or rejected. This will document and justify the decision for procurement.

- VENDOR #1: ThorLabs
 - Selected or Rejected: SELECTED
 - o Amount of Quote: \$11,481
 - Justification: The ThorLabs table meets all f the technical needs and is a US-based company. The dampening needs are met at a lower price than Vendor 2.
- VENDOR #2: MKS/Newport
 - Selected or Rejected: Rejected
 - Amount of Quote: \$23,695
 - Justification: The MKS/Newport table meets all of the technical needs and is a US-based company. The Newport table had higher dampening than the Thorlabs table (these were the most comparable in the size range that we need), and the higher dampening isn't needed for our students and isn't justified by the cost difference.
- VENDOR #3:
 - Selected or Rejected: Rejected
 - Amount of Quote: \$10,597 (plus shipping)
 - o Justification: Table is comparable in cost, but made in China by a Chinese-based company.



Vendor1: Thorlabs



43 Sparta Avenue • Newton, NJ 07860 • USA

Page 1 of 2

Bill to

Central New Mexico Community College

Accounts Payable P.O. Box 4586

Albuquerque, NM 87196

United States

Ship to

Central New Mexico Community College

Suite 3100 101 Broadway NE Albuquerque, NM 87102

United States

Attention: Brian Rashap Phone: 5058506352 Email: brashap@cnm.edu

Quotation TQ0579558

Date 1/30/2025 **Expiration Date** 3/30/2025 Number TQ0579558-1 Your Reference RASHAP_QuoteV2 Sales Contact Jennifer Lawson Mode of Delivery FedEx Ground Terms of Delivery Free Carrier **Payment Terms** Net 30 days Invoice Account 287440

| | Item# / Description | Quantity | Unit Price [| Disc.% | Disc. Price | Amount | Availability |
|---|---|----------|--------------|--------|-------------|----------|--------------|
| 1 | T48J 4' x 8' x 12.2" Imperial Optical Table 4' x 8' x 12.2" Imperial Optical Table 255 x 132 x 59 cm @ 607 kg Weight: 465.00 Commodity code: 9031.90.9160 Country of Origin: GBR REACH: SVHC Free RoHS: Compliant | 1.00 | 6,183.23 | 10.00 | 5,564.91 | 5,564.91 | Available |
| 2 | PTH702 600mm Set of Heavy Duty Passive Legs 80 x 61 x 78 cm @ 88 KG Weight: 73.60 Commodity code: 9031.90.9160 Country of Origin: GBR REACH: SVHC > 0.1% Lead RoHS: Exempt - Annex III - 6(c) | 1.00 | 2,431.83 | 10.00 | 2,188.65 | 2,188.65 | Available |
| 3 | PTA281 Free Standing Overhead Shelf, 2.5m (8') Long Free Standing Overhead Shelf, 2.5m (8') Long 298 x 72 x 48 cm @ 231 kg Weight: 160.00 Commodity code: 9031.90.9160 Country of Origin: GBR | 1.00 | 2,620.43 | 10.00 | 2,358.39 | 2,358.39 | Available |





43 Sparta Avenue • Newton, NJ 07860 • USA

Page 2 of 2

| | Item# / Description | Quantity | Unit Price | Disc.% | Disc. Price | Amount | Availability |
|---|--|----------|------------|--------|-------------|--------|--------------|
| 4 | HDPS24-US 24 Outlet, Surge-Protected Power Strip, US Plug 24 Outlet, Surge-Protected Power Strip, US Plug 230 x 10 x 10 cm @ 4 kg Weight: 3.59 Commodity code: 8536.30.8000 Country of Origin: GBR | 1.00 | 146.12 | 10.00 | 131.51 | 131.51 | Available |
| 5 | TFC125 Nexus Cable Tray - 1.25m Nexus Cable Tray - 1.25m 136 x 15 x 15 cm @ 2 kg Weight: 2.00 Commodity code: 9031.90.9160 Country of Origin: GBR REACH: SVHC Free RoHS: Compliant | 1.00 | 162.75 | 10.00 | 146.48 | 146.48 | Available |

TForce Freight 5-day transit Same Rate W/ W/Out liftgate Ref#597421157

Lightweight items ship via FedEx Ground

| Grand Total | 11,481.42 | USD |
|---------------------|-----------|-----|
| Sales Tax | 0.00 | |
| Shipping & Handling | 1,091.48 | |
| Subtotal | 10,389.94 | |



Vendor2: MKS/Newport



Quotation

Q-133044

Central New Mexico Community College

CNM FUSE Makerspace 101 Broadway NE, Suite 3100

Albuquerque, NM 87102

USA

Contact: Dr. Brian Rashap Phone: 5058506352 Email: brashap@cnm.edu Quotation Number:Q-133044Quote Valid From:2/7/2025Quote Expiration Date:3/16/2025

Customer Number:

Customer Reference Number:

Please reference the quotation number when placing your order and send your order to:

Newport Corporation

1791 Deere Avenue Irvine, CA 92606

USA

Phone: (800) 222-6440 Email: salesirv@mksinst.com

Note: Shipments via common carrier are to your loading dock only. A forklift may be required to unload shipment at your Receiving, or you may need to request delivery by a truck with lift gate.

Unless expressly stated in this quotation, offers for vibration control products including optical tables, isolation legs and workstations DO NOT include rigging and installation to their final use destination. Upon request, Newport can provide experienced references for these services. ** Please inspect your shipment and note any damage to the packaging prior to signing off the Bill of Lading.

At delivery, please take the time to OPEN the crate and physically look at the product's condition inside the crate. Failure to do so can delay and in some cases cause rejection of any claims of damage to your shipment by the carrier**

| # | Item / Description | Qty | Sales Price | Total Price |
|---|--|-----|-------------|-------------|
| 1 | RS4000-48-12 RS4000 Series Optical Table, 4 ft x 8 ft x 12 in., 1/4-20 Holes Lead Time: 5 Weeks | 1 | \$11,037.00 | \$11,037.00 |
| 2 | S-2000A-423.5-TC Set of four S-2000 Series 23.5 in. tall standard isolator with automatic leveling and tie-bar option Lead Time: 5 Weeks | 1 | \$6,123.00 | \$6,123.00 |
| 3 | TB-48 Isolator Tie-Bar System, 4 x 8 ft imperial Tables Lead Time: 4 Weeks | 1 | \$899.00 | \$899.00 |

Newport Corporation Corporate Headquarters 1791 Deere Avenue Irvine, CA 92606 USA Federal I.D. 94-0849175 www.newport.com

Confidential Information

Page 1 / 3





Quotation

Q-133044

| # | Item / Description | Qty | Sales Price | Total Price |
|---|--|-----|-------------|-------------|
| 4 | OHS-8 OVERHEAD SHELF, FREE STANDING, 8FT | 1 | \$2,474.00 | \$2,474.00 |
| | Lead Time: 10 Weeks | | | |
| 5 | OHS-PS-US Power Outlet Strip Kit, OHS, US Type B | 4 | \$233.00 | \$932.00 |
| | Lead Time: 2 Weeks | | | |

| \$21,465.00 | Net Value |
|-------------|---------------------|
| \$2,100.00 | Shipping & Handling |
| \$0.00 | Tax/VAT |
| \$23,565.00 | Total Amount |

Terms and Conditions

Currency: U.S. Dollar
Payment Terms: Cradit application can be sent to apply for terms



DAEIL Systems



Quote

Quote To Quote Information Name Brian Rashap Quote # 250207Q9 Company CNM Date 2025-02-07 Expiration Date Issued By 2025-04-08 Phone brashap@cnm.edu Email Dan Kim Payment Terms Lead Time T/T in advance 5 Weeks

| | | Curren | су | | US | D | | | |
|-----|---|--------|----|---------|----|----------|----------|----|-------|
| 0 | Description | QTY | | U/PRICE | | Subtotal | Discount | | Total |
| . | PNEUMATIC OPTICAL TABLE | 1 | \$ | 8,012 | \$ | 8,012 | \$ - | s | 8.0 |
| | MODEL: DVIO-I-2412M-300t-H | | | | | | | | |
| - | Consisting of; | | | | | | | | |
| 1 | OPTICAL TABLE TOP | | | | | | | | |
| | MODEL: DVIO-B-2412M-300t | | | | | | | | |
| | Dimensions: 2400 x 1200 mm | | | | | | | | |
| - | Thickness: 300 mm | | | | | | | | |
| 1 | Weight: 476 mm | | | | | | | | |
| | Core: Steel honeycomb core structure, 0.25 mm thick foil | | | | | | | | |
| | Core Cell Size: 2.9 cm ² | | | | | | | | |
| | Core Shear Modulus: 19339 kgf/cm² (275,000 psi) | | | | | | | | |
| | Surface Flatness: ±0.03 mm | | | | | | | | |
| | Top Skin: 4.0 mm thick 430 series ferromagnetic stainless steel | | | | | | | | |
| | Bottom Skin: 4.5 mm thick steel | | | | | | | | |
| | Side Walls: 2.0 mm thick steel plate with highly damped composite wood | | | | | | | | |
| | Mounting Holes: M61.0 | | | | | | | | |
| | Mounting Hole Grid: 25 mm grid | | | | | | | | |
| | Mounting Hole Borders: 37.5 mm | | | | | | | | |
| | Mounting Holes Sealing: 21 mm deep clean cylindrical cap | | | | | | | | |
| | Damping: Broadband damping | | | | | | | | |
| | Performance Specifications | | | | | | | | |
| | Natural Frequency: 200 Hz | | | | | | | | |
| | Compliance: 85 n m/N | | | | | | | | |
| | Natural frequency and compliance are measured on 2000 x 1200 x 300 mm | | | | | | | | |
| 1 | *Natural frequency and compliance vary with dimensions of optical table tops. | | | | | | | | |
| | PNEUMATIC SUPPORT (Tie-Bar Type) | 1 | | | | | | | |
| | MODEL: DVIO-S-2412I-H | | | | | | | | |
| | Design Features | | | | | | | | |
| 1 | Vibration Isolation System: Pneumatic Isolation | | | | | | | | |
| | Support Height: TBA | | | | | | | | |
| | Frame Material: Steel | | | | | | | | |
| | Frame Structure: Welded Joints | | | | | | | | |
| | Number of Isolators: 4 EA | | | | | | | | |
| | Leveling Valves: 3 EA | | | | | | | | |
| | Leveling Foot: 4 EA | | | | | | | | |
| - 1 | Casters: 4 EA | | | | | | | | |
| | Performance Specifications | | | | | | | | |
| | Resonant Frequency: Vertical/Horizontal = 1.2 Hz - 3.0 Hz | | | | | | | | |
| | Vibration Isolation at 10 Hz: Vertical/Horizontal: 80% – 99 % | | | | | | | | |
| - 1 | Maximum Load Capacity: 1000 kg | | | | | | | | |
| | Leveling Repeatability of ± 1.0 mm | | | | | | | | |
| 1 | Height Adjustment Range of ±25 mm | | | | | | | | |
| . | OVERHEAD SHELF SYSTEM | 1 | \$ | 2,585 | \$ | 2,585 | \$ - | \$ | 2, |
| | MODEL: DOTS-8 | | | | | | | | |
| | Inner dimensions: 2500 x 550 x 1828 mm | | | | | | | | |
| | Outer dimensions: 2634 x 661 x 1908 mm | | | | | | | | |
| | Hanging shelves: (550 x 550 x 6mm) 3pcs | | | | | | | | |
| | Electrical sockets: 110V 8 pcs, 220V 8 pcs | | | | | | | | |
| | Circuit breaker: 30A | | | | | | | | |
| | Rated voltage: 110V/220V | | | | | | | | |
| | Rated residual current: 30mA | | | | | | | | |
| - 1 | | | | | | | | | |
| | Rated non-operating current: 15mA | | | | | | | | |
| - 1 | Rated non-operating current: 15mA Rated breaking current: 1.5kA | | | | | | | | |

40 Maengni-ro, Wonsam-myeon, Cheoin-gu, Yongin-si, Gyeonggi-do, Korea, 17166 Tel: +82-31-339-3375, EMAIL: internationalsales@daeilsys.com, Website: www.daeilsys.com

Applim Sales Manager

^{*} Five (5) Year Limited Warranty from the original shipment date

^{*} Country of Origin : South Korea / H.S CODE : 9031.80-9099