tb_responsavel $id_responsavel \mathcal{D}$ SERIAL — VARCHAR(100) NN nome_responsavel email VARCHAR(255) NN VARCHAR(255) NN id_azure_ad BOOLEAN permissao BOOLEAN status TIMESTAMP data_criacao data_alteracao TIMESTAMP

	tb_registro			
	id_registro 🛭	SERIAL		
	id_nota_fiscal	INT	>	
	data_recebimento	TIMESTAMP NN		
	status_registro	VARCHAR(50) NN		
	data_guarda	TIMESTAMP		
	prioridade	BOOLEAN		
<	id_responsavel	INT		
	data_criacao	TIMESTAMP		

	tb_responsavel_filial				
	id_responsavel_fili	al 🛭	SERIAL		
\leqslant	id_responsavel		INT		
	filial	VARCH	AR(255) NN		
	data_vinculacao		TIMESTAMP		
	data_alteracao		TIMESTAMP		

	tb_nota_fiscal			
	id_nota_fiscal 🛭	SERIAL -		
	chave_acesso	VARCHAR(44) NN		
	CNPJ	VARCHAR(14) NN		
	numero_nfe	VARCHAR(6) NN		
	codigo_cte	VARCHAR(20) NN		
	volumes	INT		
	filial	VARCHAR(255) NN		
~	id_centro	INT		
	data_vinculacao	TIMESTAMP		
	data_alteracao	TIMESTAMP		







