2100Q: 2

HQ40D: 2

Samplers: Cathy

Sampler contact: Cathy | Roxie

Date and Time: 1/04/17

## **IN-SITU READINGS:**

Location Name	Time	Temp (C)	Sal (ppt)	DO (mg/L)	DO Saturation (%)	рН	Turbidity <sup>1</sup> (NTU)		Comments (Rain, swimmers, wind)		
505 Front Street PFF PFF170104	8:15am	23.4	34.1	6.72	95.6	8-08	5.49	5.72	5.49	no wind no rain 4-6" waves	no ppl fredwater stream
Lindsey Hale PLH PLH170104	8:42am	23.3	34.7	6.77	96.4	7.98	8.86	8.96	0 ,	no wind no rain ripple	ing bbl in samps
Lahaina Town PLT PLT170104	9:03m	23.7	34.6	6.22	89.4	803	37.2	34.9	33.8	no rain said	64-550 p (readjust 71) divity water took of 500 5 days, pp) walking
Puamana PPU PPU170104	9:52am	24.1	34.9	6.85	99.2	8.05	297	2.59	2.54	no wind no rain 1' waves, not	15UP able to collect at tip
Launiupoko OLP OLP170104	9:58am	Z4.3	35.\	6.92	100-6	8.08	4.58	5.57	4.89	No checopy ing	13 sucters in a
Olowalu Shore Front OSF170104	10:24am	24.3	35.0	7.46	108.5	8.11 8.13 8.13	2.00	2.32	2.32	no clouds no rain stoody breeze	flat/ripple 2-3" no ppl water calvulctea
Turbidity Verification Pre:	Blank:	Low: 0-10	6.42	Med: 10-100	58.6	High: 100- 1000	560			Comment	
Post:	Blank: O.13	0-10	6.40	10-100	58.1	100- 1000	563	3			

COASTAL AND ENVIRONMENTAL CONDITION NOTES

Tide: 7:53 a.m. high tide 1.9 ft; 3:05 p.m. 0.4 ft Low Tide; Lahaina station

Rain Conditions (general): Nove

Cloud Cover:

Moon: 7(8)

Hui O Ka Wai Ola, 7/10/2016

Wind conditions (general):

## WATER QUALITY SAMPLING:

Sample No	Location Name	Time	Vol (mL)	Nutrient Bottle?	SSC ?	Quality control notes	Grab sample?
PFF170104-N-1	505 Front St	8:15	125	X		Washed, rinsed syringes; acid washed bottles; 0.7 um filters; washed rinsed filter holders	Z
PFF170104-S-1	505 Front St	8:15	500		X		卤
PLH170104-N-1	Lindsey Hale	8:42	125	X		Washed, rinsed syringes; acid washed bottles; 0.7 um filters; washed rinsed filter holders	×
PLH170104-S-1	Lindsey Hale	8:42	500		X		Ø
PLT170104-N-1	Lahaina Town	9:03	125	X		Washed, rinsed syringes; acid washed bottles; 0.7 um filters; washed rinsed filter holders	×
PLT170104-S-1	Lahaina Town	9:03	500		X		×
PPU170104-N-1	Puamana	9:32	125	X		Washed, rinsed syringes; acid washed bottles; 0.7 um filters; washed rinsed filter holders	N.
PPU170104-S-1	Puamana	9:32	500		X		⊠.
OLP170104-N-1	LP170104-N-1 Launiupoko		125	X		Washed, rinsed syringes; acid washed bottles; 0.7 um filters; washed rinsed filter holders	Ø
OLP170104-S-1	Launiupoko	9:58	500		X		Ø
OSF170104-N-1	-N-1 Olowalu Shore Front		125	X		Washed, rinsed syringes; acid washed bottles; 0.7 um filters; washed rinsed filter holders	N.
OSF170104-S-1	Olowalu Shore Front		500		X		

