2100Q: # /

HQ40D: #/

Samplers: N. BRENDA, Marie and Terry IN-SITUREADINGS:

Sampler contact: 650 867-7872

Date and Time: 10/18/2016

Location Name	Time	Temp (C)	Sal (ppt)	DO (mg/L)	DO Saturation (%)	рН	Turbidity ¹ (NTU)		NTU)	Comments (Rain, swimmers, wind)	
Pohaku RPO	7:39	26-6	36.0	6.23	95,070	1.95	1.83	8,85	8.66	Misty rainy morning no she on the beach calmwater, pretty clear	
Kaanapali Shores RKS	8:02	26.0 26.1 Mg	35.6	631	95.272	7.94	£.69	5:72	5.52	Walkers on sidewalk I black walker - alm , Still drizzling ?'s on beach evosion swimm	
Airport Beach RAB	8.02	26.9	36.7	6,28	96.3	7.99	0,72	0,64	0,74	Snortzelers 4 2 pSupier beach watkers calm	
Canoe Beach RCB	8:40	27,2 ✓	37.1	6.22	94,37	8.01	0.84	P.85	1.09	Colm, fisherman on rocks black walkers. clear water	
Wahikuli RWA	8:57	27:34	36.6	6.2	95.9%	8.09	0.87	0.94	0,89	Calm. no people on beachy	
					1						
Turbidity Verification Pre:	Blank:	Low: 0-10	5,60	Med: 10-100	57.9	High: 100- 1000	623			Comment	
Post:	Blank:	0-10	5.65	10-100	58.0	100- 1000	622				

COASTAL AND ENVIRONMENTAL CONDITION NOTES

High Tide 5:24 a.m. 2.0 feet; 11:21 a.m. Low tide 0.6 feet, Lahaina station

Rain Conditions (general): 46 th Spenices

Cloud Cover: 7

Moon: 18

Wind conditions (general):

WATER QUALITY SAMPLING:

Sample No	Location Name	Time	Vol (mL)	Nutrient Bottle?	SSC ?	Quality control notes	Grab sample?
RPO161018-N-1	Pokahu	7:39	125	X		Washed, rinsed syringes; acid washed bottles; 0.2 um disposable filters	0
RPO161018-S-1	Pokahu	8:20	500		X		
RKS161018-N-1	S161018-N-1 Kaanapali Sh		125	X		Washed, rinsed syringes; acid washed bottles; 0.2 um disposable filters	D.
RKS161018-S-1	Kaanapali Sh		500		X		
RAB161018-N-1	AB161018-N-1 Airport Beach		125	X		Washed, rinsed syringes; acid washed bottles; 0.2 um disposable filters	
RAB161018-S-1	Airport Beach		500		X		
RCB161018-N-1	Canoe Beach	8:40	125	X		Washed, rinsed syringes; acid washed bottles; 0.2 um disposable filters	4
RCB161018-S-1	Canoe Beach		500		X		
RWA161018-N-1	Wahikuli	8:57	125	X		Washed, rinsed syringes; acid washed bottles; 0.2 um disposable filters	II.
RWA161018-S-1	Wahikuli		500		X		