Samplers: Y' Terry, Marie Sampler contact: 651.271.8103

2100Q: 2

HQ40D: 2

Date and Time: 9/06/2016

Location Name	Time	Temp (C)	Sal (ppt)	DO (mg/L)	DO Saturation (%)	рН	Turbidity¹ (NTU)		(UTV	Comments (Rain, swimmers, wind)	
Pohaku RPO	7:31	26,7	34.9	26.31	95,4	8.11	10.8	11.5	10.4	Suprers 1 surfer, 2 bead walkers runners Sewer smell hi surf-size	
Kaanapali Shores RKS	7:50am	26.1 ~	35.5	6.42	96.7	8.15	5.79	6,54	6.16	i SNORKLER, STIRMEDMAN WAVES.	
Airport Beach RAB	\$10 Az	27,4	35.3	6.41	98.2	8.21	1,42	1.42	1,51	4SUP, 4SWMERS, CALLIN, LIGHT BREEZE	
Canoe Beach RCB	8:31	27.7	35,2	6.45	99.6	8.23	2.17	2.16	2.19	fishermen near our spot	
Wahikuli RWA	8:54	27.8	35.4	6.42	99.3	8.23	3.29	3,33	3.09	One locky with dog right in grant of our spot. Larger sult/swell	
Turbidity Verification Pre:	Blank:	Low: 0-10	6.31	Med: 10-100	57.7	High: 100- 1000	549.			Comment	
Post:	Blank:	0-10	6.37	10-100	57.7	100- 1000	546			cleaned redone. It times to try to get	

COASTAL AND ENVIRONMENTAL CONDITION NOTES

High Tide 6:37 a.m. 1.6 feet; 10:00 a.m. tide falling 1.1 feet

Cloud Cover: 3

Rain Conditions (general): portly Cloudy: Misty

Moon: 7

Wind conditions (general):

WATER QUALITY SAMPLING:

Sample No	Location Name	Time	Vol (mL)	Nutrient Bottle?	SSC ?	Quality control notes	Grab sample?	
RPO160906-N-1	Pokahu	7.21	125	X		Washed, rinsed syringes; acid washed bottles; 0.2 um disposable filters	12	
RPO160906-N-2	Pokahu		125	X		Washed, rinsed syringes; acid washed bottles; 0.2 um disposable filters – replicate sample		ho rep. beea use high su
RPO160906-S-1	Pokahu	7:26	500		X		D	
RKS160906-N-1	Kaanapali Sh	7:50	125	X		Washed, rinsed syringes; acid washed bottles; 0.2 um disposable filters		
RKS160906-S-1	Kaanapali Sh	7:50	500		X		78	1 Sampi
RAB160906-N-1	Airport Beach	4:10	125	Х		Washed, rinsed syringes; acid washed bottles; 0.2 um disposable filters	D-	
RAB160906-S-1	Airport Beach		500		X			
RCB160906-N-1	Canoe Beach	8:31	125	X		Washed, rinsed syringes; acid washed bottles; 0.2 um disposable filters		
RCB160906-S-1	Canoe Beach		500		X			
RWA160906-N-1	Wahikuli	8:54	125	X		Washed, rinsed syringes; acid washed bottles; 0.2 um disposable filters		
RWA160906-S-1	Wahikuli		500		X			
								Ī
								1