Samplers: Rich Cathy, Alana Sampler contact: Rich 209-5299 Dana, Kit

Date and Time: 7/27/2016

## IN-SITU READINGS:

Location Name	7:28	Temp (C)	Sal (ppt)	DO (mg/L)	DO Saturation (%)	р <b>н</b> 8. 04	Turbidity <sup>1</sup> (NTU)			Comments (Rain, swimmers, wind)
505 Front Street PFF								2.53	2.44	action; two kayaks
Lindsey Hale PLH	8:05	27.4	35.0	5.90	90.5	8.02	1	. 7.88	8.24	Three SOP's,
Lahaina Town PLT	8:28	27.6	35,2	5,65	87.0	8.00	8.92	3.46	3.73 #4(3.9 <b>0</b> )	Five SOP's, Peres
Puamana PPU  did not do	7;19	275	358	6,89	10%.6				70.70	South south for large wavest
Launiupoko OLP Used PPU bottles	9:09	28.4	35.6	652	101.4	8.13	091	0.96	0.76	some areas mas trubish than others - significant South swell painty large was sets
Olowalu Shore Front OSF	9:39	27.8	35.5	6.89	106.6	8:12	1.05	0.89	1.00	is actual vaveaction have a shong wind sharpt on shone
Turbidity Calibration Pre:	Blank: 0.06	Low: 0-10	5.57	Med: 10-100	57.7	High: 100- 1000	61	7		Comment
Post:	Blank:	0-10	5.59	10-100	57.8	100- 1000	615	5		

COASTAL AND ENVIRONMENTAL CONDITION NOTES

Tide: 7:00 a.m. tide rising 0.7, high tide 11:50 a.m.

Rain Conditions (general):

Cloud Cover:

Moon: 25

PEF turbidity samples forget to agreate bottle
PLT 2 #1 turbidity

Hui O Ka Wai Ola, 7/10/2016

## Wind conditions (general):

## WATER QUALITY SAMPLING:

Sample No	Location Name	Time	Vol (mL)	Nutrient Bottle?	SSC ?	Quality control notes	Grab sample?
PFF160727-N-1	505 Front St	7:28	125	X	4	Swiner tilters washed trensal Swiner tilter hidders with distilled new-unused Syringes water	
PFF160727-S-1	505 Front St	7:28	500		X	New-unused Syringes Writer	
PLH160727-N-1	Lindsey Hale	8:65	125	X			
PLH160727-S-1	Lindsey Hale	8:05	500		X	· ·	
PLT160727-N-1	Lahaina Town	8:28	125	X			B.
PLT160727-S-1	Lahaina Town	8:28	500		X	V '	□ ·
PPU160727-N-1	Puamana		125	X		not Sampled	
PPU160727-S-1	Puamana		500		X	not sampled	
OLP160727-N-1	Launiupoko	9:69	125	X		label ontopa PPU label	
OLP160727-S-1	727-S-1 Launiupoko		500		X	label ontopil PPU (abel	
OSF160727-N-1	Olowalu Shore Front	9:39	125	X			
OSF160727-S-1	Olowalu Shore Front	9:39	500		X	1	