




Because most test strips don't measure as high as 3000 ppm, it is necessary to dilute the CDS down by a 59:1 ratio of H₂O:CDS. The diagram below helps to demonstrate how much of each that you mix into a separate cup (shown as the shot glass) to test with the strip. The end of the above video shows how this is done as well after I made the batch of CDS. If you use this 59:1 ratio, you can get a reading and multiply it by 60 to get your actual CDS ppm. Although the above description shows a traditional way for making CDS, there are some newer methods that have proven to be just as effective (yet simpler and quicker) for making your own CDS. So, below, I put the link to a couple of videos that show these methods. I personally learn faster from the videos and if you watch it first, the below steps will make more sense. Making CDS in 3 hours video with Tupperware (English and Spanish Subtitles):

- <https://www.brighteon.com/1dac22c7-3ca8-48a1-be36-c6a42bd035ed>

Making CDS in 14 hours with Water Bottles Video (My favorite method that I currently use):

- <https://www.brighteon.com/20b5ab70-043b-423f-a297-c4e3434e70e1>

Storing CDS

If you are going to store the full potency CDS for an extended period of time, you will want to make sure that the liquid is stored in a glass container that is airtight, cold (below 11 Celsius or 51 Fahrenheit) and out of direct sunlight. If you happen to freeze CDS, you can still use it by thawing it out. If kept this way, it should last up to 6-7 months. I have learned by personal experience while traveling that 1 day in the sun will almost completely neutralize its ppm level. However, if you keep it in an airtight container at room temperature (out of sunlight), it still holds its potency pretty well.

MMS1 or CDS? Which Do I Prefer?

There is some debate on social media platforms about which form of ClO₂ is best. MMS1 is the traditional pioneer version which has stood the test of time for decades now. However, CDS has some benefits and is being allowed in some hospitals to treat patients. There are even other versions of ClO₂-liquid such as CDH or CDI which are also useful to learn about. Because of CDS's proximity to hospitals, it may be easier to conduct more formal research on its benefits. However, the research would mostly be confirming what has been tested with live patients for decades. ClO₂, in the form of MMS1 or CDS works excellently against disease and toxins in the body without hurting it. My personal preference depends on my situation. If I am in my comfortable home and all the power and water is working with no signs of disruption to my life, then I prefer CDS.

Table of Contents

I can keep it in the fridge all set to take as I need it with less of a smell and a little better taste. However, if I am out camping or traveling or if there is any chance of a catastrophe or emergency or I need to transport ClO₂ to someone that is in a secluded area, I prefer MMS1. It is self-contained, can be held in plastic bottles for long periods of time and can be kept in warm areas without losing its potency. In the end though, I always have both around in case I need it. I recommend to anyone that they learn how to measure and use both of these just in case. Once you have used both of them for a while, it is not hard to remember the basics.

CDS Protocols: One-Page Reference

PROTOCOL	DOSE AMOUNT	FREQUENCY	NOTES
A: Amateur	3 drops MMS1	2-3 doses per day (morning and night)	Also for maintenance: 3-drop dose MMS1 in 200 ml of water
B: Basic	3 drops MMS1	8 doses per day for 21 days	Same as Protocol 1000
C: CDS	10 ml CDS per 1 liter water	1 ml per hour for 10 hours	1 ml CDS per 100 ml of water
D: Dermatological	CDS spray or rub on	Up to 1 spray per hour	Can be diluted in water to 10% CDS
E: Enemas	10 drops MMS1, or 10 ml CDS per 1 liter warm water	Every 2-3 days for 1-2 weeks. Hold for 3 minutes	1 part seawater can be added to 3 parts fresh water. Never add DMSO to enema
F: Frequent	1 ml CDS per 10 ml water	1 dose every 15 minutes	Drink 8 doses within 1 ¾ hours
G: Gas (Cup)	6-8 drops MMS1 in cup	Once per hour as needed	Cover area with cup for 1-3 minutes
G: Gas (Bag)	30 drops MMS1 in cup	Up to 3 times per day	MMS1 cup inside bags taped around person
H: House	10-12 drops MMS1 (or 10 ml CDS) inside room	Evaporates over a few hours	6 drops per 100 sq. ft (undiluted, or with spoonful of water)
I: Insect Bites	CDS on gauze pad	Multiple times until dry	Soak gauze or paper in CDS, apply directly to bite
J: Joyful (Mouth)	10 ml CDS per 200 ml water	Brush and mouth wash once per day for 3 minutes	Initially done 3-4 times per day. Rinse mouth afterwards. Can add DMSO
K: Kit (DMSO)	20 drops of each: MMS1, water, and DMSO	Up to 10 times on different skin spots	Add water to MMS1, then apply DMSO with clean hands
L: Lavatory (Bath)	30-60 drops MMS1 per full bathtub of water	Once per day for at least 20 minutes	Can add 3-parts DMSO to 1-part MMS1 to very clean tub. Can also add 2 TBSP Borax.
M: Malaria	15 drops MMS1 in water (or 20 ml CDS in 200 ml water)	2 unique doses taken 1 hour apart	(If not malaria but a virus like dengue, use Protocol F instead)
N: Nipper (Kids)	1 drop MMS1 per 12 kilograms of body weight in 100 ml of water	8 doses per day	Can also use 1 ml CDS per year of age in 200 mls of water
O: Ophthalmolgy	50 ml saline + 5 ml CDS + 3 ml DMSO in dark bottle	Add 5 drops to eye/nose every 2 hours	Use PE dropper, store in cool area, and use within 3 days before solution weakens
P: Parasites	(See: Forbidden Heath book by Andreas Kalcker)	Protocol involves: castor oil (or epsom salts), CD enemas, diatomaceous earth, mebendazol, neem, and/or pyrantel pamoate	
Q: Quench (Burns)	Alternate sprays of Sodium Chlorite and CDS	Repeat every 30 minutes depending on wound	Rinse Sodium Chlorite with water after 3 minutes from skin spray
R: Rectal	6 drops MMS1 per 150 ml warm water	Try to hold in for 3 minutes before evacuation	Remove air from rubber irrigator prior to using, and use as often as needed
S: Sensitive	1 ml CDS per 500 ml of water to start	Drink throughout the day	Eventually increase (1 ml at a time) to 10 ml CDS in 1 liter of water
T: Terminal	(See: Forbidden Heath book by Andreas Kalcker)	Protocol is intense and followed for about 9 weeks. CDS is preferred, and MMS1 drops as an alternative	
U: Urgent	6 drops MMS1 per 200 ml of water	2 unique doses taken 2 hours apart	(You can substitute 1 ml CDS per 1 drop of MMS1 in same amount of water)
V: Vaginal	10 drops MMS1 (or 10 ml CDS) per 1 liter of warm water	Use in plastic irrigator, try to hold in for 3-5 minutes	For ½-liter bottle size, use 6 drops MMS1 (or 6 ml CDS)
W: Wow!	(See: Forbidden Heath book by Andreas Kalcker)	For updated testimonials for numerous uses of Chlorine Dioxide in treating various ailments, see: https://mmstestimonials.co/	
X: DetoX (Metals)	Use Protocol B for 3 weeks, then rest for 1 week	Repeat the treatment for 3 whole months	(Protocol B is the same as Protocol 1000)
Y: HYpodermic	5-10 ml CDI (or 10 ml CDS in lactated ringer serum at 15 drops per minute)	Use 22 caliber vial, repeat treatment as needed	Inject 5-10 ml CDI bubbles (at 50 ppm concentration) close to the affected area

CDS Protocol Links

- <https://t.me/AndreasKalckerProtocols>
- <https://andreaskalcker.com/en/cds-CIO2/cds-protocols.html>
- <https://docs.google.com/document/d/19MxkCOT6JJGUziX0FY6TeXfeNjXhmX7XI1Qm5GFZAg0/edit#>

Andreas Kalcker Book: *Forbidden Health*:

- Printed Version: <https://cleanhandsnj.com/>
- Digital Version: <https://t.me/AndreasKalckerProtocols/21>
- <https://t.me/ChlorineDioxideTestimonies/260979>

Chapter 9: What to Do About That Bitter Taste

“Ah dad! I can smell it again. Are you taking more of that stuff?” That is what my kids say as I mix a dose of Chlorine Dioxide at the kitchen table and they walk by. They think that I am a weirdo who is a wanna-be-chemist. But hey, if I wanted to be a chemist, I would do it for the money. Not for some sour and bitter tasting snake oil home-brewed concoction and a free book to give away. Being around this smell and flavor is a price to pay when taking your personal health more so into your own hands. It is also about healing from diseases for pennies, instead of hundreds or thousands of dollars. (Oh, sorry. I’m ranting again) But truth be told, most protocols for Chlorine Dioxide tastes terrible! Unless you are doing Protocol 1, the protocols for the MMS1 versions are both bitter and sour and the CDS versions are just bitter. You can get somewhat accustomed to the taste but it never gets sweet. It’s not just the Chlorine flavor of it but also the jolt that you get in your body as the flavor hits your brain. The taste issue is probably the number one complaint about CIO₂ that I have heard from people who are trying to treat minor illnesses. Interestingly, if you are really sick, the taste tends to not be as much of an issue. Maybe it is because you have felt some real pain and the little annoyances, like sour flavor, are not so bad. So, in response to the complaints by the newbies about the flavor, I made a short chapter that will help someone prepare a way to minimize the flavor issues. Here are my top 6 ways to deal with the taste as a drink:

1. Hold your nose: Grit your teeth and hold your nose for about 30 to 45 seconds while taking the dose. You don’t have to physically pinch your fingers on your nose but just don’t breathe through your nostrils. Then, while still holding your nose, drink a little water or approved natural juice to wash it down after you have swallowed the mixed dosage. Also, rinse your mouth with that second swig of water. I start with this method because when taking a protocol, there are always times where you have nothing else but a glass of water or a drinking fountain to dilute and drink your CIO₂. Maybe you are at school or work or running errands and you know that it’s time to take another dose. If you can master this method, you will be prepared for any situation where you need to take a dosage.

2. Eat a slice of an apple with the drink: Apples do not completely cover the taste of Chlorine Dioxide but they do have a kind of magical power to mask the jolt of chlorine-like flavor. If you are taking multiple doses a day (like with a protocol), you may want to cut an apple up into slices and take it around with you in a little bag. Then, you can eat a slice with each dose. Especially if you take a small bite of an apple before drinking your dose and chew it up in your mouth spreading out the apple throughout your mouth. Then, drink the dose and swallow the drink with the first bit of apple. Immediately after that, put the rest of the slice of apple in your mouth and chew it up, spreading it out. Then swallow everything. It might also help to not breathe through the nose during this. You can see what works best for you with an apple.