TokTickIT - Sprint 4 UI Specification

Extends the Lab 2/3 Zen Green system. Reuses existing card, table, badge, button, form, tab, loading, empty, error, and modal conventions — no new visual language is introduced.

1. Navigation

Role	Nav items
Requester	Dashboard · My Tickets · Create Ticket · Profile
IT Staff	Dashboard · Ticket Queue · Create Ticket · Profile
Administrator	Dashboard · Ticket Queue · Create Ticket · Users · Profile

`Dashboard` is added as a new route (`/dashboard`) for every role, with clear active-page styling matching the existing nav convention. It becomes the default post-login landing page.

2. IT Staff Dashboard (`/dashboard` , staff/admin)

Header: "Welcome back, {firstName}!" + a manual Refresh action.

Metric cards (responsive grid: 6 cols desktop → 3×2 tablet → 1 col mobile), each with a label, a value, and a click target that drills into the Ticket Queue pre-filtered accordingly:

Card	Drill-down filter
Unassigned	status not in {Closed, Cancelled}, no Owner
My Assigned	Owner = current user, status not in {Closed, Cancelled}
New	status = New
Open	status = Open
In Progress	status = In Progress
Waiting for Requester	status = Waiting for Requester

By IT Priority — a compact 4-row list (Low/Medium/High/Urgent) with count + drill-down, placed below the metric cards, satisfying the "Tickets by status or IT Priority" requirement without duplicating the six cards above.

My Recent Tickets — up to 5 rows (id, short title, status badge, last-updated time), "View all" link to Ticket Queue. Each row opens Ticket Detail.

Quick Actions panel — Create Ticket, Search Tickets, My Queue (same as the reference mockup).

States:

- *Loading:* skeleton cards + skeleton list rows (existing loading convention).
- *Empty:* a card showing `0` is a valid, expected state — never hidden or replaced with an error.
- *Forbidden:* not applicable at the page level (route requires IT Staff/Administrator); a card never renders data the user isn't authorized to see.
- *Safe failure:* if the dashboard endpoint errors, show the existing inline error banner with a Retry action; do not blank the whole page.

3. Requester Dashboard (`/dashboard` , requester)

Header: "Welcome, {firstName}!"

Metric cards (4, responsive grid: 4 cols desktop → 2×2 tablet → 1 col mobile):

Card	Meaning	Drill-down filter
Total Open	status in {New, Open, In Progress, Waiting for Requester, Reopened}	those statuses, Requester = me
Waiting for You	status = Waiting for Requester	that status, Requester = me
Recently Resolved	status = Resolved	that status, Requester = me
Closed	status = Closed	that status, Requester = me

My Recent Tickets — up to 5 rows, "View all" → My Tickets. **Quick Actions** — Create Ticket, View My Tickets.

States: same conventions as §2. Ownership is enforced server-side (BR-14); the UI never supplies or trusts a client-side requester filter.

4. Actions Taken (Ticket Detail → "Service Actions" tab)

This fills in the tab that Lab 3 left as a placeholder on the existing tab bar (Public Comments / Attachments / Service Actions / Event Log).

4.1 List view

Table (stacks to cards on mobile, matching the existing Ticket-list responsive pattern), newest first:

Column	Notes
Action Date/Time	localized display
Description	truncated with "show more"
Result	badge, color **and** text label (non-color cue)
Follow-up	icon + "Required"/"—"
Performed By	display name
Edit	IT Staff/Administrator only; hidden entirely for Requesters (backend also blocks)

Empty state: "No actions recorded yet for this ticket." Plus, for IT Staff/Administrator only, an "Add Action" button. Requesters never see the Add Action control.

4.2 Create / edit form

An accessible modal dialog (`role="dialog"` , `aria-modal="true"` , labelled by its heading, focus trapped inside while open, `Esc` closes it, focus returns to the triggering control on close, background does not scroll).

Field	Control	Rule
Action Date/Time	`datetime-local` , defaults to now	BR-06 bounds enforced client + server
Description	textarea, required	BR-05
Result	select, required, populated from `GET /api/reference/action-results`	—
Follow-Up Required	toggle/checkbox	—
Follow-up Note	textarea, shown + required only when Follow-Up Required is on	BR-04, inline error if missing
Attachment Notes	text input, optional	placeholder: "e.g., see screenshot_2026.png"

Submit button disables immediately on click and stays disabled until the request resolves (prevents double-submit, AC-13). Validation errors render inline, next to the field, not only in a banner. On `409 Conflict` (stale edit), show the existing conflict banner and offer to reload the current values.

5. Ticket Workflow controls (Ticket Detail)

A status control shows only the transitions permitted for the current status **and** the current user's role (per the matrix in `specification.md` §5.2). If `Resolved` isn't yet reachable because the BR-07 gate isn't met, the option is visible-but-disabled with a one-line reason: "Add an Action Taken with Result = Resolved before resolving this ticket." The backend is still the final authority — every transition request is re-validated server-side regardless of what the UI offered. A successful transition refreshes the Ticket summary status without a full page reload.

Reopen controls on a `Cancelled` / `Closed` Ticket are visible only to Administrators (AC-12); IT Staff see the Ticket as read-only-for-status in that state.

6. Responsive rules

- Dashboards: card grids collapse per the breakpoints in §2/§3; no card is ever clipped or overlapped.

- Actions Taken table → stacked cards on mobile, same pattern as the existing Ticket list.
- No screen introduces horizontal page scrolling at any breakpoint; wide content (e.g. long descriptions) wraps or truncates with expand, never forces overflow.

7. Accessibility checklist (applies to every new screen)

- ☐ Visible focus indicator on every interactive element.
- ☐ Full keyboard operability: Tab order follows visual order; Enter/Space activate buttons and cards; Escape closes the Action Taken modal.
- ☐ Semantic labels: icon-only buttons (Refresh, Edit) have `aria-label`; form fields have associated `<label>`s; the conditional Follow-up Note field is announced via `aria-describedby` when required.
- ☐ Non-color status cues: every status/result badge pairs color with a text label or icon.
- ☐ Modal dialog: `role="dialog"`, `aria-modal`, labelled, focus-trapped, Esc-to-close, focus-restore on close.
- ☐ No clipped content, no overlapping controls, no horizontal page scroll at desktop/tablet/mobile widths.
- ☐ Loading, empty, forbidden, and safe-failure states are present and visually distinct on every new screen, reusing the existing components from Labs 2–3.