

TotalRecalls Search
TotalRecalls Library › Search results
how did I handle retrying a failed background job
Open file
Show in folder
Copy path
Sorted by best match
Providers in these results
All providers 9
ChatGPT 2
Claude 1
Perplexity 1
Gemini 1
Grok 1
DeepSeek 1
Mistral 1
Qwen 1
Provider
Conversation
Best matching passage
Match
Date
ChatGPT
Redis worker retry with exponential backoff
When a job fails, don't retry immediately. Wait ...
0.81
2026-03-12
Claude
Making job handlers idempotent
If a worker crashes halfway, the queue will deliv...
0.77
2026-04-02
Perplexity
Dead-letter queues: when to give up on a job
After N failed attempts, move the message to a...
0.74
2026-01-27
Gemini
Celery vs RQ: retry policies compared
Celery lets you declare autoretry_for and retry_...
0.72
2025-11-19
DeepSeek
Backoff with jitter: which formula?
Full jitter picks a random delay between zero a...
0.70
2025-12-08
Qwen
Task queue timeouts and stuck workers
A job that never finishes is worse than one that...
0.68
2026-02-14
Grok
Postmortem: duplicate emails after a deploy
The retry storm sent every confirmation email t...
0.66
2026-05-21
Mistral
Cron job failure notifications
For a nightly job, retry once after ten minutes, t...
0.63
2025-09-30
ChatGPT
Python decorator for retrying API calls
def retry(max_attempts=3, base=0.5): wraps th...
0.61
2026-06-03
ChatGPT
Redis worker retry with exponential backoff
2026-03-12 · match 0.81
C:\TotalRecalls-Downloads\Library\chatgpt\Home\2026-03-12 09-41 -- Redis worker retry with exponential backoff -- a1b2c3d4\conversation.md
When a job fails, don't retry immediately. Wait base × 2^attempt seconds, add random jitter, and cap the delay at five minutes so a bad deploy can’t hammer the queue.
9 results · 8 providers searched
415 conversations indexed on this PC