PRIMARY COLOR

Color was the only variable within our exploration that yielded no effect in either our full or isolated regressions. We can see in the visualisations below that there are an abundance of brown, black, tan, and white dogs (common colors), while a smaller amount of red, blue, tricolor, gray (rarer colors) but higher adoption rates. In our isolated regression we found that some colors had significant effects both positive (ticked, sable, merle) and negative (white, gray) but as a whole the model itself was irrelevent, with an R2 value of 0.38%.





AGE

Age was also an influential variable, however no where near as influential as gender. Our regression found that age alone, only attributed to 4.44% of variance in adoption but still statistically significant. For every additional year of age a dogs chance of getting adopted decreases by approximately 14-15%. Within our full regression model, age retains statistical significance and influences adoption rates.



BREED



Breed was an interesting variable, because in an isolated regression it was significant, but once added to our full model it no longer retained significance. My belief is that this is because there are hundreds of different breeds and there are no way to truly account for the variable. In our isolated regression, 2.22% of the variance can be attributed to the "breed group". The Herding group was found to be the most likely to be adopted while the least likely contained dogs such as Bulldogs, Poodles, Dalmatians, and Sher Peis. These dogs typically have more health issues or higher grooming maintenance which is more expensive.

SEX / GENDER / STERILIZATION

Sex/sterilization status is the most influential factor found throughout our analysis. In our exploration we found that sex and sterilization status accounted for 22.9% of the adoption variance. Some key findings are that neutered males have approixmately 32 times higher odds of being adopted and spayed females have 39 times higher odds of being adopted. This variable was also significant within our full regression model.





Brealin Redecker
IST652
Tools: python, pandas, numpy, matplot, seaborn, scipy.stats

DOG ADOPTION TRENDS

What Attributes Make A Dog More Adoptable?

SEX / GENDER / STERILIZATION

Sex/sterilization status is the most influential factor found throughout our analysis. In our exploration we found that sex and sterilization status accounted for 22.9% of the adoption variance. Some key findings are that neutered males have approixmately 32 times higher odds of being adopted and spayed females have 39 times higher odds of being adopted. This variable was also significant within our full regression model.



AGE

Age was also an influential variable, however no where near as influential as gender. Our regression found that age alone, only attributed to 4.44% of variance in adoption but still statistically significant. For every additional year of age a dogs chance of getting adopted decreases by approximately 14-15%. Within our full regression model, age retains statistical significance and influences adoption rates.



BREED



Breed was an interesting variable, because in an isolated regression it was significant, but once added to our full model it no longer retained significance. My belief is that this is because there are hundreds of different breeds and there are no way to truly account for the variable. In our isolated regression, 2.22% of the variance can be attributed to the "breed group". The Herding group was found to be the most likely to be adopted while the least likely contained dogs such as Bulldogs, Poodles, Dalmatians, and Sher Peis. These dogs typically have more health issues or higher grooming maintenance which is more expensive.

PRIMARY COLOR

Color was the only variable within our exploration that yielded no effect in either our full or isolated regressions. We can see in the visualisations below that there are an abundance of brown, black, tan, and white dogs (common colors), while a smaller amount of red, blue, tricolor, gray (rarer colors) but higher adoption rates. In our isolated regression we found that some colors had significant effects both positive (ticked, sable, merle) and negative (white, gray) but as a whole the model itself was irrelevent, with an R2 value of 0.38%.



FINAL FINDINGS: After all of our exploration, we come to the conclusion that it is impossible to predict truly what will make a dog more adoptable, and it's really about the connection that is formed when meeting your forever friend at the shelter.