Bluetooth SIG Shop | Bluetooth.com Select Language w

Status

Valid

Bluetooth^{*}

Welcome. Carsten Poulsen Home | My Bluetooth.org | Logout

About Us Membership

Marketing Resources

Technical Resources

Assigned Numbers Roadmap Specifications Errata

ATLAS

Product Development Software Licensing

Test Tools

Overview Test Plan Generator

Listing Process

Build Your Test Plan

Overview My Projects

Create Project

Import Project

Create Test Plan

»[1] Select a Project

»[2] Declaration »[3] Core PICS

»[4] Profile PICS

»[5] Consistency Check

»[6] Generate Plan

Qualify Your Design

Update Your PRD 1.0 Product Find Design/Product Listings

Online References

Profile Tuning Suite

Device Library Test Vector Licensing

Qualification

Security

Regulatory The SIG Community

Training & Events

Groups

Step 4 - Project: BT + LE PSS

» Project Details »

Product Type Verification Product Type Selection in PROD Table: Profile Subsystem

Product Type Selection from Dropdown: Profile Subsystem

• Product Type Conformance Check: Profile Subsystem -- All mandatory profiles are being claimed. --

PROFILE: [A2DP AVRCP BIP BPP 1.2 DUN DID FAX FTP GAVDP HFP 1.5 HDP HID HSP IOP MAP MCAP OPP PBAP SAP SPP SYNC]

Message Access Profile External to Core

Update PICS Information

TOOLS: [Consistency Check]

TOOLS: [Consistency Check]

TABLE OF CONTENTS

Roles Features

<u>Features</u>

Message Server Equipment (MSE)
Message Client Equipment (MCE)

Roles [<u>top</u>]

Table 0: Profile Version

ľ	tem	Capability	System Spec Reference	Status	Support [Yes] or [No]
	1	MAP 1.0	MAP 1.0	М	• •

Table 1: Roles

	Table 1. Notes				
Item	Capability	System Spec Reference	Status	Support [Yes] or [No]	
1	Messaging Server Equipment ®	2.2	C.1	• •	
2	Messaging Client Equipment ®	2.2	C.1	• •	

C.1: It is mandatory to support at least one of the defined roles.

Features [<u>top</u>]

System Spec

Status

Support

Table 2: Supported features MCE

Prerequisite: MAP:1/2 Item | Canability

Update PICS Information

item	Саравіііцу	Reference	Status	[Yes] c	or [No]
1	Message Notification ②	4.1	C1	•	0
1a	SendEvent	4.1	C4	•	0
2	Message Browsing 1	4.2	C1	•	0
2a	SetFolder	4.2	C5	•	0
2b	GetFoldersListing	4.2	C5	•	0
2c	GetMessagesListing	4.2	C5	•	0
2d	GetMessage	4.2	0	•	0
2e	SetMessageStatus	4.2	0	•	0
2f	UpdateInbox	4.2	0	•	0
3	Message Uploading ®	4.3	0	•	0
3a	SetFolder	4.3	C6	•	0
3b	GetFoldersListing	4.3	C6	•	0
3с	PushMessage	4.3	C6	•	0
4	Message Delete	4.4	0	•	0
4a	SetMessageStatus	4.4	C7	•	0
5	Notification Registration ®	4.5	C.2	•	0
5a	SetNotificationRegistration	4.5	C8	•	0
6	Supported Message Types ®	N/A	N/A	0	•
6a	EMAIL	2.4	C3	•	0
6b	SMS_GSM	2.4	C3	•	0
6c	SMS_CDMA	2.4	C3	•	0

1 of 4 16-02-2011 13:54

6d	MMS	2.4	C3	•	0	
				•	0	

- C1: Mandatory to support at least one of the defined features 1 or 2.

 C2: Mandatory to support 2/5 IF 2/1 is supported

 C3: Mandatory to support at least one of the defined message types 2/6a to 2/6d IF 2/2 or 2/3 is supported

 C4: Support of functionality 2/1 a mandatory IF related feature 2/1 supported

 C5: Support of functionality mandatory IF 2/2 supported

 C6: Support of functionality mandatory IF 2/3 supported

 C7: Support of functionality mandatory IF 2/3 supported

C8: Support of functionality mandatory IF 2/5 supported

TOOLS: [Consistency Check]

Features

Update PICS Information

[top]

Table 3: Supported features MSE

Prerequisite: MAP:1/1

Item	Capability	System Spec Reference	Status		port or [No]
1	Message Notification	4.1	М	•	0
1a	SendEvent	4.1	М	()	0
2	Message Browsing	4.2	М	•	0
2a	SetFolder	4.2	М	•	0
2b	GetFoldersListing	4.2	М	•	0
2c	GetMessagesListing	4.2	М	•	0
2d	GetMessage	4.2	М	•	0
2e	SetMessageStatus	4.2	М	•	0
2f	UpdateInbox	4.2	М	•	0
3	Message Uploading	4.2	М	•	0
3a	SetFolder	4.3	М	•	0
3b	GetFoldersListing	4.3	М	•	0
3c	PushMessage	4.3	М	•	0
4	Message Delete	4.4	М	•	0
4a	SetMessageStatus	4.4	М	•	0
5	Notification Registration	4.5	М	•	0
5a	SetNotificationRegistration	4.5	М	•	0
6	Supported Message Types	N/A	N/A	0	•
6a	EMAIL	2.4	C1	•	0
6b	SMS_GSM	2.4	C1	•	0
6c	SMS_CDMA	2.4	C1	•	0
6d	ммѕ	2.4	C1	•	0

C1: Mandatory to support at least one of the defined message types 3/6a to 3/6d IF 3/2 or 3/3 is supported

Update PICS Information

TOOLS: [Consistency Check]

Message Client Equipment (MCE)

[<u>top</u>]

Table 8: MCE OBEX Functions support for MAS

Prerequisite: MAP:1/2

rereq	uisite. MAF . 1/2				
Item	Capability	System Spec Reference	Status	Sup [Yes] c	port or [No]
1	Connect (Client)	6.2	М	•	0
2	Disconnect (Client)	6.2	М	•	0
3	Put (Client)	6.2	0	•	0
4	Get (Client)	6.2	М	•	0
5	Abort (Client)	6.2	М	•	0
6	SetPath (Client)	6.2	М	•	0

Table 9: MCE OBEX Functions support for MNS

Prerequisite: MAP:1/2

Item	Capability	System Spec Reference	Status	Sup [Yes] o	
1	Connect (Server)	6.2	М	•	0
2	Disconnect (Server)	6.2	М	•	0
3	Put (Server)	6.2	М	•	0
4	Abort (Server)	6.2	М	•	0

Table 10: MCE OBEX Header Support

16-02-2011 13:54 2 of 4

Prerequisite: MAP:1/2

Item	Capability	System Spec Reference	Status		port or [No]
1	Name	6.3	М	•	0
2	Туре	6.3	М	•	0
3	Body	6.3	М	•	0
4	End of Body	6.3	М	•	0
5	Target	6.3	М	•	0
6	Who	6.3	М	•	0
7	Connection ID	6.3	М	•	0
8	Application Parameters	6.3	М	•	0

Table 11: MCE OBEX Client Error Codes Recognition

Prerequisite: MAP:1/2

Item	Capability	System Spec Reference	Status	Sup [Yes] c	
1	Bad Request	6.3	М	•	0
2	Not Implemented	6.3	М	•	0
3	Unauthorized	6.3	М	•	0
4	Precondition Failed	6.3	М	•	0
5	Not Found	6.3	М	•	0
6	Not Acceptable	6.3	М	•	0
7	Service Unavailable	6.3	М	•	0
8	Forbidden	6.3	М	•	0

Table 12: MCE OBEX Server Error Codes Reporting

Prerequisite: MAP:1/2

ltem	Capability	System Spec Reference	Status	Sup [Yes]	port or [No]
1	Bad Request	6.3	М	•	0
2	Not Implemented	6.3	М	•	0
3	Unauthorized	6.3	0	•	0
4	Precondition Failed	6.3	М	•	0
5	Not Found	6.3	М	•	0
6	Not Acceptable	6.3	0	•	0
7	Service Unavailable	6.3	М	•	0
8	Forbidden	6.3	0	•	0

Update PICS Information

TOOLS: [Consistency Check]

Message Server Equipment (MSE)

[<u>top</u>]

Table 13: MSE OBEX Functions support for MAS

Prerequisite: MAP:1/1

ltem	Capability	System Spec Reference	Status		port or [No]
1	Connect (Server)	6.2	М	•	0
2	Disconnect (Server)	6.2	М	•	0
3	Put (Server)	6.2	М	•	0
4	Get (Server)	6.2	М	•	0
5	Abort (Server)	6.2	М	•	0
6	SetPath (Server)	6.2	М	•	0

Table 14: MSE OBEX Functions support for MNS

Prerequisite: MAP:1/1

Item	Capability	System Spec Reference	Status	Sup [Yes] o	port or [No]
1	Connect (Client)	6.2	М	•	0
2	Disconnect (Client)	6.2	М	•	0
3	Put (Client)	6.2	М	•	0
4	Abort (Client)	6.2	М	•	0

Table 15: MSE OBEX Header Support

Prerequisite: MAP:1/1

Item	Capability	System Spec	Status	Support	
		Reference		[Yes] or [No]	

3 of 4 16-02-2011 13:54

1	Name	6.3	М	•	0
2	Туре	6.3	М	•	0
3	Body	6.3	М	•	0
4	End of Body	6.3	М	•	0
5	Target	6.3	М	•	0
6	Who	6.3	М	•	0
7	Connection ID	6.3	М	•	0
8	Application Parameters	6.3	М	•	0

Table 16: MSE OBEX Server Error Codes Recognition

Prerequisite: MAP:1/1

ltem	Capability	System Spec Reference	Status	Support [Yes] or [No]	
1	Bad Request	6.3	М	•	0
2	Not Implemented	6.3	М	•	0
3	Unauthorized	6.3	М	•	0
4	Precondition Failed	6.3	М	•	0
5	Not Found	6.3	М	•	0
6	Not Acceptable	6.3	М	•	0
7	Service Unavailable	6.3	М	•	0
8	Forbidden	6.3	М	•	0

Table 17: MSE OBEX Server Error Codes Reporting

	uisite: MAP:1/1				
Item	Capability	System Spec Reference	Status	Support [Yes] or [No]	
1	Bad Request	6.3	М	•	0
2	Not Implemented	6.3	М	•	0
3	Unauthorized	6.3	0	•	0
4	Precondition Failed	6.3	М	•	0
5	Not Found	6.3	М	•	0
6	Not Acceptable	6.3	0	•	0
7	Service Unavailable	6.3	М	•	0
8	Forbidden	6.3	0	•	0

Update PICS Information

TOOLS: [Consistency Check]

Update PICS Information

TOOLS: [Consistency Check]

eniceson 🖇





Miteroscolis





© 2011 Bluetooth SIG all rights reserved

print | site map | legal | privacy policy

4 of 4 16-02-2011 13:54