Bluetooth SIG Shop | Bluetooth.com



Welcome. Carsten Poulsen Home | My Bluetooth.org | Logout

About Us Membership

Marketing Resources

Technical Resources

Assigned Numbers Roadmap Specifications

ATLAS

Errata

Product Development Software Licensing

Test Tools Overview

Test Plan Generator

Listing Process

Build Your Test Plan Overview

My Projects

Create Project

Import Project Create Test Plan

»[1] Select a Project

»[2] Declaration

»[3] Core PICS

»[4] Profile PICS

»[5] Consistency Check

»[6] Generate Plan

Qualify Your Design

Update Your PRD 1.0 Product Find Design/Product Listings

Online References

Profile Tuning Suite Device Library

Test Vector Licensing

Qualification

Security

Regulatory

The SIG Community Training & Events

Groups

Select Language w

## Step 4 - Project: BT + LE PSS

» Project Details »

**Product Type Verification** 

Product Type Selection in PROD Table: Profile Subsystem

Product Type Selection from Dropdown: Profile Subsystem

• Product Type Conformance Check: Profile Subsystem -- All mandatory profiles are being claimed. --

PROFILE: [ A2DP AVRCP BIP BPP 1.2 DUN DID FAX FTP GAVDP HFP 1.5 HDP HID HSP IOP MAP MCAP OPP PBAP SAP SPP SYNC ]

Status

Valid

**Basic Printing Profile 1.2** External to Core

TOOLS: [ Consistency Check ]

**TABLE OF CONTENTS** 

Update PICS Information

Update PICS Information

Basic Application Capabilities (Pr) Basic application capabilities (SD)

Roles [ <u>top</u> ]

Table 1: Roles

Item	Capability	System Spec Reference	Status	Support [Yes] or [No]	
1	Printer (Pr) ①	2.2	0.1	• •	
2	Sender device (SD) ①	2.2	0.1	• •	

O.1: It is Mandatory to Support at least One of the defined roles.

TOOLS: [ Consistency Check ]

## Basic Application Capabilities (Pr)

[top]

Table 2: Basic Application Capabilities (Pr)

Prerequisite: (1/1) Item Capability System Spec Status Support Reference [Yes] or [No] Public Online Mode M.1 0 Private Online Mode 3 0 (e) 0 3 2a General Discoverable Mode 0.1 • 0 3 2b Limited Discoverable Mode 0.1 • 3 Bluetooth Offline Mode 3 0 • 3 4 Bonding / Authentication Response M 1 • 0 5 Bonding / Authentication initiation 3 0 • 0 6 Respond to SD Query 12.3 M.1 • 0 OBEX Authentication supported 2.4 7 0 • 0 Simple Push of XHTML-Print content 6 8 M.1 • 0 7.1.2 9 CreateJob M 1 (0) 0 9a CreateJob 7.1.2 M.1 • 0 10 GetJobAttributes 7.1.4 M.1 • 0 7.1.1 11 GetPrinterAttributes M.1 • 0 12 CancelJob 7.1.5 M.1 • 0 13 7.1.7 M.1 • 0 7.1.6 14 GetReferencedObjects M.1 • 0 XHTML-Print supported 10.2 M.1 15 • 0 16 Support for vCard 2.1 10.4 0 (0) 0 10.4 17 Support for multiple vCards per page 0 • 0 18 Support for alternate format 10.4 0 • 0 19 Support for vCalendar 1.0 10.5 0 (0) 0 Alternate view 10.5 0 20 • 0 Daily view 10.5 0 • 0 22 Weekly view 10.5 0 • 0 Monthly view 10.5 23 0 • 0

1 of 3 16-02-2011 13:49

24	Support for printing several layouts per page	10.5	0	0	•
25	vMessage v1.1 supported	10.6	0	•	0
26	Basic text format supported	10.3	0	•	0
27	Other formats supported- please specify below.	12.2.2	0	0	•
28	Other character repertoires supported- please specify below.	12.2.3	0	0	•
29	Enhanced Layout support	7.2	0	0	•
30	Print by Reference Support	8	0	0	•
31	Reflected UI Support	9	0	0	•
32	Support for Administrative RUI Service	9.7	C.1	0	•
33	Supports PBR RUI Service	9.8	C.1	0	•
34	Supports Direct Printing RUI Service	9.9	C.1	0	•
35	Supports CancelJob	9.7	0	0	•
36	Supports Status Reporting	9.7	0	0	•
37	Support of HTML format for RUI	9.2	C.2	0	•
38	Support of CHTML format for RUI	9.2	C.2	0	•
39	Support of WML format for RUI	9.2	C.2	0	•
C 1. A	Anndatory to Support at locat One of (2/22, 24) IE (2/21) Suppo	uta d			

Update PICS Information

TOOLS: [ Consistency Check ]

## Basic application capabilities (SD)

[ <u>top</u> ]

Table 3: Basic application capabilities (SD)

Prerequisite: (1/2)

ltem	Capability	System Spec Reference	Status	Support [Yes] or [No]	
1	General Inquiry	3	M.1	•	0
2	Limited Inquiry	3	0	0	•
3	Name Discovery	3	0	•	0
4	Device Discovery	3	0	•	0
5	Bonding / Authentication response	3	M.1	•	0
6	Bonding / Authentication initiation	3	0	•	0
7	Perform SD Query	12.3	M.1	•	0
8	OBEX Authentication supported (including entry via UI)	11	M.1	•	0
9	Simple Push-based XHTML-Print printing	6	C.1	•	0
10	Job control-based XHTML-Print printing	7	C.1	•	0
11	CreateJob, default attributes	7.1.2	C.2	•	0
12	CreateJob, non-default attributes	7.1.2	C.2	•	0
13	Default GetJobAttributes over Status Channel	7.1.4	0	0	•
13a	Requested GetJobAttributes over Status Channel	7.1.4	0	0	•
14	Default GetPrinterAttributes over Job Channel	7.1.1	0	•	0
14a	Default GetPrinterAttributes over Status Channel	7.1.1	0	•	0
14b	Requested GetPrinterAttributes over Job Channel	7.1.1	0	•	0
14c	Requested GetPrinterAttributes over Status Channel	7.1.1	0	•	0
15	CancelJob over Status Channel	7.1.5	0	•	0
15a	CancelJob over Job Channel	7.1.5	0	•	0
16	GetEvent	7.1.7	0	•	0
17	GetReferencedObjects	7.1.6	C.3	0	•
18	Support for limited application-specific content	10.2	M.1	•	0
19	Ability to send document with externally generated content.	10.2	0	0	•
20	Ability to send content with referenced images ③	10.7, 7.1.6	0	0	•
21	Support for vCard 2.1	10.4	0	•	0
22	Ability to specify Cards per page	10.4	0	•	0
23	Ability to specify card layout	10.4	0	•	0
24	Support for vCalendar 1.0	10.5	0	•	0
25	Alternate view	10.5	0	•	0
26	Daily view	10.5	0	•	0

16-02-2011 13:49 2 of 3

C.1: Mandatory to Support at least One of (2/32-34) IF (2/31) Supported.
C.2: Mandatory to Support at least One of (2/37-39) IF (2/31) Supported.
M.1: Mandatory to Support IF (1/1) is Supported.
Note: Details on how to test the relevant test cases on the client or server shall be covered in the profileIXIT document, "Profile IXIT Proforma for Basic Printing Profile".
O.1: In Public Online Mode either General Discoverable Mode or Limited Discoverable Mode, or both, SHALL be Supported.

27	Weekly view	10.5	0	•	0
28	Monthly view	10.5	0	•	0
29	Ability to specify number of layouts per page	10.5	0	•	0
30	vMessage v1.1 supported	10.6	0	•	0
31	Basic text format supported	10.3	0	•	0
32	Other formats supported - please specify	12.2.2	0	•	0
33	Other character repertoires supported - please specify	12.2.3	0	•	0
34	CreatePreciseJob, supported attributes	7.2	0	0	•
34a	CreatePreciseJob, unsupported attributes	7.2	0	0	•
35	GetMargins, results presented to User	7.2	0	0	•
35a	XHTML-Print Enhanced Layout	7.2	0	0	•
36	Support for Print by Reference	8	0	0	•
37	Simple Reference	8.4.1	C.4	0	•
38	XML Reference	8.4.2	C.4	0	•
39	List of References	8.4.3	C.4	0	•
40	Authentication Challenge	8.7	0	0	•
41	Simple Push-Based PBR	8.6	C.5	0	•
42	Job Control-Based PBR	8.8	C.5	0	•
43	Reflected UI Support	9	0	0	•
44	Supports use of Administrative RUI	9.7	C.6	0	•
45	Supports the PBR RUI Service	9.8	C.6	0	•
46	Supports the Direct Printing RUI Service	9.9	C.6	0	•
47	Support of HTML Format for RUI	9.2	C.7	0	•
48	Support of CHTML Format for RUI	9.2	C.7	0	•
49	Support of WML Format for RUI	9.2	C.7	0	•
50	RUI CancelJob	9.7	0	0	•
C 1 · 4	t least One of these methods SHALL be supported				

C.1: At least One of these methods SHALL be supported.
C.2: Mandatory to Support at least one of (3/11-12) IF (3/10) Supported.
C.3: Mandatory to Support (3/17) IF (3/20) Supported.
C.4: Mandatory to Support at least One of (3/37-39) IF (3/36) Supported
C.5: Mandatory to Support at least One of (3/41-42) IF (3/36) Supported
C.6: Mandatory to Support at least One of (3/44-46) IF (3/43) Supported
C.7: Mandatory to Support at least One of (3/47-49) IF (3/43) Supported
M.1: Mandatory to Support IF (1/2) Is supported.

Update PICS Information

TOOLS: [ Consistency Check ]

















© 2011 Bluetooth SIG all rights reserved

print | site map | legal | privacy policy

16-02-2011 13:49 3 of 3