

# Cucumber Report

26 Apr 2024, 22:52:00

**Start : Apr 26, 10:51:18.087 pm**

**End : Apr 26, 10:51:59.829 pm**

**Duration : 41.742 s**

Features







PASSED - 0  
FAILED - 4  
SKIPPED - 0

Scenarios

PASSED - 0  
FAILED - 4  
SKIPPED - 0

Steps


PASSED - 9  
FAILED - 4  
SKIPPED - 8




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>User details validation.</u>	41.742 s	1	0	1	0	5	3	1	1
<u>Logout Functionality</u>	41.735 s	1	0	1	0	5	2	1	2
<u>Login Functionality</u>	41.627 s	1	0	1	0	5	2	1	2
<u>Results filter functionality</u>	41.732 s	1	0	1	0	6	2	1	3

#	<b>Feature Name</b>	<b>Scenario Name</b>
1	<u>User details validation.</u>	<u>Verify the view and download of cumulative report functionality of the system.</u>
2	<u>Logout Functionality</u>	<u>Verify the logout functionality of the system</u>
3	<u>Login Functionality</u>	<u>Verify the login functionality of the system using valid credentials</u>
4	<u>Results filter functionality</u>	<u>Verify the results filter functionality of the system</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>				
	<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<i>@web_automation</i>		4	0	4	0	4	0	4	0



#	Feature Name	T	P	F	S	Duration
1	<u>User details validation.</u>	1	0	1	0	41.742 s
2	<u>Logout Functionality</u>	1	0	1	0	41.735 s
3	<u>Login Functionality</u>	1	0	1	0	41.627 s
4	<u>Results filter functionality</u>	1	0	1	0	41.732 s




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
1	<u>User details validation.</u>	<u>Verify the view and download of cumulative report functionality of the system.</u>	5	3	1	1	41.739 s
2	<u>Logout Functionality</u>	<u>Verify the logout functionality of the system</u>	5	2	1	2	41.735 s
3	<u>Login Functionality</u>	<u>Verify the login functionality of the system using valid credentials</u>	5	2	1	2	41.627 s
4	<u>Results filter functionality</u>	<u>Verify the results filter functionality of the system</u>	6	2	1	3	41.732 s

## User details validation.



Verify the view and download of cumulative report functionality of the system.




#	Step / Hook Details	Status	Duration
1	Given that the user opens "google_chrome" browser	PASSED	4.064 s
2	When the user navigates to PathCare Patient Portal "https://patients.pathcare.co.za/" website	PASSED	4.494 s
3	Then user enters username "7810275800089" and "Systemtest@012024"	PASSED	2.234 s
4	And user clicks My Profile option	FAILED	30.076 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='profileButton-button']//span[@class='mat-button-toggle-label-content']"} (Session info: chrome=124.0.6367.91) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [497e24613580477db5047bb7d1a894fa, findElement {value= //button[@id='profileButton-button']//span[@class='mat-button-toggle-label-content'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8..., userDataDir: C:\Users\w7172267\AppData\Local\Temp\scoped_dir32084_1500}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50631}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50631/devtoo..., se:cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 497e24613580477db5047bb7d1a894fa at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		


#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy25.isDisplayed(Unknown Source) at org.example.pageobjects.WelcomePage.clickMyProfile(WelcomePage.java:73) at org.example.stepDefs.welcomePageStepDef.userClicksMyProfileOption(welcomePageStepDef.java:27) at ?.user clicks My Profile option(file:///C:/PathCare_Selenium/src/test/resources/feature/PTNT_details_validation_001.feature:10) * Not displayable characters are replaced by '?'.		
5	Then the user validates PathCare records	SKIPPED	0.000 s
	AFTER - org.example.hooks.Hooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)  screenshot  org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [497e24613580477db5047bb7d1a894fa, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8..., userDataDir: C:\Users\w7172267\AppData\Local\Temp\scoped_dir31084\googletest\_output\_}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50631}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50631/devtoo..., se:cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 497e24613580477db5047bb7d1a894fa at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)	FAILED	0.849 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:405) at org.example.hooks.Hooks.takeScreenshotOnFailure(Hooks.java:20)</pre>		
			

## Logout Functionality



## Verify the logout functionality of the system




#	Step / Hook Details	Status	Duration
1	Given that the user opens "google_chrome" browser	PASSED	4.056 s
2	When the user navigates to PathCare Patient Portal "https://patients.pathcare.co.za/" website	PASSED	4.727 s
3	<p>Then user enters username "7810275800089" and "Systemtest@012024"</p> <pre>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=124.0.6367.91) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [497e24613580477db5047bb7d1a894fa, sendKeysToElement {value=[Ljava.lang.CharSequence;@14c0877e, id=f. 2E25FDC77DCBA923FB2F8080870F95ED.d.0FE44D4AF1924599994B8B71450F140B.e.6}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8..., userDataDir: C:\Users\w7172267\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50631}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50631/devtoo..., se:cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (497e24613580477db5047bb7d1a894fa)] -&gt; id: password] Session ID: 497e24613580477db5047bb7d1a894fa at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:110) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy25.sendKeys(Unknown Source) at org.example.pageobjects.LoginPage.enterCredentials(LoginPage.java:47) at org.example.stepDefs.loginStepDefs.userEntersUsernameAnd(loginStepDefs.java:46) at ?.user enters username "7810275800089" and "Systemtest@012024"(file:///C:/PathCare_Selenium/src/test/resources/feature/PTNT_LOGOUT_001.feature:9) * Not displayable characters are replaced by '?'.</pre>	FAILED	2.030 s
4	And user clicks on LogOut to logout of the system	SKIPPED	0.000 s
5	Then user validates username and password input fields	SKIPPED	0.000 s
	AFTER - org.example.hooks.Hooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)	FAILED	30.897 s

#	Step / Hook Details	Status	Duration
	<p>screenshot</p> <pre>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [497e24613580477db5047bb7d1a894fa, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8..., userDataDir: C:\Users\w7172267\AppData\Local\Temp\scoped_dir3108_1500}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50631}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50631/devtoo..., se:cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 497e24613580477db5047bb7d1a894fa at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(Codec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:405) at org.example.hooks.Hooks.takeScreenshotOnFailure(Hooks.java:20)</pre> 		

## Login Functionality



## Verify the login functionality of the system using valid credentials




#	Step / Hook Details	Status	Duration
1	Given that the user opens "google_chrome" browser	PASSED	4.740 s
2	When the user navigates to PathCare Patient Portal "https://patients.pathcare.co.za/" website	PASSED	5.263 s
3	<p>Then user enters username "7810275800089" and "Systemtest@012024"</p> <pre>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=124.0.6367.91) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [497e24613580477db5047bb7d1a894fa, sendKeysToElement {value=[Ljava.lang.CharSequence;@77e9f0fa, id=f. 2E25FDC77DCBA923FB2F8080870F95ED.d.0FE44D4AF1924599994B8B71450F140B.e.6}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8..., userDataDir: C:\Users\w7172267\AppData\Local\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50631}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50631/devtoo..., se:cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (497e24613580477db5047bb7d1a894fa)] -&gt; id: password] Session ID: 497e24613580477db5047bb7d1a894fa at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</pre>	FAILED	0.817 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:110) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy25.sendKeys(Unknown Source) at org.example.pageobjects.LoginPage.enterCredentials(LoginPage.java:47) at org.example.stepDefs.loginStepDefs.userEntersUsernameAnd(loginStepDefs.java:46) at ?.user enters username "7810275800089" and "Systemtest@012024"(file:///C:/PathCare_Selenium/src/test/resources/feature/ PTNT_LOGIN_001.feature:9) * Not displayable characters are replaced by '?'. </pre>		
4	And user is directed to the landing page	SKIPPED	0.000 s
5	Then user is displayed on the right top corner	SKIPPED	0.000 s
	<p>AFTER - org.example.hooks.Hooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	30.796 s

## Results filter functionality



## Verify the results filter functionality of the system



#	Step / Hook Details	Status	Duration
1	Given that the user opens "google_chrome" browser	PASSED	4.136 s
2	When the user navigates to PathCare Patient Portal "https://patients.pathcare.co.za/" website	PASSED	5.476 s
3	<p>Then user enters username "7810275800089" and "Systemtest@012024"</p> <pre>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=124.0.6367.91) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [497e24613580477db5047bb7d1a894fa, sendKeysToElement {value=[Ljava.lang.CharSequence;@57d7f247, id=f. 2E25FDC77DCBA923FB2F8080870F95ED.d.0FE44D4AF1924599994B8B71450F140B.e.6}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8..., userDataDir: C:\Users\w7172267\AppData\Local\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50631}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50631/devtoo..., se:cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (497e24613580477db5047bb7d1a894fa)] -&gt; id: password] Session ID: 497e24613580477db5047bb7d1a894fa at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</pre>	FAILED	1.209 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:110) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy25.sendKeys(Unknown Source) at org.example.pageobjects.LoginPage.enterCredentials(LoginPage.java:47) at org.example.stepDefs.loginStepDefs.userEntersUsernameAnd(loginStepDefs.java:46) at ?.user enters username "7810275800089" and "Systemtest@012024"(file:///C:/PathCare_Selenium/src/test/resources/feature/ PTNT_Filter_001.feature:9) * Not displayable characters are replaced by '?'. </pre>		
4	And user clicks My Results option	SKIPPED	0.000 s
5	And user enters value "Urine" to filter results	SKIPPED	0.001 s
6	Then users validates Filtered Data by extracting all Datatable	SKIPPED	0.001 s
	<p>AFTER - org.example.hooks.Hooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)</p> <p>screenshot</p> <pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [497e24613580477db5047bb7d1a894fa, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8..., userDataDir: C:\Users\w7172267\AppData\Local\Temp\scoped_dir31084_15104}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50631}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50631/devtoo..., se:cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 497e24613580477db5047bb7d1a894fa at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) </pre>	FAILED	30.897 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:405) at org.example.hooks.Hooks.takeScreenshotOnFailure(Hooks.java:20)		
			