

Cucumber Report

26 Apr 2024, 22:00:39

Start : Apr 26, 9:59:46.765 pm

End : Apr 26, 10:00:37.140 pm

Duration : 50.375 s

Features





PASSED - 0
FAILED - 4
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 4
SKIPPED - 0

Steps


PASSED - 9
FAILED - 4
SKIPPED - 8




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Functionality</u>	50.375 s	1	0	1	0	5	2	1	2
<u>User details validation.</u>	50.364 s	1	0	1	0	5	2	1	2
<u>Results filter functionality</u>	50.196 s	1	0	1	0	6	2	1	3
<u>Logout Functionality</u>	50.354 s	1	0	1	0	5	3	1	1

#	Feature Name	Scenario Name
1	<u>Login Functionality</u>	<u>Verify the login functionality of the system using valid credentials</u>
2	<u>User details validation.</u>	<u>Verify the view and download of cumulative report functionality of the system.</u>
3	<u>Results filter functionality</u>	<u>Verify the results filter functionality of the system</u>
4	<u>Logout Functionality</u>	<u>Verify the logout functionality of the system</u>

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
<i>@web_automation</i>		4	0	4	0	4	0	4	0



#	Feature Name	T	P	F	S	Duration
1	<u>Login Functionality</u>	1	0	1	0	50.375 s
2	<u>User details validation.</u>	1	0	1	0	50.364 s
3	<u>Results filter functionality</u>	1	0	1	0	50.196 s
4	<u>Logout Functionality</u>	1	0	1	0	50.354 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Functionality</u>	<u>Verify the login functionality of the system using valid credentials</u>	5	2	1	2	50.368 s
2	<u>User details validation.</u>	<u>Verify the view and download of cumulative report functionality of the system.</u>	5	2	1	2	50.364 s
3	<u>Results filter functionality</u>	<u>Verify the results filter functionality of the system</u>	6	2	1	3	50.195 s
4	<u>Logout Functionality</u>	<u>Verify the logout functionality of the system</u>	5	3	1	1	50.354 s

Login Functionality



Verify the login functionality of the system using valid credentials




#	Step / Hook Details	Status	Duration
1	Given that the user opens "google_chrome" browser	PASSED	10.429 s
2	When the user navigates to PathCare Patient Portal "https://patients.pathcare.co.za/" website	PASSED	4.898 s
3	Then user enters username "7810275800089" and "Systemtest@012024" org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=124.0.6367.91) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [21d3daf0b5f559efb0cee4df046a4aee, sendKeysToElement {value=[Ljava.lang.CharSequence;@35b996d, id=f]. C02F9015F7AB88DA1F1E384168A215B5.d.7F66DA19B05CF90B4249389673E8938B.e.25] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8..., userDataDir: C:\Users\w7172267\AppData\Local\Temp\scoped_dir31084\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63041}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63041/devtoo..., se:cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (21d3daf0b5f559efb0cee4df046a4aee)] -> id: password] Session ID: 21d3daf0b5f559efb0cee4df046a4aee at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	2.069 s


#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:110) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at org.example.pageobjects.LoginPage.enterCredentials(LoginPage.java:47) at org.example.stepDefs.loginStepDefs.userEntersUsernameAnd(loginStepDefs.java:46) at ?.user enters username "7810275800089" and "Systemtest@012024"(file:///C:/PathCare_Selenium/src/test/resources/feature/ PTNT_LOGIN_001.feature:9) * Not displayable characters are replaced by '?'. </pre>		
4	And user is directed to the landing page	SKIPPED	0.001 s
5	Then user is displayed on the right top corner	SKIPPED	0.000 s
	<p>AFTER - org.example.hooks.Hooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)</p> <p>screenshot</p> <pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [21d3daf0b5f559efb0cee4df046a4aee, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8..., userDataDir: C:\Users\w7172267\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63041}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63041/devtoo..., se:cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 21d3daf0b5f559efb0cee4df046a4aee at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) </pre>	FAILED	32.942 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:405) at org.example.hooks.Hooks.takeScreenshotOnFailure(Hooks.java:20) </pre>		
			

User details validation.



Verify the view and download of cumulative report functionality of the system.



#	Step / Hook Details	Status	Duration
1	Given that the user opens "google_chrome" browser	PASSED	10.423 s
2	When the user navigates to PathCare Patient Portal "https://patients.pathcare.co.za/" website	PASSED	5.285 s
3	<p>Then user enters username "7810275800089" and "Systemtest@012024"</p> <pre>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=124.0.6367.91) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [21d3daf0b5f559efb0cee4df046a4aee, sendKeysToElement {value=[Ljava.lang.CharSequence;@736e674e, id=f. C02F9015F7AB88DA1F1E384168A215B5.d.7F66DA19B05CF90B4249389673E8938B.e.25}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8..., userDataDir: C:\Users\w7172267\AppData\Local\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63041}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63041/devtoo..., se:cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (21d3daf0b5f559efb0cee4df046a4aee)] -> id: password] Session ID: 21d3daf0b5f559efb0cee4df046a4aee at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:110) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</pre>	FAILED	1.683 s


#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at org.example.pageobjects.LoginPage.enterCredentials(LoginPage.java:47) at org.example.stepDefs.loginStepDfs.userEntersUsernameAnd(loginStepDfs.java:46) at ?.user enters username "7810275800089" and "Systemtest@012024"(file:///C:/PathCare_Selenium/src/test/resources/feature/PTNT_details_validation_001.feature:9) * Not displayable characters are replaced by '?'.		
4	And user clicks My Profile option	SKIPPED	0.001 s
5	Then the user validates PathCare records	SKIPPED	0.001 s
	AFTER - org.example.hooks.Hooks.takeScreenshotOnFailure(io.cucumber.java.Scenario) Screenshot org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [21d3daf0b5f559efb0cee4df046a4aee, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8...), userDataDir: C:\Users\w7172267\AppData\Local\Temp\scoped_dir31084\googletesttmp\�...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63041}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63041/devtoo..., se:cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 21d3daf0b5f559efb0cee4df046a4aee at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:405) at org.example.hooks.Hooks.takeScreenshotOnFailure(Hooks.java:20)	FAILED	32.942 s

#	Step / Hook Details	Status	Duration
			

Results filter functionality



Verify the results filter functionality of the system



#	Step / Hook Details	Status	Duration
1	Given that the user opens "google_chrome" browser	PASSED	10.431 s
2	When the user navigates to PathCare Patient Portal " https://patients.pathcare.co.za/ " website	PASSED	3.227 s
3	Then user enters username "7810275800089" and "Systemtest@012024"	FAILED	3.734 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info:		


#	Step / Hook Details	Status	Duration
	<p>chrome=124.0.6367.91) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [21d3daf0b5f559efb0cee4df046a4aee, sendKeysToElement {value=[Ljava.lang.CharSequence;@6a176758, id=f]. C02F9015F7AB88DA1F1E384168A215B5.d.7F66DA19B05CF90B4249389673E8938B.e.25}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8..., userDataDir: C:\Users\w7172267\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63041}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63041/devtoo..., se:cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (21d3daf0b5f559efb0cee4df046a4aee)] -> id: password] Session ID: 21d3daf0b5f559efb0cee4df046a4aee</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:110) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at org.example.pageobjects.LoginPage.enterCredentials(LoginPage.java:47) at org.example.stepDefs.loginStepDefs.userEntersUsernameAnd(loginStepDefs.java:46) at ?.user enters username "7810275800089" and "Systemtest@012024"(file:///C:/PathCare_Selenium/src/test/resources/feature/PTNT_Filter_001.feature:9) * Not displayable characters are replaced by '?'. </pre>		
4	And user clicks My Results option	SKIPPED	0.000 s
5	And user enters value "Urine" to filter results	SKIPPED	0.000 s
6	Then users validates Filtered Data by extracting all Datatable	SKIPPED	0.000 s
	AFTER - org.example.hooks.Hooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)	PASSED	32.775 s

#	Step / Hook Details	Status	Duration
	<p>screenshot</p> 		

Logout Functionality



Verify the logout functionality of the system



#	Step / Hook Details	Status	Duration
1	Given that the user opens "google_chrome" browser	PASSED	10.429 s
2	When the user navigates to PathCare Patient Portal " https://patients.pathcare.co.za/ " website	PASSED	4.519 s
3	Then user enters username "7810275800089" and "Systemtest@012024"	PASSED	2.376 s

#	Step / Hook Details	Status	Duration
4	<p>And user clicks on LogOut to logout of the system</p> <pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertTrue(Assert.java:57) at org.testng.Assert.assertTrue(Assert.java:67) at org.example.stepDefs.welcomePageStepDef.userClicksOnLogOutToLogoutOfTheSystem(welcomePageStepDef.java:22) at ?.user clicks on LogOut to logout of the system(file:///C:/PathCare_Selenium/src/test/resources/feature/PTNT_LOGOUT_001.feature:10) * Not displayable characters are replaced by '?'.</pre>	FAILED	30.098 s
5	Then user validates username and password input fields	SKIPPED	0.000 s
	<p>AFTER - org.example.hooks.Hooks.takeScreenshot onFailure(io.cucumber.java.Scenario)</p> <p>screenshot</p> <pre>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [21d3daf0b5f559efb0cee4df046a4aee, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8...), userDataDir: C:\Users\w7172267\AppData\Local\Temp\scoped_dir32084_1500}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63041}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63041/devtoo..., se:cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 21d3daf0b5f559efb0cee4df046a4aee at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:405) at org.example.hooks.Hooks.takeScreenshot onFailure(Hooks.java:20)</pre>	FAILED	2.905 s

#	Step / Hook Details	Status	Duration
	 A screenshot of a web-based application interface. On the left, there is a login form with fields for 'Email' and 'Password', and a 'Log In' button. To the right of the form is a large, detailed 3D molecular model of a flask, represented by a network of blue dots connected by lines. The background of the page is white.		