

# Cucumber Report

26 Apr 2024, 22:47:37

Start : Apr 26, 10:46:54.544 pm

End : Apr 26, 10:47:36.624 pm

Duration : 42.080 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 4  
SKIPPED - 0

PASSED - 0  
FAILED - 4  
SKIPPED - 0


PASSED - 9  
FAILED - 4  
SKIPPED - 8




| Feature                             |          | Scenario |   |   |   | Step |   |   |   |
|-------------------------------------|----------|----------|---|---|---|------|---|---|---|
| Name                                | Duration | T        | P | F | S | T    | P | F | S |
| <u>Results filter functionality</u> | 42.080 s | 1        | 0 | 1 | 0 | 6    | 2 | 1 | 3 |
| <u>User details validation.</u>     | 42.073 s | 1        | 0 | 1 | 0 | 5    | 3 | 1 | 1 |
| <u>Login Functionality</u>          | 41.962 s | 1        | 0 | 1 | 0 | 5    | 2 | 1 | 2 |
| <u>Logout Functionality</u>         | 42.070 s | 1        | 0 | 1 | 0 | 5    | 2 | 1 | 2 |

| # | Feature Name                        | Scenario Name   |
|---|-------------------------------------|---|
| 1 | <u>Results filter functionality</u> | <u>Verify the results filter functionality of the system</u>                          |
| 2 | <u>User details validation.</u>     | <u>Verify the view and download of cumulative report functionality of the system.</u> |
| 3 | <u>Login Functionality</u>          | <u>Verify the login functionality of the system using valid credentials</u>           |
| 4 | <u>Logout Functionality</u>         | <u>Verify the logout functionality of the system</u>                                  |

| TAG             | Scenario |   |   |   | Feature |   |   |   |
|-----------------|----------|---|---|---|---------|---|---|---|
| Name            | T        | P | F | S | T       | P | F | S |
| @web_automation | 4        | 0 | 4 | 0 | 4       | 0 | 4 | 0 |





| # | Feature Name                        | T | P | F | S | Duration |
|---|-------------------------------------|---|---|---|---|----------|
| 1 | <u>Results filter functionality</u> | 1 | 0 | 1 | 0 | 42.080 s |
| 2 | <u>User details validation.</u>     | 1 | 0 | 1 | 0 | 42.073 s |
| 3 | <u>Login Functionality</u>          | 1 | 0 | 1 | 0 | 41.962 s |
| 4 | <u>Logout Functionality</u>         | 1 | 0 | 1 | 0 | 42.070 s |





| # | Feature Name                        | Scenario Name   | T | P | F | S | Duration |
|---|-------------------------------------|---|---|---|---|---|----------|
| 1 | <u>Results filter functionality</u> | <u>Verify the results filter functionality of the system</u>                          | 6 | 2 | 1 | 3 | 42.077 s |
| 2 | <u>User details validation.</u>     | <u>Verify the view and download of cumulative report functionality of the system.</u> | 5 | 3 | 1 | 1 | 42.073 s |
| 3 | <u>Login Functionality</u>          | <u>Verify the login functionality of the system using valid credentials</u>           | 5 | 2 | 1 | 2 | 41.961 s |
| 4 | <u>Logout Functionality</u>         | <u>Verify the logout functionality of the system</u>                                  | 5 | 2 | 1 | 2 | 42.070 s |

## Results filter functionality

|  |                     |  |   |  |   |
|--|---------------------|--|---|--|---|
| <b>FAILED</b>                          | DURATION - 42.080 s | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 6<br>Pass - 2<br>Fail - 1<br>Skip - 3 |  |
| / 10:46:54.544 pm // 10:47:36.624 pm / |                     |  |   |  |   |

## Verify the results filter functionality of the system

|  |  |   |   |  |
|--|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 42.077 s</div> |  | <div></div> | <div>Steps</div> <div>Total - 6</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 3</div> | <div></div> |
| / 10:46:54.547 pm // 10:47:36.624 pm /           |  |   |   |  |
| Results filter functionality                     |  |   |   |  |
| @web_automation                                  |  |   |   |  |



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given that the user opens "google_chrome" browser   | PASSED | 5.267 s  |
| 2 | When the user navigates to PathCare Patient Portal "https://patients.pathcare.co.za/" website   | PASSED | 5.027 s  |
| 3 | Then user enters username "7810275800089" and "Systemtest@012024"   | FAILED | 1.171 s  |
|   | org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=124.0.6367.91) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [309ed00d2123d358269c8eaf000269f3, sendKeysToElement {value=[Ljava.lang.CharSequence;@6dc20ee2, id=f.31A667BD5A03C550C3F8C6FFB80E868A.d.8808257D2627E3EDA7D9CD0EDBA7D5EF.e.32}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8..., userDataDir: C:\Users\lw7172267\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50330}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:50330/devtoo..., se.cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (309ed00d2123d358269c8eaf000269f3)] -> id: password] Session ID: 309ed00d2123d358269c8eaf000269f3<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | <pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:110) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy25.sendKeys(Unknown Source) at org.example.pageobjects.LoginPage.enterCredentials(LoginPage.java:47) at org.example.stepDefs.loginStepDefs.userEntersUsernameAnd(loginStepDefs.java:46) at ?.user enters username "7810275800089" and "Systemtest@012024"(file:///C:/PathCare_Selenium/src/test/resources/feature/PTNT_Filter_001.feature:9) * Not displayable characters are replaced by '?'. </pre>  |         |          |
| 4 | And user clicks My Results option  | SKIPPED | 0.000 s  |
| 5 | And user enters value "Urine" to filter results  | SKIPPED | 0.000 s  |
| 6 | Then users validates Filtered Data by extracting all Datatable   | SKIPPED | 0.000 s  |
|   | <p>AFTER - org.example.hooks.Hooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)</p> <p>screenshot</p> <pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [99c681ea717d06c94924e006d40e678e, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8..., userDataDir: C:\Users\lw7172267\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50332}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50332/devtoo..., se:cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 99c681ea717d06c94924e006d40e678e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) </pre> | FAILED  | 30.593 s |





| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)<br>at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:405)<br>at org.example.hooks.Hooks.takeScreenshotOnFailure(Hooks.java:20) |        |          |
|   |  |        |          |

### User details validation.

|  |                     |           |  |           |  |
|--|---------------------|-----------|--|-----------|--|
| <b>FAILED</b>                          | DURATION - 42.073 s | Scenarios |  | Steps     |  |
| / 10:46:54.550 pm // 10:47:36.623 pm / |                     | Total - 1 |  | Total - 5 |  |
|  |                     | Pass - 0  |  | Pass - 3  |  |
|  |                     | Fail - 1  |  | Fail - 1  |  |
|  |                     | Skip - 0  |  | Skip - 1  |  |



### Verify the view and download of cumulative report functionality of the system.

|  |                     |  |       |   |
|--|---------------------|--|-------|---|
| <b>FAILED</b>                          | DURATION - 42.073 s |  | Steps |  |
| / 10:46:54.550 pm // 10:47:36.623 pm / |                     |  |       |   |
| User details validation.               |                     |  |       |   |
| @web_automation                        |                     |  |       |   |



| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
| 1 | Given that the user opens "google_chrome" browser  | PASSED  | 5.272 s  |
| 2 | When the user navigates to PathCare Patient Portal "https://patients.pathcare.co.za/" website  | PASSED  | 4.597 s  |
| 3 | Then user enters username "7810275800089" and "Systemtest@012024"  | PASSED  | 1.573 s  |
| 4 | <p>And user clicks My Profile option</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='profileButton-button']/span[@class='mat-button-toggle-label-content']"} (Session info: chrome=124.0.6367.91) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [99c681ea717d06c94924e006d40e678e, findElement {value= //button[@id='profileButton-button']/span[@class='mat-button-toggle-label-content'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8..., userDataDir: C:\Users\w7172267\AppData\Local\Temp\WebDriverCache\chrome\124.0.6367.91\userDataDir}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50332}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:50332/devtools, se.cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 99c681ea717d06c94924e006d40e678e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy25.isDisplayed(Unknown Source) at org.example.pageobjects.WelcomePage.clickMyProfile(WelcomePage.java:73) at org.example.stepDefs.welcomePageStepDef.userClicksMyProfileOption(welcomePageStepDef.java:27) at ?.user clicks My Profile option(file:///C:/PathCare_Selenium/src/test/resources/feature/PTNT_details_validation_001.feature:10) * Not displayable characters are replaced by '?'. </pre> | FAILED  | 30.022 s |
| 5 | Then the user validates PathCare records   | SKIPPED | 0.000 s  |
|   | AFTER - org.example.hooks.Hooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)   | FAILED  | 0.596 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <p>screenshot</p> <pre>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [99c681ea717d06c94924e006d40e678e, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8..., userDataDir: C:\Users\lw7172267\AppData\Local\Temp\scoped_dir12406_12406678e}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50332}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50332/devtools, se:cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 99c681ea717d06c94924e006d40e678e     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)     at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)     at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:405)     at org.example.hooks.Hooks.takeScreenshotOnFailure(Hooks.java:20)</pre> |        |          |

## Login Functionality

|  |                            |  |   |  |   |
|--|----------------------------|--|---|--|---|
| <b>FAILED</b>                          | <b>DURATION - 41.962 s</b> | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 5<br>Pass - 2<br>Fail - 1<br>Skip - 2 |  |
| / 10:46:54.552 pm // 10:47:36.514 pm / |                            |  |   |  |   |



### Verify the login functionality of the system using valid credentials

|  |                            |  |  |   |
|--|----------------------------|--|--|---|
| <b>FAILED</b>                          | <b>DURATION - 41.961 s</b> |  | Steps<br>Total - 5<br>Pass - 2<br>Fail - 1<br>Skip - 2 |  |
| / 10:46:54.552 pm // 10:47:36.513 pm / |                            |  |  |   |
| Login Functionality                    |                            |  |  |   |
| @web_automation                        |                            |  |  |   |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given that the user opens "google_chrome" browser  | PASSED | 5.271 s  |
| 2 | When the user navigates to PathCare Patient Portal "https://patients.pathcare.co.za/" website  | PASSED | 4.825 s  |
| 3 | Then user enters username "7810275800089" and "Systemtest@012024"  | FAILED | 1.373 s  |
|   | <p>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=124.0.6367.91) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [309ed00d2123d358269c8eaf000269f3, sendKeysToElement {value=[Ljava.lang.CharSequence;@5890981d, id=f.31A667BD5A03C550C3F8C6FFB80E868A.d.8808257D2627E3EDA7D9CD0EDBA7D5EF.e.32}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8..., userDataDir: C:\Users\w7172267\AppData\Local\Temp\WebDriver-124.0.6367.91\wdio.conf\chrome\userDataDir}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50330}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50330/devtools, se:cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (309ed00d2123d358269c8eaf000269f3)] -&gt; id: password] Session ID: 309ed00d2123d358269c8eaf000269f3</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)<br/> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)<br/> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)<br/> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</p> |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:110) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy25.sendKeys(Unknown Source) at org.example.pageobjects.LoginPage.enterCredentials(LoginPage.java:47) at org.example.stepDefs.loginStepDefs.userEntersUsernameAnd(loginStepDefs.java:46) at ?.user enters username "7810275800089" and "Systemtest@012024"(file:///C:/PathCare_Selenium/src/test/resources/feature/PTNT_LOGIN_001.feature:9) * Not displayable characters are replaced by '?'. </pre> |         |          |
| 4 | And user is directed to the landing page   | SKIPPED | 0.001 s  |
| 5 | Then user is displayed on the right top corner   | SKIPPED | 0.000 s  |
|   | AFTER - org.example.hooks.Hooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)   | PASSED  | 30.481 s |
|   | screenshot   |         |          |

## Logout Functionality

|  |                            |  |   |  |   |
|--|----------------------------|--|---|--|---|
| <b>FAILED</b>                          | <b>DURATION - 42.070 s</b> | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 5<br>Pass - 2<br>Fail - 1<br>Skip - 2 |  |
| / 10:46:54.553 pm // 10:47:36.623 pm / |                            |  |   |  |   |

### Verify the logout functionality of the system

|  |  |   |   |  |
|--|--|---|---|--|
| <div><div>FAILED</div><div>DURATION - 42.070 s</div></div> |  | <div></div> | <div>Steps<br/>Total - 5<br/>Pass - 2<br/>Fail - 1<br/>Skip - 2</div> | <div></div> |
| / 10:46:54.553 pm // 10:47:36.623 pm /                     |  |   |   |  |
| Logout Functionality                                       |  |   |   |  |
| @web_automation  |  |   |   |  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given that the user opens "google_chrome" browser  | PASSED | 5.272 s  |
| 2 | When the user navigates to PathCare Patient Portal "https://patients.pathcare.co.za/" website  | PASSED | 5.192 s  |
| 3 | Then user enters username "7810275800089" and "Systemtest@012024"  | FAILED | 1.006 s  |
|   | <p>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=124.0.6367.91) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [309ed00d2123d358269c8eaf000269f3, sendKeysToElement {value=[Ljava.lang.CharSequence;@47c3c2e1, id=f.31A667BD5A03C550C3F8C6FFB80E868A.d.8808257D2627E3EDA7D9CD0EDBA7D5EF.e.32}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8..., userDataDir: C:\Users\w7172267\AppData\Local\Temp\WebDriver\chrome\124.0.6367.91\userDataDir}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50330}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50330/devtools, se:cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (309ed00d2123d358269c8eaf000269f3)] -&gt; id: password] Session ID: 309ed00d2123d358269c8eaf000269f3</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)<br/> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)<br/> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)<br/> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</p> |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:110) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy25.sendKeys(Unknown Source) at org.example.pageobjects.LoginPage.enterCredentials(LoginPage.java:47) at org.example.stepDefs.loginStepDefs.userEntersUsernameAnd(loginStepDefs.java:46) at ?.user enters username "7810275800089" and "Systemtest@012024"(file:///C:/PathCare_Selenium/src/test/resources/feature/PTNT_LOGOUT_001.feature:9) * Not displayable characters are replaced by '?'. </pre>  |         |          |
| 4 | And user clicks on LogOut to logout of the system  | SKIPPED | 0.002 s  |
| 5 | Then user validates username and password input fields   | SKIPPED | 0.000 s  |
|   | AFTER - org.example.hooks.Hooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)   | FAILED  | 30.592 s |
|   | screenshot   |         |          |
|   | <pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [99c681ea717d06c94924e006d40e678e, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8..., userDataDir: C:\Users\lw7172267\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50332}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50332/devtoo..., se:cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 99c681ea717d06c94924e006d40e678e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) </pre> |         |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)<br>at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:405)<br>at org.example.hooks.Hooks.takeScreenshotOnFailure(Hooks.java:20) |        |          |
|   |   |        |          |